

## **The spider fauna of Melendiz Mountains, Niğde, Turkey**

Hakan Demir<sup>\*</sup>, Osman Seyyar, Hüseyin Türker, Hakkı Onur Koçyiğit  
& Hakkı Öner

Department of Biology, Faculty of Science and Arts, Niğde University,  
TR-51100 Niğde, Turkey

\* Corresponding e-mail address: [ozyptila@gmail.com](mailto:ozyptila@gmail.com)

### **Abstract**

Spider specimens were collected, during field studies, from Melendiz Mountains located in the province of Niğde of Turkey between June 2012 and July 2013. A total of 2631 adult specimens were studied, 129 spider species belong to 74 genera in 21 families were identified. *Agelescape dunini* Guseinov, Marusik & Koponen, 2005 of Family Agelenidae and *Euryopis laeta* (Westring, 1861) of Family Theridiidae are recorded for the first time from Turkey.

**Keywords:** Spiders, Araneae, Fauna, Melendiz Mountains, Turkey.

### **Introduction**

Araneae is one of the most abundant orders in the world, consisting of about 45.400 species belonging to 114 families (World Spider Catalog, 2015). So far, 53 families, 330 genera and 1017 species of Araneae have been recorded from Turkey (Topçu *et al.*, 2005; Bayram *et al.*, 2014; Demir *et al.*, 2014). The aim of this study is to determine the areneofauna of Melendiz Mountains (Niğde) of Turkey.

### **Material and Methods**

Spider specimens were collected from the study area between June 2012 and July 2013 in Melendiz Mountains (Niğde) of Turkey. The specimens were preserved in 70% ethanol. The identification was made by means of a SZX61 Olympus stereo-microscope. Examined specimens were deposited in the NUAM (Arachnology Museum of Niğde University, Niğde, Turkey). World distribution of all species follows World Spider Catalog (2015).

## Results

A total of 2631 adult specimens were collected and identified. They are 129 species belong to 74 genera under 21 families. Among them, *Agelescape dunini* Guseinov, Marusik & Koponen, 2005 of Family Agelenidae, and *Euryopis laeta* (Westring, 1861) of Family Theridiidae are recorded for the first time from Turkey.

The greatest diversity was found in Family Gnaphosidae (34 species of 16 genera) followed by Family Thomisidae (19 species of 5 genera) and Family Salticidae (16 species of 9 genera).

A complete list of studied taxa with localities and dates of collecting are:

### Family Agelenidae C.L. Koch, 1837

#### *Agelena* Walckenaer, 1805

#### *Agelena orientalis* C.L. Koch, 1837

**Material examined:** Bor, Balcı village (37°58'25"N, 34°27'48"E), 1534m, 23.VII.2012 (1♂1♀); 07.VI.2013 (2♂1♀). Bor, Balcı plateau (37°58'28"N, 34°27'58"E), 1600m, 24.VII.2012 (1♂1♀); 08.VI.2013 (2♂). Altunhisar (38°00'39"N, 34°21'44"E), 1252m, 25.VII.2012 (1♂1♀); 09.VI.2013 (1♂2♀). Yeşilburç village - Kırkbayır village (38°02'03"N, 34°39'45"E), 1491m, 25.VII.2012 (1♂1♀); 10.VI.2013 (1♂1♀). Gebere (38°02'45"N, 34°38'20"E), 1702m, 25.VII.2012 (1♂). Gebere dam 1 (38°03'03"N, 34°38'05"E), 1700m, 25.VII.2012 (1♂1♀); 07.VI.2013 (1♀).

**World Distribution:** Italy to Central Asia, Iran.

#### *Agelescape* Levy, 1996

#### *Agelescape caucasica* Guseinov, Marusik & Koponen, 2005

**Material examined:** Melendiz 8 (38°06'32"N, 34°34'30"E), 2175m, 28.VIII.2012 (1♀); 01.XII.2012 (1♀). Melendiz 9 (38°06'00"N, 34°33'58"E), 2305m, 29.VIII.2012 (1♀); 02.XII.2012 (1♀); Güresentepe 3 (38°06'23"N, 34°36'36"E), 2254m, 23.VII.2012 (2♀); 29.VIII.2012 (1♀); 03.XII.2012 (2♀); 09.VI.2013 (1♀). **World Distribution:** Greece, Azerbaijan.

#### *Agelescape dunini* Guseinov, Marusik & Koponen, 2005

**Material examined:** Melendiz 9 (38°06'00"N, 34°33'58"E), 2305m, 23.VII.2012 (1♂); 28.VIII.2012 (2♂); 01.XII.2012 (1♂); 07.VI.2013 (1♂). Güresentepe 1 (38°06'19"N, 34°37'04"E), 2157m, 25.VII.2012 (1♂); 30.VIII.2012 (1♂); 04.XII.2012 (1♂); 09.VI.2013 (1♂). Güresentepe 2 (38°06'20"N, 34°36'51"E), 2209m, 26.VII.2012 (1♂); 30.VIII.2012 (2♂); 02.XII.2012 (1♂); 08.VI.2013 (1♂). Güresentepe 3 (38°06'23"N, 34°36'36"E), 2254m, 24.VII.2012 (1♂); 29.VIII.2012 (1♂); 04.XII.2012 (1♂); 07.VI.2013 (1♂). Tepeköy 1 (38°04'53"N, 34°37'47"E), 1774m, 23.VII.2012 (2♂); 28.VIII.2012 (1♂); 01.XII.2012 (1♂); 07.VI.2013 (1♂). Tepeköy 2 (38°04'52"N, 34°37'45"E), 1779m, 25.VII.2012 (2♂); 30.VIII.2012 (1♂); 01.XII.2012 (1♂); 07.VI.2013 (1♂). **World Distribution:** Azerbaijan.

#### *Agelescape gideoni* Levy, 1996

**Material examined:** Güresentepe (38°06'23"N, 34°36'36"E), 2254m, 23.VII.2012 (2♀); 28.VIII.2012 (1♀); 01.XII.2012 (1♀); 07.VI.2013 (1♀). Tepeköy 1 (38°04'53"N, 34°37'47"E), 1774m, 23.VII.2012 (1♀); 28.VIII.2012 (1♀); 01.XII.2012 (1♀); E07.VI.2013 (1♀). Tepeköy 2 (38°04'52"N, 34°37'45"E), 1779m, 24.VII.2012 (2♀); 29.VIII.2012 (1♀); 02.XII.2012 (1♀); 08.VI.2013 (1♀). Taşlıca village (38°00'57"N, 34°39'42"E), 1378m, 25.VII.2012 (1♀); 30.VIII.2012 (1♀); 09.VI.2013 (1♀). Yeşilburç village - Kırkbayır village (38°01'49"N, 34°39'52"E), 1486m, 26.VII.2012 (1♀); 04.XII.2012 (1♀); 10.VI.2013 (1♀). Yeşilburç village - Kırkbayır village 2 (38°02'03"N, 34°39'45"E), 1491m, 03.XII.2012 (1♀); 09.VI.2013 (1♀). Kırkbayır village 1 (38°02'05"N, 34°39'26"E), 1557m, 25.VII.2012 (1♀); 29.VIII.2012 (2♀); 02.XII.2012 (1♀); 09.VI.2013 (1♀). Kırkbayır village 2 (38°02'24"N, 34°38'54"E), 1633m, 26.VII.2012 (1♀); 28.VIII.2012 (1♀). **World Distribution:** Turkey, Israel.

*Tegenaria* Latreille, 1804

*Tegenaria argaica* (Nosek, 1905)

**Material examined:** Murtaza dam 1 (38°08'27"N, 34°34'38"E), 1895m, 23.VII.2012 (1♂); 28.VIII.2012 (1♂1♀); 07.VI.2013 (1♀). Murtaza dam 2 (38°09'12"N, 34°34'54"E), 1857m, 24.VII.2012 (1♂1♀); 29.VIII.2012 (1♂1♀); 07.VI.2013 (1♂,2♀). Hacıabdullah (38°10'16"N, 34°37'53"E), 1503m, 25.VII.2012 (1♂,2♀); 30.VIII.2012 (2♂,1♀); 08.VI.2013 (1♀). Melendiz 3 (38°07'16"N, 34°36'40"E), 2139m, 26.VII.2012 (1♂1♀); 29.VIII.2012 (1♀); 09.VI.2013 (1♀). Melendiz 4 (38°07'28"N, 34°36'47"E), 2116m, 24.VII.2012 (1♀); 28.VIII.2012 (2♀). Melendiz 5 (38°07'45"N, 34°36'39"E), 2067m, 25.VII.2012 (1♂); 29.VIII.2012 (1♂1♀); 08.VI.2013 (1♂3♀). Melendiz 6 (38°06'46"N, 34°35'45"E), 2111m, 25.VII.2012 (1♀); 29.VIII.2012 (1♀); 07.VI.2013 (2♀). Güresentepe 3 (38°06'23"N, 34°36'36"E), 2254m, 24.VII.2012 (1♂1♀); 30.VIII.2012 (1♂1♀); 09.VI.2013 (1♀). Tepeköy 1 (38°04'53"N, 34°37'47"E), 1774m, 24.VII.2012 (1♀); 29.VIII.2012 (1♂1♀); Tepeköy 2 (38°04'52"N, 34°37'45"E), 1779m, 23.VII.2012 (1♀); 28.VIII.2012 (1♂1♀); 10.VI.2013 (2♀). **World Distribution:** Turkey, Bulgaria.

Family *Araneidae* Clerck, 1757

*Aculepeira* Chamberlin & Ivie, 1942

*Aculepeira armida* (Savigny, 1825)

**Material examined:** Melendiz 2 (38°07'59"N, 34°26'32"E), 1806m, 01.XII.2012 (7♀). Güresentepe 3 (38°06'23"N, 34°36'36"E), 2254m, 02.XII.2012 (2♂3♀). Gebere plateau 1 (38°03'03"N, 34°37'14"E), 1771m, 23.VII.2012 (5♀); 29.VIII.2012 (1♂3♀); 09.VI.2013 (4♀). Gebere plateau 2 (38°03'03"N, 34°37'27"E), 1750 m 25.VII.2012 (6♀); 30.VIII.2012 (2♀); 07.VI.2013 (1♀). **World Distribution:** Palaearctic.

*Aculepeira ceropegia* (Walckenaer, 1802)

**Material examined:** Gebere plateau 1 (38°03'03"N, 34°37'14"E), 1771m, 23.VII.2012 (2♂1♀); 28.VIII.2012 (2♂4♀). Gebere plateau 2 (38°03'03"N, 34°37'27"E), 1750m, 24.VII.2012 (1♂1♀); 29.VIII.2012 (2♂1♀). Yeşilyurt village – Çiftlik 1 (38°01'35"N, 34°23'57"E), 1490m, 30.VIII.2012 (2♂1♀). Murtaza dam 1 (38°08'27"N, 34°34'38"E), 1895m, 25.VII.2012 (1♀); 29.VIII.2012 (1♂1♀); 09.VI.2013 (1♂1♀). Murtaza dam 2 (38°09'12"N, 34°34'54"E), 1857m, 26.VII.2012 (2♂2♀); 28.VIII.2012 (2♂5♀); 10.VI.2013 (2♂1♀). **World Distribution:** Palaearctic.

*Araniella* Chamberlin & Ivie, 1942

*Araniella cucurbitina* (Clerck, 1757)

**Material examined:** Altunhisar - Çiftlik 1 (38°02'17"N, 34°22'30"E), 1601m, 23.VII.2012 (1♀); Altunhisar - Çiftlik 2 (38°04'27"N, 34°24'39"E), 1778m, 23.VII.2012 (1♀). **World Distribution:** Palaearctic.

*Argiope* Savigny, 1825

*Argiope lobata* (Pallas, 1772)

**Material examined:** Altunhisar - Çiftlik 1 (38°02'17"N, 34°22'30"E), 1601m, 23.VII.2012 (1♀); Altunhisar - Çiftlik 2 (38°04'27"N, 34°24'39"E), 1778m, 23.VII.2012 (1♀); 07.VI.2013 (1♀). **World Distribution:** Old World.

*Larinioides* Caporiacco, 1934

*Larinioides cornutus* (Clerck, 1757)

**Material examined:** Melendiz 2 (38°07'59"N, 34°26'32"E), 1806m, 01.XII.2012 (5♂7♀). Güresentepe 3 (38°06'23"N, 34°36'36"E), 2254m, 02.XII.2012 (2♂3♀). Gebere plateau 1 (38°03'03"N, 34°37'14"E), 1771m, 24.VII.2012 (5♂5♀); 28.VIII.2012 (1♂,3♀); 07.VI.2013 (3♂4♀). Gebere plateau 2 (38°03'03"N, 34°37'27"E), 1750 m 23.VII.2012 (4♂6♀); 29.VIII.2012 (2♀); 10.VI.2013 (8♀). **World Distribution:** Holarctic.

*Mangora* O.P.-Cambridge, 1889

*Mangora acalypha* (Walckenaer, 1802)

**Material examined:** Melendiz 7 (38°06'02"N, 34°35'01"E), 2260m, 28.VIII.2012 (1♀); 01.XII.2012 (1♀). **World Distribution:** Palaearctic.

*Neoscona* Simon, 1864

*Neoscona adianta* (Walckenaer, 1802)

**Material examined:** Güresentepe 1 (38°06'19"N, 34°37'04"E), 2157m, 28.VIII.2012 (1♂); 01.XII.2012 (1♂). Güresentepe 2 (38°06'20"N, 34°36'51"E), 2209m, 30.VIII.2012 (1♂1♀); 03.XII.2012 (2♂). Güresentepe 3 (38°06'23"N, 34°36'36"E), 2254m, 29.VIII.2012 (1♂); 02.XII.2012 (2♂). **World Distribution:** Palaearctic.

*Zygiella* F.O.P.-Cambridge, 1902

*Zygiella x-notata* (Clerck, 1757)

**Material examined:** Gebere (38°02'45"N, 34°38'20"E), 1702m, 23.VII.2012 (2♀); 28.VIII.2012 (1♀). Gebere dam 1 (38°03'03"N, 34°38'05"E), 1700m, 25.VII.2012 (1♀); 29.VIII.2012 (1♂2♀). Melendiz 7 (38°06'02"N, 34°35'01"E), 2260m, 30.VIII.2012 (1♀); 01.XII.2012 (1♀). **World Distribution:** Holarctic, Neotropical.

Family **Eutichuridae** Lehtinen, 1967

*Cheiracanthium* C.L. Koch, 1839

*Cheiracanthium pennyi* O.P.-Cambridge, 1873

**Material examined:** Murtaza dam 1 (38°08'27"N, 34°34'38"E), 1895m, 23.VII.2012 (1♀); 07.VI.2013 (1♀). **World Distribution:** Palaearctic.

Family **Gnaphosidae** Pocock, 1898

*Anagraphis* Simon, 1893

*Anagraphis pallens* Simon, 1893

**Material examined:** Bor, Akbaş village - Balcı village (37°58'03"N, 34°26'55"E), 1357m, 23.VII.2012 (1♀); 07.VI.2013 (1♀). Bor, Balcı village (37°58'25"N, 34°27'48"E), 1534m, 25.VII.2012 (1♀). Bor, Balcı plateau (37°58'28"N, 34°27'58"E), 1600m, 28.VIII.2012 (1♀); 09.VI.2013 (1♀). **World Distribution:** South Africa, Libya, Malta, Syria, Israel, Crete, Turkey, Iran.

*Callilepis* Westring, 1874

*Callilepis cretica* (Roewer, 1928)

**Material examined:** Bor, Akbaş village - Balcı village (37°58'03"N, 34°26'55"E), 1357m, 23.VII.2012 (1♂1♀); 07.VI.2013 (1♀). Bor, Balcı village (37°58'25"N, 34°27'48"E), 1534m, 24.VII.2012 (1♂1♀). Bor, Balcı plateau (37°58'28"N, 34°27'58"E), 1600m, 28.VIII.2012 (1♀); 09.VI.2013 (1♂1♀). **World Distribution:** Macedonia, Greece, Crete, Turkey, Azerbaijan.

*Callilepis nocturna* (Linnaeus, 1758)

**Material examined:** Bor, Akbaş village - Balcı village (37°58'03"N, 34°26'55"E), 1357m, 23.VII.2012 (1♀); 07.VI.2013 (1♂1♀). Bor, Balcı village (37°58'25"N, 34°27'48"E), 1534m, 24.VII.2012 (1♀). Bor, Balcı plateau (37°58'28"N, 34°27'58"E), 1600m, 28.VIII.2012 (1♀); 08.VI.2013 (1♂1♀). Altunhisar - Çiftlik 1 (38°02'17"N, 34°22'30"E), 1601m, 25.VII.2012 (1♂). **World Distribution:** Palaearctic.

*Cesonia* Simon, 1893

*Cesonia aspida* Chatzaki, 2002

**Material examined:** Bor, Akbaş village - Balcı village (37°58'03"N, 34°26'55"E), 1357m, 23.VII.2012 (1♀); 07.VI.2013 (1♂1♀). **World Distribution:** Crete, Turkey.

### *Civizelotes* Senglet, 2012

#### *Civizelotes caucasius* (L. Koch, 1866)

**Material examined:** Bor, Akbaş village - Balcı village (37°58'03"N, 34°26'55"E), 1357m, 23.VII.2012 (1♂2♀); 07.VI.2013 (3♂). Bor, Balcı village (37°58'25"N, 34°27'48"E), 1534m, 24.VII.2012 (2♂2♀) 08.VI.2013 (1♂,2♀). Bor, Balcı plateau (37°58'28"N, 34°27'58"E), 1600m, 23.VII.2012 (4♂); 09.VI.2013 (3♂1♀). Altunhisar (38°00'39"N, 34°21'44"E), 1252m, 26.VII.2012 (1♂2♀); 07.VI.2013 (3♂2♀). Altunhisar - Çiftlik 1 (38°02'17"N, 34°22'30"E), 1601m, 25.VII.2012 (2♂2♀); 09.VI.2013 (1♂1♀). Çiftlik (38°09'29"N, 34°28'15"E), 1560 m 23.VII.2012 (2♀); 10.VI.2013 (2♂2♀). Çiftlik Azatlı village (38°09'29"N, 34°31'36"E), 1638m, 23.VII.2012 (1♂3♀); 09.VI.2013 (3♂2♀). Güresentepe 1 (38°06'19"N, 34°37'04"E), 2157m, 24.VII.2012 (5♂); 09.VI.2013 (2♂1♀). Güresentepe 2 (38°06'20"N, 34°36'51"E), 2209m, 23.VII.2012 (1♂2♀); 10.VI.2013 (1♂). Güresentepe 3 (38°06'23"N, 34°36'36"E), 2254m, 26.VII.2012 (1♂); 07.VI.2013 (1♂). Tepeköy 1 (38°04'53"N, 34°37'47"E), 1774m, 23.VII.2012 (1♂1♀); 09.VI.2013 (2♂1♀). Tepeköy 2 (38°04'52"N, 34°37'45"E), 1779m, 24.VII.2012 (1♂3♀); 07.VI.2013 (1♂1♀). Taşlıca village, girişi (38°00'57"N, 34°39'42"E), 1378m, 25.VII.2012 (1♂1♀); 07.VI.2013 (2♂2♀). Yeşilburç village - Kırkbayır village 1 (38°01'49"N, 34°39'52"E), 1486m, 23.VII.2012 (5♂); 08.VI.2013 (1♂2♀). Yeşilburç village - Kırkbayır village 2 (38°02'03"N, 34°39'45"E), 1491m, 26.VII.2012 (1♂1♀); 07.VI.2013 (1♂2♀). Kırkbayır village 1 (38°02'05"N, 34°39'26"E), 1557m, 23.VII.2012 (1♂3♀); 10.VI.2013 (3♂1♀). Kırkbayır village 2 (38°02'24"N, 34°38'54"E), 1633m, 23.VII.2012 (2♂2♀); 10.VI.2013 (2♂2♀). Gebere (38°02'45"N, 34°38'20"E), 1702m, 25.VII.2012 (1♂3♀); 07.VI.2013 (4♂). Gebere dam 1 (38°03'03"N, 34°38'05"E), 1700m, 25.VII.2012 (4♂5♀); 07.VI.2013 (3♂2♀). Gebere dam 2 (38°02'58"N, 34°37'57"E), 1719m, 23.VII.2012 (2♂2♀); 07.VI.2013 (3♀). Gebere plateau 1 (38°03'03"N, 34°37'14"E), 1771m, 24.VII.2012 (2♂2♀); 08.VI.2013 (1♂2♀). Gebere plateau 2 (N38°03'03", E34°37'27"), 1750m, 23.VII.2012 (1♂,2♀); 10.VI.2013 (3♂2♀). Yeşilburç village (38°01'06"N, 34°39'59"E), 1418m, 23.VII.2012 (1♂); 07.VI.2013 (1♂). Koyunlu town (37°59'25"N, 34°35'34"E), 1567m, 26.VII.2012 (1♂3♀); 10.VI.2013 (1♂2♀). Küçükköy village (37°59'56"N, 34°35'09"E), 1693m, 23.VII.2012 (1♂1♀); 09.VI.2013 (1♂1♀). Altunhisar, Tepeköy (37°57'27"N, 34°24'55"E), 1182m, 24.VII.2012 (3♂1♀); 07.VI.2013 (1♂1♀). Yeşilyurt village (37°59'01"N, E34°23'40"E), 1228m, 25.VII.2012 (4♂); 10.VI.2013 (3♂1♀). **World Distribution:** Europe to Central Asia.

### *Cryptodrassus* Miller, 1943

#### *Cryptodrassus creticus* Chatzaki, 2002

**Material examined:** Bor, Balcı plateau (37°58'28"N, 34°27'58"E), 1600m, 28.VIII.2012 (1♀); 07.VI.2013 (3♀). Altunhisar - Çiftlik 1 (38°02'17"N, 34°22'30"E), 1601m, 23.VII.2012 (1♀). **World Distribution:** Crete, Turkey.

### *Drassodes* Westring, 1851

#### *Drassodes bifidus* Kovblyuk & Seyyar, 2009

**Material examined:** Melendiz 4 (38°07'28"N, 34°36'47"E), 2116m, 23.VII.2012 (3♂4♀); 28.VIII.2012 (2♂4♀); 01.XII.2012 (3♀); 19.IV.2013 (2♂); 10.V.2013 (2♂4♀); 07.VI.2013 (1♂4♀). Melendiz 5 (38°07'45"N, 34°36'39"E), 2067m, 24.VII.2012 (3♂3♀); 29.VIII.2012 (2♂4♀); 01.XII.2012 (1♂6♀); 20.IV.2013 (2♂1♀); 11.V.2013 (1♂3♀); 09.VI.2013 (1♂4♀). Melendiz 6 (38°06'46"N, 34°35'45"E), 2111m, 25.VII.2012 (2♂3♀); 29.VIII.2012 (1♂5♀); 03.XII.2012 (1♂1♀); 21.IV.2013 (1♂1♀); 12.V.2013 (1♂1♀); 09.VI.2013 (1♂1♀). Melendiz 7 (38°06'02"N, 34°35'01"E), 2260m, 26.VII.2012; 28.VIII.2012 (1♂1♀); 02.XII.2012 (2♂,1♀); 22.IV.2013 (3♂1♀); 13.V.2013 (1♂1♀); 07.VI.2013 (1♂1♀). Melendiz 8 (38°06'32"N, 34°34'30"E), 2175m, 26.VII.2012 (3♂4♀); 30.VIII.2012 (2♂3♀); 04.XII.2012 (1♂,4♀); 22.IV.2013 (1♂1♀); 13.V.2013 (1♂1♀); 07.VI.2013 (1♂1♀). Melendiz 9 (38°06'00"N, 34°33'58"E), 2305m, 23.VII.2012 (1♂1♀); 28.VIII.2012 (1♂1♀); 01.XII.2012 (1♂1♀); 19.IV.2013 (6♂5♀); 11.V.2013 (4♂1♀); 08.VI.2013 (1♂3♀). Güresentepe 1 (38°06'19"N, 34°37'04"E), 2157m, 26.VII.2012 (1♂1♀); 28.VIII.2012 (1♂1♀); 03.XII.2012 (1♂1♀); 19.IV.2013 (1♂3♀); 10.V.2013 (2♂1♀); 07.VI.2013 (1♂1♀). Güresentepe 2 (38°06'20"N, 34°36'51"E), 2209m, 24.VII.2012 (1♂1♀); 28.VIII.2012 (2♂1♀); 02.XII.2012 (1♂3♀);

22.IV.2013 (1♂1♀); 13.V.2013 (1♂1♀); 07.VI.2013 (3♂4♀). Güresentepe 3 (38°06'23"N, 34°36'36"E), 2254m, 23.VII.2012 (1♂1♀); 29.VIII.2012 (3♂1♀); 03.XII.2012 (1♂4♀); 19.IV.2013 (1♂1♀); 10.V.2013 (1♀); 09.VI.2013 (1♂1♀). Tepeköy 1 (38°04'53"N, 34°37'47"E), 1774m, 26.VII.2012 (1♂1♀); 29.VIII.2012 (1♂1♀); 02.XII.2012 (1♂1♀); 21.IV.2013 (2♂); 11.V.2013 (1♂1♀); 07.VI.2013 (2♂1♀). **World Distribution:** Turkey.

*Drassodes lacertus* (O.P.-Cambridge, 1872)

**Material examined:** Bor, Balcı plateau (37°58'28"N, 34°27'58"E), 1600m, 28.VIII.2012 (1♂1♀); 07.VI.2013 (1♂). Altunhisar - Çiftlik 1 (38°02'17"N, 34°22'30"E), 1601m, 23.VII.2012 (1♂1♀). Gebere (38°02'45"N, 34°38'20"E), 1702m, 24.VII.2012 (2♂); 29.VIII.2012 (1♂1♀); 01.XII.2012 (4♂); 09.VI.2013 (1♂1♀). Gebere dam (38°03'03"N, 34°38'05"E), 1700m, 26.VII.2012 (2♂,1♀); 30.VIII.2012 (1♂2♀); 03.XII.2012 (1♂1♀); 09.VI.2013 (1♂1♀). **World Distribution:** Greece, Turkey, Israel, Syria.

*Drassodes lapidosus* (Walckenaer, 1802)

**Material examined:** Bor, Balcı plateau (37°58'28"N, 34°27'58"E), 1600m, 28.VIII.2012 (3♂,1♀); 07.VI.2013 (2♂). Altunhisar - Çiftlik 1 (38°02'17"N, 34°22'30"E), 1601m, 23.VII.2012 (1♂1♀). Gebere (38°02'45"N, 34°38'20"E), 1702m, 24.VII.2012 (2♂); 29.VIII.2012 (2♂6♀); 03.XII.2012 (4♂); 09.VI.2013 (1♂5♀). Gebere dam 1 (38°03'03"N, 34°38'05"E), 1700m, 25.VII.2012 (2♂1♀); 30.VIII.2012 (3♂2♀); 01.XII.2012 (1♂1♀); 09.VI.2013 (1♂1♀). Melendiz 4 (38°07'28"N, 34°36'47"E), 2116m, 26.VII.2012 (3♂4♀); 28.VIII.2012 (2♂4♀); 01.XII.2012 (3♀); 19.IV.2013 (2♂); 10.V.2013 (2♂4♀); 07.VI.2013 (1♂4♀). Melendiz 5 (38°07'45"N, 34°36'39"E), 2067m, 23.VII.2012 (3♂3♀); 29.VIII.2012 (2♂8♀); 04.XII.2012 (1♂,6♀); 20.IV.2013 (2♂1♀); 10.V.2013 (1♂3♀); 07.VI.2013 (1♂5♀). Melendiz 6 (38°06'46"N, 34°35'45"E), 2111m, 26.VII.2012 (2♂3♀); 28.VIII.2012 (1♂5♀); 04.XII.2012 (1♂1♀); 19.IV.2013 (1♂1♀); 12.V.2013 (2♂1♀); 08.VI.2013 (1♂1♀). Melendiz 7 (38°06'02"N, 34°35'01"E), 2260m, 25.VII.2012; 28.VIII.2012 (1♂1♀); 01.XII.2012 (2♂1♀); 20.IV.2013 (3♂1♀); 13.V.2013 (1♂1♀); 07.VI.2013 (1♂1♀). Melendiz 8 (38°06'32"N, 34°34'30"E), 2175m, 24.VII.2012 (3♂4♀); 28.VIII.2012 (2♂3♀); 01.XII.2012 (1♂4♀); 19.IV.2013 (1♂1♀); 10.V.2013 (1♂1♀); 07.VI.2013 (2♂,5♀). Melendiz 9 (38°06'00"N, 34°33'58"E), 2305m, 25.VII.2012 (1♂1♀); 28.VIII.2012 (1♂1♀); 03.XII.2012 (1♂1♀); 22.IV.2013 (6♂5♀); 13.V.2013 (4♂1♀); 07.VI.2013 (1♂4♀). Güresentepe 1 (38°06'19"N, 34°37'04"E), 2157m, 23.VII.2012 (1♂1♀); 30.VIII.2012 (1♂1♀); 01.XII.2012 (1♂1♀); 20.IV.2013 (1♂3♀); 10.V.2013 (2♂1♀); 07.VI.2013 (1♂1♀). Güresentepe 2 (38°06'20"N, 34°36'51"E), 2209m, 26.VII.2012 (1♂1♀); 28.VIII.2012 (2♂1♀); 02.XII.2012 (1♂3♀); 19.IV.2013 (1♂1♀); 10.V.2013 (1♂1♀); 07.VI.2013 (3♂4♀). Güresentepe 3 (38°06'23"N, 34°36'36"E), 2254m, 26.VII.2012 (1♂1♀); 30.VIII.2012 (3♂1♀); 02.XII.2012 (1♂4♀); 22.IV.2013 (1♂1♀); 12.V.2013 (1♀); 09.VI.2013 (1♂1♀). Tepeköy 1 (38°04'53"N, 34°37'47"E), 1774m, 23.VII.2012 (1♂1♀); 29.VIII.2012 (1♂1♀); 01.XII.2012 (1♂1♀); 20.IV.2013 (3♂); 11.V.2013 (4♂1♀); 07.VI.2013 (2♂5♀). **World Distribution:** Palaearctic.

*Drassodes lutescens* (C.L. Koch, 1839)

**Material examined:** Bor, Okçu village (37°58'18"N, 34°30'51"E), 1671m, 01.XII.2012 (1♂). Bor, Okçu village - Fesleğen village (37°57'49"N, 34°33'22"E), 1452m, 01.XII.2012 (1♂). **World Distribution:** Mediterranean to Pakistan.

*Drassodes pubescens* (Thorell, 1856)

**Material examined:** Koyunlu town (37°59'25"N, 34°35'34"E), 1567m, 23.VII.2012 (2♀); 10.V.2013 (1♀); 07.VI.2013 (1♀). Küçükköy village (37°59'56"N, 34°35'09"E), 1693m; 19.IV.2013 (2♀); 10.V.2013 (1♀); 07.VI.2013 (1♀). **World Distribution:** Palaearctic.

*Drassyllus* Chamberlin, 1922

*Drassyllus crimeaensis* Kovblyuk, 2003

**Material examined:** Çiftlik, Azatlı village (38°09'29"N, 34°31'36"E), 1638m, 23.VII.2012 (1♀); 07.VI.2013 (1♀). **World Distribution:** Macedonia, Greece, Ukraine, Turkey, Russia, Azerbaijan.

*Drassyllus praeficus* (L. Koch, 1866)

**Material examined:** Çiftlik, Azatlı village (38°09'29"N, 34°31'36"E), 1638m, 23.VII.2012 (1♀); 07.VI.2013 (1♀). Bor, Balcı plateau (37°58'28"N, 34°27'58"E), 1600m, 28.VIII.2012 (2♂,1♀); 07.VI.2013 (2♂). Altunhisar - Çiftlik 1 (38°02'17"N, 34°22'30"E), 1601m, 23.VII.2012 (1♂1♀). Kırkbayır village 1 (38°02'05"N, 34°39'26"E), 1557m, 23.VII.2012 (1♂1♀); 10.V.2013 (2♂); 07.VI.2013 (1♀). Kırkbayır village 2 (38°02'24"N, 34°38'54"E), 1633m, 23.VII.2012 (1♀); 28.VIII.2012 (1♀); 07.VI.2013 (1♂1♀). **World Distribution:** Europe to Central Asia.

*Gnaphosa* Latreille, 1804

*Gnaphosa dolosa* Herman, 1879

**Material examined:** Tepeköy 1 (38°04'53"N, 34°37'47"E), 1774m, 01.XII.2012 (1♀). **World Distribution:** Palaearctic.

*Gnaphosa opaca* Herman, 1879

**Material examined:** Gebere dam 1 (38°03'03"N, 34°38'05"E), 1700m, 23.VII.2012 (1♀); 28.VIII.2012 (2♀); 01.XII.2012 (1♀); 07.VI.2013 (1♀). Melendiz 4 (38°07'28"N, 34°36'47"E), 2116m, 24.VII.2012 (4♀); 28.VIII.2012 (4♀); 02.XII.2012 (3♀); Melendiz 5 (38°07'45"N, 34°36'39"E), 2067m, 23.VII.2012 (3♀); 30.VIII.2012 (6♀); 01.XII.2012 (6♀); Melendiz 6 (38°06'46"N, 34°35'45"E), 2111m, 23.VII.2012 (3♀); 29.VIII.2012 (5♀); 03.XII.2012 (11♀); 08.VI.2013 (1♀). Melendiz 7 (38°06'02"N, 34°35'01"E), 2260m, 26.VII.2012; 28.VIII.2012 (1♀); 02.XII.2012 (3♀); Melendiz 8 (38°06'32"N, 34°34'30"E), 2175m, 23.VII.2012 (4♀); 30.VIII.2012 (3♀); 01.XII.2012 (4♀); 09.VI.2013 (2♀). Melendiz 9 (38°06'00"N, 34°33'58"E), 2305m, 28.VIII.2012 (1♀); 01.XII.2012 (5♀); 08.VI.2013 (4♀). Güresentepe 1 (38°06'19"N, 34°37'04"E), 2157m, 25.VII.2012 (1♀); 28.VIII.2012 (1♀); 03.XII.2012 (3♀); 09.VI.2013 (2♀). Güresentepe 2 (38°06'20"N, 34°36'51"E), 2209m, 26.VII.2012 (1♀); 29.VIII.2012 (1♀); 01.XII.2012 (3♀); 09.VI.2013 (4♀). Güresentepe 3 (38°06'23"N, 34°36'36"E), 2254m, 25.VII.2012 (2♀); 28.VIII.2012 (2♀); 01.XII.2012 (4♀); 10.VI.2013 (2♀). **World Distribution:** Europe to Central Asia.

*Haplodrassus* Chamberlin, 1922

*Haplodrassus invalidus* (O.P.-Cambridge, 1872)

**Material examined:** Bor, Balcı plateau (37°58'28"N, 34°27'58"E), 1600m, 23.VII.2012 (3♂); 07.VI.2013 (2♂). **World Distribution:** Spain, Corsica, Sicily, Italy, Turkey, Israel, Azerbaijan.

*Haplodrassus morosus* (O.P.-Cambridge, 1872)

**Material examined:** Murtaza dam 1 (38°08'27"N, 34°34'38"E), 1895m, 19.IV.2013 (2♂1♀); 10.V.2013 (2♂1♀). Murtaza dam 2 (38°09'12"N, 34°34'54"E), 1857m, 20.IV.2013 (1♂1♀). Altunhisar - Çiftlik 2 (38°04'27"N, 34°24'39"E), 1778m, 20.IV.2013 (1♂1♀); 12.V.2013 (2♂1♀). Altunhisar - Çiftlik 3 (38°07'25"N, 34°26'47"E), 1811m, 21.IV.2013 (3♂1♀); 13.V.2013 (2♂1♀). **World Distribution:** Greece, Turkey, Israel, Karakorum.

*Haplodrassus signifer* (C.L. Koch, 1839)

**Material examined:** Bor, Balcı plateau (37°58'28"N, 34°27'58"E), 1600m, 23.VII.2012 (3♂2♀); 07.VI.2013 (2♂1♀). Murtaza dam 1 (38°08'27"N, 34°34'38"E), 1895m, 25.VII.2012 (1♂1♀); 28.VIII.2012 (1♂1♀). Murtaza dam 2 (38°09'12"N, 34°34'54"E), 1857m, 26.VII.2012 (1♂2♀). Çiftlik, Azatlı village (38°09'29"N, 34°31'36"E), 1638m, 24.VII.2012 (3♀); 10.VI.2013 (2♀). **World Distribution:** Holarctic.

*Micaria* Westring, 1851

*Micaria albovittata* (Lucas, 1846)

**Material examined:** Bor, Akbaş village - Balcı village (37°58'03"N, 34°26'55"E), 1357m, 24.VII.2012 (1♀); 28.VIII.2012 (2♀); 07.VI.2013 (1♀). Bor, Balcı Village (37°58'25"N, 34°27'48"E), 1534m, 26.VII.2012 (2♀); 29.VIII.2012 (1♀); 07.VI.2013 (1♀). **World Distribution:** Palaearctic.

*Micaria bosmansii* Kovblyuk & Nadolny, 2008

**Material examined:** Melendiz 2 (38°07'45"N, 34°36'39"E), 2067m, 23.VII.2012 (2♀). **World Distribution:** Ukraine.

*Micaria coarctata* (Lucas, 1846)

**Material examined:** Melendiz 5 (38°07'45"N, 34°36'39"E), 2067m, 23.VII.2012 (2♀). **World Distribution:** Mediterranean to Central Asia.

*Micaria formicaria* (Sundevall, 1831)

**Material examined:** Bor, Balcı plateau (37°58'28"N, 34°27'58"E), 1600m, 26.VII.2012 (1♂2♀); 08.VI.2013 (2♂2♀). Yeşilburç village (38°01'06"N, 34°39'59"E), 1418m, 23.VII.2012 (1♂2♀); 09.VI.2013 (2♀). **World Distribution:** Palaearctic.

*Nomisia Dalmas, 1921*

*Nomisia aussereri* (L. Koch, 1872)

**Material examined:** Bor, Balcı plateau (37°58'28"N, 34°27'58"E), 1600m, 28.VIII.2012 (1♀); 01.XII.2012 (2♀). Melendiz 2 (38°07'45"N, 34°36'39"E), 2067 m 29.VIII.2012 (1♀); 02.XII.2012 (1♀). Gebere dam 1 (38°03'03"N, 34°38'05"E), 1700m, 30.VIII.2012 (2♀); 03.XII.2012 (2♀). Koyunlu town (37°59'25"N, 34°35'34"E), 1567m, 28.VIII.2012 (1♀); 04.XII.2012 (2♀). Küçükköy village (37°59'56"N, 34°35'09"E), 1693m, 28.VIII.2012 (3♀); 03.XII.2012 (2♀). **World Distribution:** Palaearctic.

*Nomisia conigera* (Spassky, 1941)

**Material examined:** Yeşilyurt village (37°59'01"N, 34°23'40"E), 1228m, 23.VII.2012 (1♀); 07.VI.2013 (1♀). **World Distribution:** Turkey to Central Asia.

*Nomisia exornata* (C.L. Koch, 1839)

**Material examined:** Murtaza dam 2 (38°09'12"N, 34°34'54"E), 1857m, 23.VII.2012 (1♂2♀). Çiftlik, Azatlı village (38°09'29"N, 34°31'36"E), 1638m, 23.VII.2012 (1♂3♀); 07.VI.2013 (2♀). **World Distribution:** Europe to Central Asia.

*Nomisia ripariensis* (O.P.-Cambridge, 1872)

**Material examined:** Bor, Akbaş village - Balcı village (37°58'03"N, 34°26'55"E), 1357m, 23.VII.2012 (3♂3♀); 10.V.2013 (1♂3♀); 07.VI.2013 (1♂2♀). Bor, Balcı village (37°58'25"N, 34°27'48"E), 1534m, 24.VII.2012 (1♂,3♀); 09.VI.2013 (3♀). Bor, Balcı plateau (37°58'28"N, 34°27'58"E), 1600m, 28.VIII.2012 (2♂1♀). Altunhisar (38°00'39"N, 34°21'44"E), 1252m, 26.VII.2012 (1♂2♀); 13.V.2013 (1♂); 10.VI.2013 (1♂1♀). Altunhisar - Çiftlik 1 (38°02'17"N, 34°22'30"E), 1601m, 25.VII.2012 (3♂2♀); 07.VI.2013 (1♂3♀). **World Distribution:** Bulgaria, Greece, Crete to Azerbaijan.

*Parasyrisca* Schenkel, 1963

*Parasyrisca turkenica* Ovtsharenko, Platnick & Marusik, 1995

**Material examined:** Melendiz 9 (38°06'00"N, 34°33'58"E), 2305m, 07.VI.2013 (1♀). **World Distribution:** Turkey.

*Phaeoedus* Simon, 1893

*Phaeoedus braccatus* (L. Koch, 1866)

**Material examined:** Melendiz 2 (38°07'45"N, 34°36'39"E), 1806m, 28.VIII.2012 (1♀); 10.V.2013 (1♂2♀); 07.VI.2013 (1♂1♀). **World Distribution:** Palaearctic.

*Poecilochroa* Westring, 1874

*Poecilochroa variata* (C.L. Koch, 1839)

**Material examined:** Melendiz 3 (38°07'45"N, 34°36'39"E), 2139m, 10.V.2013 (1♀); 07.VI.2013 (3♀). **World Distribution:** Europe to Central Asia.



*Pterotricha* Kulczyński, 1903

*Pterotricha kochi* (O.P.-Cambridge, 1872)

**Material examined:** Bor, Balcı Plateau (37°58'28"N, 34°27'58"E), 1600m, 10.V.2013 (1♀); 07.VI.2013 (1♀). **World Distribution:** Turkey, Lebanon, Syria, Israel.

*Zelotes* Gistel, 1848

*Zelotes cingarus* (O.P.-Cambridge, 1874)

**Material examined:** Bor, Balcı village (37°58'25"N, 34°27'48"E), 1534m, 23.VII.2012 (1♀); 07.VI.2013 (2♀). Gebere dam 2 (38°02'58"N, 34°37'57"E), 1719m, 25.VII.2012 (1♀); 28.VIII.2012 (1♀); 10.VI.2013 (1♀). **World Distribution:** Turkey, Macedonia, Bulgaria, Crete, Greece, Corfu Island, Tajikistan.

*Zelotes longipes* (L. Koch, 1866)

**Material examined:** Bor, Akbaş village - Balcı village (37°58'03"N, 34°26'55"E), 1357m, 25.VII.2012 (1♂1♀). Güresentepe 1 (38°06'19"N, 34°37'04"E), 2157m, 26.VII.2012 (2♂); 10.VI.2013 (1♂). Güresentepe 2 (38°06'20"N, 34°36'51"E), 2209m, 23.VII.2012 (1♂); 08.VI.2013 (1♂). **World Distribution:** Palaearctic.

*Zelotes metellus* Roewer, 1928

**Material examined:** Gebere dam 2 (38°02'58"N, 34°37'57"E), 1719m, 23.VII.2012 (1♂). Altunhisar, Tepeköy (37°57'27"N, 34°24'55"E), 1182m, 24.VII.2012 (1♂). **World Distribution:** Greece to Iran, Israel.

*Zelotes subterraneus* (C.L. Koch, 1833)

**Material examined:** Melendiz 1 (38°08'20"N, 34°27'11"E), 1630m, 28.VIII.2012 (1♂). **World Distribution:** Palaearctic.

Family *Linyphiidae* Blackwall, 1859

*Frontinellina* van Helsdingen, 1969

*Frontinellina frutetorum* (C.L. Koch, 1834)

**Material examined:** Çiftlik, Azatlı village (38°09'29"N, 34°31'36"E), 1638m, 23.VII.2012 (1♂); 07.VI.2013 (1♂). **World Distribution:** Palaearctic.

*Lepthyphantes* Menge, 1866

*Lepthyphantes leprosus* (Ohlert, 1865)

**Material examined:** Bor, Balcı village (37°58'25"N, 34°27'48"E), 1534m, 28.VIII.2012 (1♀). Bor, Balcı plateau (37°58'28"N, 34°27'58"E), 1600m, 23.VII.2012 (1♀); 30.VIII.2012 (1♀). Gebere (38°02'45"N, 34°38'20"E), 1702m, 26.VII.2012 (1♀); 28.VIII.2012 (1♀). **World Distribution:** Holarctic, Chile.

*Megalepthyphantes* Wunderlich, 1994

*Megalepthyphantes nebulosus* (Sundevall, 1830)

**Material examined:** Çiftlik (38°09'29"N, 34°28'15"E), 1560m, 28.VIII.2012 (2♀); 01.XII.2012 (1♀); 19.IV.2013 (1♀). Güresentepe 1 (38°06'19"N, 34°37'04"E), 2157m, 23.VII.2012 (1♀); 29.VIII.2012 (1♀); 04.XII.2012 (1♀); 10.VI.2013 (1♀). Güresentepe 2 (38°06'20"N, 34°36'51"E), 2209m, 29.VIII.2012 (2♀); 03.XII.2012 (1♀). Güresentepe 3 (38°06'23"N, 34°36'36"E), 2254m, 23.VII.2012 (1♀); 30.VIII.2012 (1♀); 02.XII.2012 (1♀). Yeşilburç village - Kırkbayır village 1 (38°02'03"N, 34°39'45"E), 1491m, 23.VII.2012 (1♀); 28.VIII.2012 (2♀); 01.XII.2012 (1♀); 10.VI.2013 (1♀). **World Distribution:** Holarctic.

*Nerienne* Blackwall, 1833

*Nerienne peltata* (Wider, 1834)

**Material examined:** Gebere dam 2 (38°02'58"N, 34°37'57"E), 1719m, 28.VIII.2012 (2♂6♀). **World Distribution:** Palaearctic, Greenland.

Family **Liocranidae** Simon, 1897

**Mesiotelus** Simon, 1897

**Mesiotelus scopensis** Drensky, 1935

**Material examined:** Kırkbayır village 1 (38°02'05"N, 34°39'26"E), 1557m, 23.VII.2012 (1♀); 01.XII.2012 (1♀). Altunhisar - Çiftlik 1 (38°02'17"N, 34°22'30"E), 1601m, 26.VII.2012 (1♀).

**World Distribution:** Greece, Bulgaria, Macedonia, Iran.

Family **Lycosidae** Sundevall, 1833

**Alopecosa** Simon, 1885

**Alopecosa accentuata** (Latreille, 1817)

**Material examined:** Melendiz 1 (38°08'20"N, 34°27'11"E), 1630m, 19.IV.2013 (2♂); 10.V.2013 (1♂). Melendiz 2 (38°07'59"N, 34°26'32"E), 1806m, 19.IV.2013 (1♂). Güresentepe 2 (38°06'20"N, 34°36'51"E), 2209m, 20.IV.2013 (1♂). **World Distribution:** Palaearctic.

**Alopecosa cursor** (Hahn, 1831)

**Material examined:** Melendiz 1 (38°08'20"N, 34°27'11"E), 1630m, 19.IV.2013 (2♂2♀); 10.V.2013 (1♀). Melendiz 2 (38°07'59"N, 34°26'32"E), 1806m, 19.IV.2013 (3♀). Güresentepe 2 (38°06'20"N, 34°36'51"E), 2209m, 20.IV.2013 (2♂4♀); 22.IV.2013 (3♀). Güresentepe 3 (38°06'23"N, 34°36'36"E), 2254m, 19.IV.2013 (2♂4♀). **World Distribution:** Palaearctic.

**Alopecosa pulverulenta** (Clerck, 1757)

**Material examined:** Güresentepe 2 (38°06'20"N, 34°36'51"E), 2209m, 19.IV.2013 (2♂). Güresentepe 3 (38°06'23"N, 34°36'36"E), 2254m, 21.IV.2013 (1♂). Tepeköy 1 (38°04'53"N, 34°37'47"E), 1774m, 22.IV.2013 (3♂); 10.V.2013 (2♂). Tepeköy 2 (38°04'52"N, 34°37'45"E), 1779m, 19.IV.2013 (2♂); 13.V.2013 (3♂); 07.VI.2013 (1♂). **World Distribution:** Palaearctic.

**Hogna** Simon, 1885

**Hogna radiata** (Latreille, 1817)

**Material examined:** Gebere plateau 1 (38°03'03"N, 34°37'14"E), 1771m, 23.VII.2012 (5♀); Gebere plateau 2 (38°03'03"N, 34°37'27"E), 1750m, 23.VII.2012 (2♀); 07.VI.2013 (1♀). Tepeköy 1 (38°04'53"N, 34°37'47"E), 1774m, 24.VII.2012 (3♀); 09.VI.2013 (4♀). Melendiz 1 (38°08'20"N, 34°27'11"E), 1630m, 26.VII.2012 (2♀); 28.VIII.2012 (4♀). Melendiz 2 (38°07'59"N, 34°26'32"E), 1806m, 23.VII.2012 (5♀); 29.VIII.2012 (1♀). **World Distribution:** Central Europe to Central Asia, Central Africa.

**Lycosa** Latreille, 1804

**Lycosa praegrandis** C.L. Koch, 1836

**Material examined:** Melendiz 1 (38°08'20"N, 34°27'11"E), 1630m, 23.VII.2012 (2♀); 28.VIII.2012 (1♀). Melendiz 2 (38°07'59"N, 34°26'32"E), 1806m, 25.VII.2012 (3♀); 29.VIII.2012 (1♀). Güresentepe 2 (38°06'20"N, 34°36'51"E), 2209m, 30.VIII.2012 (2♀). Güresentepe 3 (38°06'23"N, 34°36'36"E), 2254m, 26.VII.2012 (1♀); 28.VIII.2012 (1♀). **World Distribution:** Greece to Central Asia.

**Pardosa** C.L. Koch, 1847

**Pardosa agrestis** (Westring, 1861)

**Material examined:** Melendiz 1 (38°08'20"N, 34°27'11"E), 1630m, 23.VII.2012 (7♀); 28.VIII.2012 (2♂7♀); 07.VI.2013 (5♀). Melendiz 2 (38°07'59"N, 34°26'32"E), 1806m, 24.VII.2012 (8♀); 28.VIII.2012 (10♀). Gebere plateau 1 (38°03'03"N, 34°37'14"E), 1771m, 25.VII.2012 (2♂6♀); 98.VIII.2012 (7♀); 09.VI.2013 (3♀). Gebere plateau 2 (38°03'03"N, 34°37'27"E), 1750m, 23.VII.2012 (7♀); 28.VIII.2012 (7♀); 10.VI.2013 (1♂6♀). **World Distribution:** Palaearctic.

*Pardosa agricola* (Thorell, 1856)

**Material examined:** Bor, Balcı village (37°58'25"N, 34°27'48"E), 1534m, 23.VII.2012 (1♀); 07.VI.2013 (1♀). Bor, Balcı plateau (37°58'28"N, 34°27'58"E), 1600m, 25.VII.2012 (1♀); 28.VIII.2012 (1♀); 10.VI.2013 (1♀). Altunhisar, Tepeköy (37°57'27"N, 34°24'55"E), 1182m, 26.VII.2012 (1♀); 08.VI.2013 (1♀); 25.VII.2012 (1♀). **World Distribution:** Europe to Kazakhstan.

*Pardosa proxima* (C.L. Koch, 1847)

**Material examined:** Tepeköy 1 (38°04'53"N, 34°37'47"E), 1774m, 23.VII.2012 (3♀); 28.VIII.2012 (2♀). Melendiz 1 (38°08'20"N, 34°27'11"E), 1630m, 24.VII.2012 (2♀); 28.VIII.2012 (4♀). Melendiz 2 (38°07'59"N, 34°26'32"E), 1806m, 25.VII.2012 (1♀); 29.VIII.2012 (1♀). Gebere (38°02'45"N, 34°38'20"E), 1702m, 23.VII.2012 (2♀); 30.VIII.2012 (1♀). Yeşilyurt village (38°01'00"N, 34°23'45"E), 1391m, 26.VII.2012 (2♀); 98.VIII.2012 (2♀); 01.XII.2012 (1♀). **World Distribution:** Palaearctic, Canary Islands, Azores.

*Piratula* Roewer, 1960

*Piratula latitans* (Blackwell 1841)

**Material examined:** Yeşilyurt village - Çiftlik 1 (38°01'35"N, 34°23'57"E), 1490m, 28.VIII.2012 (7♀). **World Distribution:** Europe to Azerbaijan.

*Trochosa* C.L. Koch, 1847

*Trochosa hispanica* Simon, 1870

**Material examined:** Yeşilyurt village - Çiftlik 1 (38°01'35"N, 34°23'57"E), 1490m, 28.VIII.2012 (1♀). **World Distribution:** Mediterranean to Central Asia, Iran.

*Trochosa spinipalpis* (F.O.P.-Cambridge, 1895)

**Material examined:** Melendiz 1 (38°08'20"N, 34°27'11"E), 1630m, 23.VII.2012 (1♀); 28.VIII.2012 (2♀). **World Distribution:** Palaearctic.

Family *Miturgidae* Simon, 1886

*Zora* C.L. Koch, 1847

*Zora spinimana* (Sundevall, 1833)

**Material examined:** Gebere dam 2 (38°02'58"N, 34°37'57"E), 1719m, 23.VII.2012 (1♀). **World Distribution:** Palaearctic.

Family *Oecobiidae* Blackwall, 1862

*Oecobius* Lucas, 1846

*Oecobius rhodiensis* Kritscher 1966

**Material examined:** Bor, Balcı plateau (37°58'28"N, 34°27'58"E), 1600m, 23.VII.2012 (1♂); 28.VIII.2012 (1♂). **World Distribution:** Greece, Crete, Turkey.

*Uroctea* Dufour, 1820

*Uroctea durandi* (Latreille, 1809)

**Material examined:** Melendiz 1 (38°08'20"N, 34°27'11"E), 1630m, 23.VII.2012 (2♀); 28.VIII.2012 (3♀). Melendiz 2 (38°07'59"N, 34°26'32"E), 1806m, 24.VII.2012 (1♂1♀); 29.VIII.2012 (1♀). Gebere (38°02'45"N, 34°38'20"E), 1702m, 25.VII.2012 (1♂2♀); 29.VIII.2012 (1♀). Bor, Akbaş village - Balcı village (37°58'03"N, 34°26'55"E), 1357m, 25.VII.2012 (1♂1♀); 30.VIII.2012 (1♂1♀); 03.XII.2012 (1♀). Bor, Balcı village (37°58'25"N, 34°27'48"E), 1534m, 26.VII.2012 (1♂1♀); 29.VIII.2012 (1♂1♀); 04.XII.2012 (1♀). Bor, Balcı plateau (37°58'28"N, 34°27'58"E), 1600m, 23.VII.2012 (1♂1♀); 01.XII.2012 (1♂2♀). Güresentepe 1 (38°06'19"N, 34°37'04"E), 2157m, 26.VII.2012 (1♂); 28.VIII.2012 (1♂1♀). Güresentepe 2 (38°06'20"N, 34°36'51"E), 2209m, 25.VII.2012 (2♀); 30.VIII.2012 (1♀); 03.XII.2012 (1♂1♀). Kırkbayır village 1 (38°02'05"N, 34°39'26"E), 1557m, 26.VII.2012 (1♀);

28.VIII.2012 (1♂1♀); 03.XII.2012 (1♀). Kirkbayır village 2 (38°02'24"N, 34°38'54"E), 1633m, 23.VII.2012 (1♂1♀). **World Distribution:** Mediterranean.

Family **Oxyopidae** Thorell, 1870

**Oxyopes** Latreille, 1804

**Oxyopes lineatus** Latreille, 1806

**Material examined:** Melendiz 1 (38°08'20"N, 34°27'11"E), 1630m, 23.VII.2012 (2♀); 28.VIII.2012 (1♀). Yeşilyurt village - Çiftlik 1 (38°01'35"N, 34°23'57"E), 1490m, 230.VIII.2012 (3♀). **World Distribution:** Palearctic.

**Oxyopes ramosus** (Martini & Goeze, 1778)

**Material examined:** Altunhisar (38°00'39"N, 34°21'44"E), 1252m, 23.VII.2012 (2♂2♀); 28.VIII.2012 (2♀). Altunhisar - Çiftlik 1 (38°02'17"N, 34°22'30"E), 1601m, 25.VII.2012 (2♀); 30.VIII.2012 (1♀); 07.VI.2013 (2♂2♀). **World Distribution:** Palearctic.

Family **Palpimanidae** Thorell, 1870

**Palpimanus** Dufour, 1820

**Palpimanus uncatu**s Kulczyński, 1909

**Material examined:** Bor, Akbaş village - Balcı village (37°58'03"N, 34°26'55"E), 1357m, 23.VII.2012 (1♂1♀); 28.VIII.2012 (1♂); 01.XII.2012 (1♂1♀); 19.IV.2013 (1♂2♀); 10.V.2013 (2♀); 07.VI.2013 (1♂1♀). Bor, Balcı village (37°58'25"N, 34°27'48"E), 1534m, 24.VII.2012 (2♂1♀); 28.VIII.2012 (1♂1♀); 02.XII.2012 (1♂1♀); 19.IV.2013 (1♀); 10.V.2013 (1♀); 08.VI.2013 (1♂1♀). Bor, Balcı plateau (37°58'28"N, 34°27'58"E), 1600m, 25.VII.2012 (3♀); 30.VIII.2012 (1♂1♀); 03.XII.2012 (1♂1♀); 20.IV.2013 (1♂1♀); 11.V.2013 (1♂1♀); 09.VI.2013 (1♂1♀). Altunhisar (38°00'39"N, 34°21'44"E), 1252m, 26.VII.2012 (1♂1♀); 28.VIII.2012 (1♂); 01.XII.2012 (1♀); 19.IV.2013 (1♀); 12.V.2013 (1♂1♀); 10.VI.2013 (1♀). Altunhisar - Çiftlik 1 (38°02'17"N, 34°22'30"E), 1601m, 23.VII.2012 (1♂1♀); 28.VIII.2012 (1♂); 03.XII.2012 (1♀); 19.IV.2013 (1♂1♀); 10.V.2013 (2♂1♀); 07.VI.2013 (1♂1♀). Altunhisar - Çiftlik 2 (38°04'27"N, 34°24'39"E), 1778m, 25.VII.2012 (1♀); 29.VIII.2012 (1♀); 01.XII.2012 (2♀); 19.IV.2013 (1♂1♀); 14.V.2013 (1♂2♀); 08.VI.2013 (1♀). Altunhisar - Çiftlik 3 (38°07'25"N, 34°26'47"E), 1811m, 23.VII.2012 (1♀); 28.VIII.2012 (1♀); 03.XII.2012 (2♀); 21.IV.2013 (1♂1♀); 11.V.2013 (2♀); 07.VI.2013 (1♀). Güresentepe 1 (38°06'19"N, 34°37'04"E), 2157m, 23.VII.2012 (3♂1♀); 28.VIII.2012 (1♂1♀); 03.XII.2012 (1♀); 21.IV.2013 (1♂1♀); 13.V.2013 (1♀); 07.VI.2013 (1♀). Güresentepe 2 (38°06'00"N, 34°36'51"E), 2209m, 26.VII.2012 (1♂3♀); 29.VIII.2012 (1♀); 01.XII.2012 (1♂1♀); 20.IV.2013 (2♂1♀); 13.V.2013 (3♀); 07.VI.2013 (1♀). Güresentepe 3 (38°06'23"N, 34°36'36"E), 2254m, 23.VII.2012 (1♀); 28.VIII.2012 (1♂1♀); 01.XII.2012 (1♂1♀); 19.IV.2013 (1♀); 11.V.2013 (1♀); 09.VI.2013 (1♀). Tepeköy 1 (38°04'53"N, 34°37'47"E), 1774m, 23.VII.2012 (1♂1♀); 28.VIII.2012 (1♂1♀); 01.XII.2012 (1♀); 19.IV.2013 (1♂1♀); 13.V.2013 (1♀); 08.VI.2013 (1♂1♀). Tepeköy 2 (38°04'52"N, 34°37'45"E), 1779m, 23.VII.2012 (1♂3♀); 28.VIII.2012 (1♂); 01.XII.2012 (1♀); 20.IV.2013 (1♀); 13.V.2013 (3♂1♀); 07.VI.2013 (2♂2♀). Taşlıca village (38°00'57"N, 34°39'42"E), 1378m, 23.VII.2012 (1♂1♀); 30.VIII.2012 (1♀); 01.XII.2012 (1♀); 22.IV.2013 (1♀); 13.V.2013 (1♂2♀); 07.VI.2013 (1♂1♀). Yeşilburç village - Kirkbayır village (38°01'49"N, 34°39'52"E), 1486m, 24.VII.2012 (1♀); 29.VIII.2012 (1♀); 02.XII.2012 (1♀); 19.IV.2013 (2♂1♀); 10.V.2013 (1♂4♀); 07.VI.2013 (1♀). Yeşilburç village - Kirkbayır village (38°02'03"N, 34°39'45"E), 1491m, 25.VII.2012 (1♀); 28.VIII.2012 (1♂1♀); 03.XII.2012 (1♀); 20.IV.2013 (1♀); 10.V.2013 (1♀); 07.VI.2013 (1♂1♀). Kirkbayır village 1 (38°02'05"N, 34°39'26"E), 1557m, 24.VII.2012 (1♀); 28.VIII.2012 (1♂1♀); 04.XII.2012 (1♂3♀); 19.IV.2013 (1♀); 12.V.2013 (1♂1♀); 07.VI.2013 (1♂1♀). Kirkbayır village 2 (38°02'24"N, 34°38'54"E), 1633m, 23.VII.2012 (1♂1♀); 28.VIII.2012 (1♂1♀); 01.XII.2012 (1♀); 19.IV.2013 (1♀); 11.V.2013 (3♂3♀); 07.VI.2013 (1♀). Gebere (38°02'45"N, 34°38'20"E), 1702m, 26.VII.2012 (1♂1♀); 28.VIII.2012 (1♀); 01.XII.2012 (1♀); 19.IV.2013 (4♂1♀); 12.V.2013 (1♂1♀); 07.VI.2013 (1♀). Gebere dam 1 (38°03'03"N, 34°38'05"E), 1700m, 23.VII.2012 (1♀); 29.VIII.2012 (1♂1♀); 01.XII.2012 (1♀); 21.IV.2013 (1♀); 10.V.2013 (1♂1♀); 08.VI.2013 (1♀). Gebere dam 2 (38°02'58"N, 34°37'57"E), 1719m, 23.VII.2012 (1♀);

29.VIII.2012 (1♀); 02.XII.2012 (1♀); 21.IV.2013 (1♂1♀); 10.V.2013 (1♂1♀); 09.VI.2013 (2♂1♀). Gebere plateau 1 (38°03'03"N, 34°37'14"E), 1771m, 23.VII.2012 (1♀); 30.VIII.2012 (1♂1♀); 03.XII.2012 (1♂1♀); 19.IV.2013 (1♀); 12.V.2013 (1♀); 07.VI.2013 (1♀). Gebere plateau 2 (38°03'03"N, 34°37'27"E), 1750m, 23.VII.2012 (1♀); 29.VIII.2012 (1♂1♀); 01.XII.2012 (1♀); 22.IV.2013 (1♂1♀); 10.V.2013 (1♀); 07.VI.2013 (3♀). Yeşilburç village (38°01'06"N, 34°39'59"E), 1418m, 23.VII.2012 (1♀); 28.VIII.2012 (2♂); 03.XII.2012 (1♀); 19.IV.2013 (1♀); 11.V.2013 (1♂1♀); 08.VI.2013 (1♀). Koyunlu town (37°59'25"N, 34°35'34"E), 1567m, 24.VII.2012 (1♀); 30.VIII.2012 (1♀); 01.XII.2012 (1♂1♀); 19.IV.2013 (1♀); 13.V.2013 (3♂); 10.VI.2013 (1♂1♀). Küçükköy village (37°59'56"N, 34°35'09"E), 1693m, 23.VII.2012 (1♂1♀); 29.VIII.2012 (1♂1♀); 01.XII.2012 (1♀); 22.IV.2013 (1♂1♀); 10.V.2013 (2♂1♀); 09.VI.2013 (1♀). Altunhisar, Tepeköy 1 (37°57'27"N, 34°24'55"E), 1182m, 23.VII.2012 (1♀); 28.VIII.2012 (1♂1♀); 01.XII.2012 (1♀); 19.IV.2013 (1♀); 11.V.2013 (1♂2♀); 07.VI.2013 (4♀). Altunhisar, Tepeköy 2 (37°58'51"N, 34°25'15"E), 1328m, 26.VII.2012 (1♀); 30.VIII.2012 (1♀); 01.XII.2012 (1♂1♀); 20.IV.2013 (3♂); 12.V.2013 (1♀); 07.VI.2013 (1♂1♀). Karanlıkdere village (37°59'42"N, 34°25'29"E), 1426m, 23.VII.2012 (1♂1♀); 28.VIII.2012 (1♂1♀); 03.XII.2012 (1♀); 19.IV.2013 (1♂1♀); 11.V.2013 (1♀); 07.VI.2013 (4♀). Yeşilyurt village (37°59'01"N, 34°23'40"E), 1228m, 23.VII.2012 (1♀); 30.VIII.2012 (3♂1♀); 03.XII.2012 (1♀); 19.IV.2013 (1♀); 11.V.2013 (1♂1♀); 09.VI.2013 (1♂2♀). Yeşilyurt village (38°01'00"N, 34°23'45"E), 1391m, 25.VII.2012 (1♂1♀); 28.VIII.2012 (1♀); 02.XII.2012 (1♂1♀); 19.IV.2013 (1♀); 13.V.2013 (1♂1♀); 07.VI.2013 (1♀). Yeşilyurt village - Çiftlik 1 (38°01'35"N, 34°23'57"E), 1490m, 24.VII.2012 (1♂1♀); 28.VIII.2012 (1♀); 01.XII.2012 (1♀); 19.IV.2013 (1♀); 12.V.2013 (1♀); 07.VI.2013 (2♂2♀). Yeşilyurt village - Çiftlik 2 (38°02'45"N, 34°23'48"E), 1621m, 23.VII.2012 (1♀); 29.VIII.2012 (1♂1♀); 03.XII.2012 (1♀); 20.IV.2013 (1♂); 13.V.2013 (1♀); 07.VI.2013 (1♀). Bor, Akbaş village (37°56'37"N, 34°25'51"E), 1147m, 23.VII.2012 (3♂1♀); 30.VIII.2012 (1♀); 01.XII.2012 (1♀); 20.IV.2013 (1♂1♀); 10.V.2013 (1♀); 09.VI.2013 (1♂1♀). Bor, Okçu village 1 (37°56'33"N, 34°32'07"E), 1417m, 23.VII.2012 (1♂1♀); 28.VIII.2012 (1♀); 02.XII.2012 (1♂1♀); 19.IV.2013 (1♂1♀); 10.V.2013 (1♂1♀); 08.VI.2013 (5♂). Bor, Okçu village 2 (37°58'18"N, 34°30'51"E), 1671m, 23.VII.2012 (1♀); 29.VIII.2012 (1♂1♀); 03.XII.2012 (1♀); 20.IV.2013 (1♂1♀); 10.V.2013 (1♂1♀); 07.VI.2013 (1♂). Bor, Okçu village - Fesleğen village (37°57'49"N, 34°33'22"E), 1452m, 26.VII.2012 (1♀); 28.VIII.2012 (4♀); 03.XII.2012 (1♂1♀); 22.IV.2013 (1♂1♀); 10.V.2013 (1♂1♀); 07.VI.2013 (3♂1♀). Bor, Fesleğen village 1 (37°59'32"N, 34°33'21"E), 1661m, 25.VII.2012 (3♀); 28.VIII.2012 (1♀); 01.XII.2012 (1♂); 19.IV.2013 (1♂1♀); 11.V.2013 (2♀); 07.VI.2013 (1♂1♀). Bor, Fesleğen village 2 (38°00'11"N, 34°32'59"E), 1787m, 23.VII.2012 (1♀); 30.VIII.2012 (1♂4♀); 01.XII.2012 (1♀); 22.IV.2013 (1♀); 10.V.2013 (3♂1♀); 07.VI.2013 (1♀). **World Distribution:** Egypt, Turkey, Greece.

Family **Philodromidae** Thorell, 1870

**Philodromus** Walckenaer, 1826

**Philodromus cespitum** (Walckenaer, 1802)

**Material examined:** Bor, Akbaş village - Balcı village (37°58'03"N, 34°26'55"E), 1357m, 23.VII.2012 (1♂1♀). Gebere dam 1 (38°03'03"N, 34°38'05"E), 1700m, 01.XII.2012 (2♀).

**World Distribution:** Holarctic.

**Pulchellodromus** Wunderlich, 2012

**Pulchellodromus pulchellus** (Lucas, 1846)

**Material examined:** Bor, Balcı village (37°58'25"N, 34°27'48"E), 1534m, 28.VIII.2012 (2♀).

**World Distribution:** Mediterranean.

**Thanatus** C.L. Koch, 1837

**Thanatus atratus** Simon, 1875

**Material examined:** Altunhisar - Çiftlik 1 (38°02'17"N, 34°22'30"E), 1601m, 24.VII.2012 (2♀). Altunhisar - Çiftlik 2 (38°04'27"N, 34°24'39"E), 1778m, 23.VII.2012 (1♀). Güresentepe 1

(38°06'19"N, 34°37'04"E), 2157m, 26.VII.2012 (1♀). Güresentepe 2 (38°06'20"N, 34°36'51"E), 2209m, 25.VII.2012 (1♀). **World Distribution:** Palaearctic.

*Thanatus formicinus* (Clerck, 1757)

**Material examined:** Altunhisar - Çiftlik 1 (38°02'17"N, 34°22'30"E), 1601m, 23.VII.2012 (2♀); 07.VI.2013 (1♀). Altunhisar - Çiftlik 2 (38°04'27"N, 34°24'39"E), 1778m, 24.VII.2012 (1♀); 09.VI.2013 (2♀). Güresentepe 1 (38°06'19"N, 34°37'04"E), 2157m, 28.VIII.2012 (1♀); Tepeköy 1 (38°04'53"N, 34°37'47"E), 1774m, 03.XII.2012 (3♀). Tepeköy 2 (38°04'52"N, 34°37'45"E), 1779m, 29.VIII.2012 (1♀); 01.XII.2012 (1♀). **World Distribution:** Holarctic.

*Thanatus oblongiusculus* (Lucas, 1846)

**Material examined:** Bor, Balcı village (37°58'25"N, 34°27'48"E), 1534m, 23.VII.2012 (2♂,1♀); 08.VI.2013 (1♂1♀). Altunhisar (38°00'39"N, 34°21'44"E), 1252m, 26.VII.2012 (1♂,2♀); 07.VI.2013 (1♂1♀). Altunhisar - Çiftlik 1 (38°02'17"N, 34°22'30"E), 1601m, 24.VII.2012 (2♂6♀); 07.VI.2013 (1♂1♀). Altunhisar - Çiftlik 2 (38°04'27"N, 34°24'39"E), 1778m, 23.VII.2012 (1♀); 28.VIII.2012 (1♀). Güresentepe 1 (38°06'19"N, 34°37'04"E), 2157m, 23.VII.2012 (17♂4♀); 09.VI.2013 (2♀). Murtaza dam 1 (38°08'27"N, 34°34'38"E), 1895m, 26.VII.2012 (8♀). **World Distribution:** Palaearctic.

*Thanatus pictus* L. Koch, 1881

**Material examined:** Melendiz 1 (38°08'20"N, 34°27'11"E), 1630m, 03.XII.2012 (1♀). Güresentepe 1 (38°06'19"N, 34°37'04"E), 2157m, 30.VIII.2012 (1♀). Kırkbayır village 1 (38°02'05"N, 34°39'26"E), 1557m, 28.VIII.2012 (6♂1♀). Kırkbayır village 2 (38°02'24"N, 34°38'54"E), 1633m, 29.VIII.2012 (4♂1♀). Gebere (38°02'45"N, 34°38'20"E), 1702m, 04.XII.2012 (4♀). Gebere plateau 1 (38°03'03"N, 34°37'14"E), 1771m, 01.XII.2012 (3♀). Murtaza dam 1 (38°08'27"N, 34°34'38"E), 1895m, 25.VII.2012 (5♀). **World Distribution:** Palaearctic.

*Thanatus vulgaris* Simon, 1870

**Material examined:** Güresentepe 1 (38°06'19"N, 34°37'04"E), 2157m, 23.VII.2012 (1♀). **World Distribution:** Holarctic.

Family **Pholcidae** C.L. Koch, 1850

*Hoplopholcus* Kulczyński, 1908

*Hoplopholcus longipes* (Spassky, 1934)

**Material examined:** Çiftlik (38°09'29"N, 34°28'15"E), 1560m, 28.VIII.2012 (1♂2♀). **World Distribution:** Turkey, Russia, Georgia.

*Pholcus* Walckenaer, 1805

*Pholcus turcicus* Wunderlich, 1980

**Material examined:** Bor, Balcı plateau (37°58'28"N, 34°27'58"E), 1600m, 28.VIII.2012 (1♂1♀). **World Distribution:** Turkey.

Family **Phrurolithidae** Banks, 1892

*Phrurolithus* C.L. Koch, 1839

*Phrurolithus festivus* (C.L. Koch, 1835)

**Material examined:** Murtaza dam 1 (38°08'27"N, 34°34'38"E), 1895m, 23.VII.2012 (1♂); 28.VIII.2012 (1♂). Murtaza dam 2 (38°09'12"N, 34°34'54"E), 1857m, 23.VII.2012 (1♂). **World Distribution:** Palaearctic.

Family **Salticidae** Blackwall, 1841

*Chalcoscirtus* Bertkau, 1880

*Chalcoscirtus infimus* (Simon, 1868)

**Material examined:** Tepeköy 1 (38°04'53"N, 34°37'47"E), 1774m, 23.VII.2012 (1♀). **World Distribution:** Southern, Central Europe to Central Asia.

*Chalcoscirtus nigrinus* (Thorell, 1875)

**Material examined:** Çiftlik, Azatlı village (38°09'29"N, 34°31'36"E), 1638m, 23.VII.2012 (1♂); 07.VI.2013 (1♂). **World Distribution:** Palaearctic.

*Cyrba* Simon, 1876

*Cyrba algerina* (Lucas, 1846)

**Material examined:** Yeşilyurt village (38°01'00"N, 34°23'45"E), 1391m, 23.VII.2012 (1♀); 07.VI.2013 (1♀). **World Distribution:** Canary Islands to Central Asia.

*Euophrys* C.L. Koch, 1834

*Euophrys frontalis* (Walckenaer, 1802)

**Material examined:** Gebere plateau 1 (38°03'03"N, 34°37'14"E), 1771m, 23.VII.2012 (1♀); 07.VI.2013 (1♂). **World Distribution:** Palaearctic.

*Heliophanus* C.L. Koch, 1833

*Heliophanus dampfi* Schenkel, 1923

**Material examined:** Bor, Akbaş village - Balcı village (37°58'03"N, 34°26'55"E), 1357m, 23.VII.2012 (1♀); 07.VI.2013 (1♂). Gebere plateau 1 (38°03'03"N, 34°37'14"E), 1771m, 25.VII.2012 (1♀); 09.VI.2013 (1♂). Gebere plateau 2 (38°03'03"N, 34°37'27"E), 1750m, 24.VII.2012 (1♂1♀); 10.VI.2013 (2♂1♀). **World Distribution:** Europe, Russia.

*Heliophanus dubius* C.L. Koch, 1835

**Material examined:** Bor, Akbaş village - Balcı village (37°58'03"N, 34°26'55"E), 1357m, 23.VII.2012 (1♀); 07.VI.2013 (1♀). Altunhisar - Çiftlik 1 (38°02'17"N, 34°22'30"E), 1601m, 25.VII.2012 (1♀); 09.VI.2013 (1♀). **World Distribution:** Palaearctic.

*Heliophanus edentulus* Simon, 1871

**Material examined:** Melendiz 1 (38°08'20"N, 34°27'11"E), 1630m, 01.XII.2012 (1♂). **World Distribution:** Mediterranean to Iran, Nigeria.

*Heliophanus flavipes* (Hahn, 1832)

**Material examined:** Gebere (38°02'45"N, 34°38'20"E), 1702m, 23.VII.2012 (1♂). Çiftlik, Azatlı village (38°09'29"N, 34°31'36"E), 1638m, 25.VII.2012 (1♂); 29.VIII.2012 (1♂). **World Distribution:** Palaearctic.

*Heliophanus lineiventris* Simon, 1868

**Material examined:** Melendiz 2 (38°07'59"N, 34°26'32"E), 1806m, 19.IV.2013 (1♂); 10.V.2013 (3♂). Tepeköy 1 (38°04'53"N, 34°37'47"E), 1774m, 21.IV.2013 (3♂); 13.V.2013 (1♂). Tepeköy 2 (38°04'52"N, 34°37'45"E), 1779m, 20.IV.2013 (3♂); 12.V.2013 (2♂). Güresentepe 1 (38°06'19"N, 34°37'04"E), 2157m, 20.IV.2013 (2♂); 10.V.2013 (6♂). Güresentepe 2 (38°06'20"N, 34°36'51"E), 2209m, 19.IV.2013 (5♂); 11.V.2013 (2♂). **World Distribution:** Palaearctic.

*Pellenes* Simon, 1876

*Pellenes geniculatus* (Simon, 1868)

**Material examined:** Bor, Balcı village (37°58'25"N, 34°27'48"E), 1534m, 23.VII.2012 (1♀); 07.VI.2013 (1♀). **World Distribution:** Southern Palaearctic, Africa, introduced in Belgium.

*Philaeus* Thorell, 1869

*Philaeus chrysops* (Poda, 1761)

**Material examined:** Bor, Akbaş village (37°56'37"N, 34°25'51"E), 1147m, 23.VII.2012 (1♂); 07.VI.2013 (1♂2♀). Bor, Akbaş village - Balcı village (37°58'03"N, 34°26'55"E), 1357m, 24.VII.2012 (1♀); 28.VIII.2012 (1♂1♀); 09.VI.2013 (2♂1♀). Bor, Balcı village (37°58'25"N,

34°27'48"E), 1534m, 26.VII.2012 (1♂1♀); 28.VIII.2012 (1♀); 07.VI.2013 (1♀). Bor, Balçı plateau (37°58'28"N, 34°27'58"E), 1600m, 25.VII.2012 (1♂1♀); 10.VI.2013 (1♂2♀). Altunhisar (38°00'39"N, 34°21'44"E), 1252m, 23.VII.2012 (2♂). Altunhisar - Çiftlik 1 (38°02'17"N, 34°22'30"E), 1601m, 26.VII.2012 (1♀); 29.VIII.2012 (1♂); 07.VI.2013 (1♂1♀). Altunhisar - Çiftlik 2 (38°04'27"N, 34°24'39"E), 1778m, 23.VII.2012 (1♀); 30.VIII.2012 (1♀). Altunhisar - Çiftlik 3 (38°07'25"N, 34°26'47"E), 1811m, 23.VII.2012 (1♀); 28.VIII.2012 (1♂1♀); 08.VI.2013 (2♂1♀). Melendiz 1 (38°08'20"N, 34°27'11"E), 1630m, 24.VII.2012 (1♂1♀); 28.VIII.2012 (1♀); 08.VI.2013 (1♂1♀). Melendiz 2 (38°07'59"N, 34°26'32"E), 1806m, 23.VII.2012 (1♂); 10.VI.2013 (1♀). Gebere plateau 1 (38°03'03"N, 34°37'14"E), 1771m, 24.VII.2012 (1♂1♀); 07.VI.2013 (1♀). Gebere plateau 2 (38°03'03"N, 34°37'27"E), 1750m, 23.VII.2012 (1♀); b 09.VI.2013 (1♂1♀). **World Distribution:** Palaearctic.

*Phlegra* Simon, 1876

*Phlegra cinereofasciata* (Simon, 1868)

**Material examined:** Murtaza dam 1 (38°08'27"N, 34°34'38"E), 1895m, 19.IV.2013 (3♀); 10.V.2013 (1♀). Murtaza dam 2 (38°09'12"N, 34°34'54"E), 1857m, 20.IV.2013 (3♀). Altunhisar - Çiftlik 2 (38°04'27"N, 34°24'39"E), 1778m, 21.IV.2013 (3♀); 13.V.2013 (1♀). Altunhisar - Çiftlik 3 (38°07'25"N, 34°26'47"E), 1811m, 19.IV.2013 (2♀); 11.V.2013 (2♀). **World Distribution:** France to Central Asia.

*Phlegra fasciata* (Hahn, 1826)

**Material examined:** Melendiz 1 (38°08'20"N, 34°27'11"E), 1630m, 23.VII.2012 (1♂). **World Distribution:** Palaearctic.

*Phlegra lineata* (C.L. Koch, 1846)

**Material examined:** Altunhisar - Çiftlik 2 (38°04'27"N, 34°24'39"E), 1778m, 19.IV.2013 (3♂); 10.V.2013 (1♂). **World Distribution:** Southern Europe, Turkey, Syria.

*Pseudeuophrys* Dahl, 1912

*Pseudeuophrys lanigera* (Simon, 1871)

**Material examined:** Gebere plateau 1 (38°03'03"N, 34°37'14"E), 1771m, 23.VII.2012 (4♀); 07.VI.2013 (1♀). **World Distribution:** Europe, Russia.

*Salticus* Latreille, 1804

*Salticus scenicus* (Clerck, 1757)

**Material examined:** Altunhisar - Çiftlik 1 (38°02'17"N, 34°22'30"E), 1601m, 07.VI.2013 (1♀). Altunhisar - Çiftlik 2 (38°04'27"N, 34°24'39"E), 1778m, 23.VII.2012 (1♀). **World Distribution:** Holarctic.

Family *Scytodidae* Blackwall, 1864

*Scytodes* Latreille, 1804

*Scytodes thoracica* (Latreille, 1802)

**Material examined:** Gebere (38°02'45"N, 34°38'20"E), 1702m, 23.VII.2012 (1♂); 28.VIII.2012 (1♂1♀); 10.V.2013 (1♀); 07.VI.2013 (2♂1♀). Gebere dam 1 (38°03'03"N, 34°38'05"E), 1700m, 25.VII.2012 (1♂1♀); 29.VIII.2012 (1♂); 07.VI.2013 (2♀). Gebere dam 2 (38°02'58"N, 34°37'57"E), 1719m, 26.VII.2012 (2♀); 09.VI.2013 (1♂2♀). Bor, Balçı village (37°58'25"N, 34°27'48"E), 1534m, 23.VII.2012 (1♂1♀); 10.VI.2013 (1♀). Bor, Balçı plateau (37°58'28"N, 34°27'58"E), 1600m, 25.VII.2012 (1♂); 08.VI.2013 (3♂1♀). **World Distribution:** Holarctic, Pacific Islands.

Family *Tetragnathidae* Menge, 1866

*Tetragnatha* Latreille, 1804

*Tetragnatha obtusa* C.L. Koch, 1837



**Material examined:** Yeşilburç village - Kırkbayır village (38°02'03"N, 34°39'45"E), 1491m, 23.VII.2012 (4♂3♀); 28.VIII.2012 (3♂5♀); 07.VI.2013 (2♂6♀). **World Distribution:** Palaearctic.

Family **Theridiidae** Sundevall, 1833

*Asagena* Sundevall, 1833

*Asagena phalerata* (Panzer, 1801)

**Material examined:** Güresentepe 1 (38°06'19"N, 34°37'04"E), 2157m, 23.VII.2012 (2♀); 07.VI.2013 (1♀). Güresentepe 2 (38°06'20"N, 34°36'51"E), 2209m, 24.VII.2012 (2♀); 28.VIII.2012 (1♀); 08.VI.2013 (1♀). Güresentepe 3 (38°06'23"N, 34°36'36"E), 2254m, 25.VII.2012 (1♀). Murtaza dam 2 (38°09'12"N, 34°34'54"E), 1857m, 23.VII.2012 (2♀); 08.VI.2013 (2♀). Çiftlik, Azatlı village (38°09'29"N, 34°31'36"E), 1638m, 26.VII.2012 (2♀); 07.VI.2013 (1♀). **World Distribution:** Palaearctic.

*Cryptachaea* Archer, 1946

*Cryptachaea riparia* (Blackwall, 1834)

**Material examined:** Altunhisar - Çiftlik 2 (38°04'27"N, 34°24'39"E), 1778m, 23.VII.2012 (1♀). **World Distribution:** Palaearctic.

*Enoplognatha* Pavesi, 1880

*Enoplognatha oelandica* (Thorell, 1875)

**Material examined:** Yeşilburç village - Kırkbayır village (38°02'03"N, 34°39'45"E), 1491m, 28.VIII.2012 (2♂). **World Distribution:** Palaearctic.

*Enoplognatha thoracica* (Hahn, 1833)

**Material examined:** Murtaza dam 1 (38°08'27"N, 34°34'38"E), 1895m, 23.VII.2012 (2♀); 07.VI.2013 (1♂3♀). Murtaza dam 2 (38°09'12"N, 34°34'54"E), 1857m, 24.VII.2012 (4♀); 07.VI.2013 (2♀). Çiftlik, Azatlı village (38°09'29"N, 34°31'36"E), 1638m, 25.VII.2012 (2♂4♀); 09.VI.2013 (1♂3♀). **World Distribution:** Holarctic.

*Episinus* Walckenaer, in Latreille, 1809

*Episinus truncatus* Latreille, 1809

**Material examined:** Bor, Akbaş village - Balcı village (37°58'03"N, 34°26'55"E), 1357m, 23.VII.2012 (1♀). Altunhisar - Çiftlik 1 (38°02'17"N, 34°22'30"E), 1601m, 25.VII.2012 (1♀); 28.VIII.2012 (2♀). **World Distribution:** Palaearctic.

*Euryopsis* Menge, 1868

*Euryopsis laeta* (Westring, 1861)

**Material examined:** Yeşilyurt village - Çiftlik 1 (38°01'35"N, 34°23'57"E), 1490m, 23.VII.2012 (2♀); 28.VIII.2012 (2♀). **World Distribution:** Europe, Tunisia to Tajikistan.

*Steatoda* Sundevall, 1833

*Steatoda albomaculata* (De Geer, 1778)

**Material examined:** Melendiz 4 (38°07'28"N, 34°36'47"E), 2116m, 23.VII.2012 (1♀); 07.VI.2013 (1♀). **World Distribution:** Cosmopolitan.

*Steatoda paykulliana* (Walckenaer, 1805)

**Material examined:** Gebere (38°02'45"N, 34°38'20"E), 1702m, 23.VII.2012 (1♂); 28.VIII.2012 (1♂1♀); 01.XII.2012 (1♀); Gebere dam 1 (38°03'03"N, 34°38'05"E), 1700m, 26.VII.2012 (1♂1♀); 28.VIII.2012 (1♂); 02.XII.2012 (2♀). Gebere dam 2 (38°02'58"N, 34°37'57"E), 1719m, 23.VII.2012 (2♀); 03.XII.2012 (1♂1♀). Bor, Balcı village (37°58'25"N, 34°27'48"E), 1534m, 26.VII.2012 (1♂1♀); 01.XII.2012 (1♀). Bor, Balcı plateau (37°58'28"N, 34°27'58"E), 1600m, 25.VII.2012 (1♂); 02.XII.2012 (2♂1♀). Altunhisar - Çiftlik 1 (38°02'17"N, 34°22'30"E), 1601m,

23.VII.2012 (1♀); 28.VIII.2012 (2♀). Yeşilburç village - Kırkbayır village (38°02'03"N, 34°39'45"E), 1491m, 24.VII.2012 (1♀); 30.VIII.2012 (1♂2♀); 01.XII.2012 (1♀). Kırkbayır village 1 (38°02'05"N, 34°39'26"E), 1557m, 23.VII.2012 (1♀); 29.VIII.2012 (1♂1♀); 04.XII.2012 (1♂1♀); 07.VI.2013 (2♂2♀). **World Distribution:** Europe, Mediterranean to Central Asia.

Family **Thomisidae** Sundevall, 1833

**Heriaeus** Simon, 1875

**Heriaeus graminicola** (Doleschall, 1852)

**Material examined:** Altunhisar - Çiftlik 1 (38°02'17"N, 34°22'30"E), 1601m, 28.VIII.2012 (2♀). **World Distribution:** Europe to Central Asia.

**Heriaeus simoni** Kulczyński, 1903

**Material examined:** Altunhisar - Çiftlik 1 (38°02'17"N, 34°22'30"E), 1601m, 23.VII.2012 (1♂); 28.VIII.2012 (2♀). Melendiz 2 (38°07'59"N, 34°26'32"E), 1806m, 25.VII.2012 (2♀). **World Distribution:** Palaearctic.

**Misumena** Latreille, 1804

**Misumena vatia** (Clerck, 1757)

**Material examined:** Bor, Akbaş village - Balcı village (37°58'03"N, 34°26'55"E), 1357m, 23.VII.2012 (2♀); 07.VI.2013 (1♀). **World Distribution:** Holarctic.

**Synema** Simon, 1864

**Synema globosum** (Fabricius, 1775)

**Material examined:** Bor, Akbaş village (37°56'37"N, 34°25'51"E), 1147m, 23.VII.2012 (1♀); 10.V.2013 (1♀); 07.VI.2013 (1♀). Bor, Okçu village (37°56'33"N, 34°32'07"E), 1417m, 26.VII.2012 (2♀); 08.VI.2013 (1♀). Bor, Akbaş village - Balcı village (37°58'03"N, 34°26'55"E), 1357m, 23.VII.2012 (1♀); 09.VI.2013 (1♀). **World Distribution:** Palaearctic.

**Thomismus** Walckenaer, 1805

**Thomismus onustus** Walckenaer, 1805

**Material examined:** Bor, Balcı plateau (37°58'28"N, 34°27'58"E), 1600m, 23.VII.2012 (1♀); 28.VIII.2012 (1♂3♀). Murtaza dam 1 (38°08'27"N, 34°34'38"E), 1895m, 24.VII.2012 (1♂5♀); 30.VIII.2012 (2♂1♀). Murtaza dam 2 (38°09'12"N, 34°34'54"E), 1857m, 23.VII.2012; 29.VIII.2012 (1♂1♀); 07.VI.2013 (3♂5♀). Altunhisar - Çiftlik 3 (38°07'25"N, 34°26'47"E), 1811m, 26.VII.2012 (1♂1♀); 28.VIII.2012 (2♂1♀); 07.VI.2013 (1♂1♀). Melendiz 2 (38°07'59"N, 34°26'32"E), 1806m, 25.VII.2012 (3♂2♀); 28.VIII.2012 (2♂3♀); 09.VI.2013 (2♂1♀). **World Distribution:** Palaearctic.

**Xysticus** C.L. Koch, 1835

**Xysticus abramovi** Marusik & Logunov, 1995

**Material examined:** Güresentepe 1 (38°06'19"N, 34°37'04"E), 2157m, 01.XII.2012 (1♂). Güresentepe 2 (38°06'20"N, 34°36'51"E), 2209m, 03.XII.2012 (1♂). Güresentepe 3 (38°06'23"N, 34°36'36"E), 2254m, 04.XII.2012 (1♂). **World Distribution:** Turkey, Tajikistan.

**Xysticus caperatus** Simon, 1875

**Material examined:** Tepeköy 1 (38°04'53"N, 34°37'47"E), 1774m, 23.VII.2012 (1♀); 07.VI.2013 (1♂2♀). Yeşilburç village - Kırkbayır village (38°01'49"N, 34°39'52"E), 1486m, 23.VII.2012 (1♂3♀). Altunhisar (38°00'39"N, 34°21'44"E), 1252m, 25.VII.2012 (1♀); 28.VIII.2012 (1♂); 07.VI.2013 (2♂,1♀). Altunhisar - Çiftlik 1 (38°02'17"N, 34°22'30"E), 1601m, 26.VII.2012 (1♂1♀); 30.VIII.2012 (1♂1♀). Küçükköy civarı (37°59'56"N, 34°35'09"E), 1693m, 24.VII.2012 (1♂1♀); 09.VI.2013 (2♂1♀). Gebere dam 1 (38°03'03"N, 34°38'05"E), 1700m, 10.V.2013 (1♀); 07.VI.2013 (1♂2♀). Bor, Akbaş village - Balcı village (37°58'03"N, 34°26'55"E), 1357m, 23.VII.2012 (1♀); 12.V.2013 (1♂1♀); 10.VI.2013 (3♀). Bor, Balcı village

(37°58'25"N, 34°27'48"E), 1534m, 23.VII.2012 (1♀); 09.VI.2013 (2♂). **World Distribution:** Mediterranean, Russia.

*Xysticus demirsoyi* Demir, Topçu & Türkeş, 2006

**Material examined:** Melendiz 9 (38°06'00"N, 34°33'58"E), 2305m, 01.XII.2012 (1♀). Güresentepe 1 (38°06'19"N, 34°37'04"E), 2157m, 23.VII.2012 (1♂1♀); 07.VI.2013 (2♂1♀). Güresentepe 2 (38°06'20"N, 34°36'51"E), 2209m, 24.VII.2012 (1♂1♀); 28.VIII.2012 (2♂1♀). Güresentepe 3 (38°06'23"N, 34°36'36"E), 2254m, 25.VII.2012 (1♂3♀); 29.VIII.2012 (1♂1♀).

**World Distribution:** Turkey.

*Xysticus edax* (O.P.-Cambridge, 1872)

**Material examined:** Altunhisar (38°00'39"N, 34°21'44"E), 1252m, 07.VI.2013 (1♀). **World Distribution:** Turkey, Israel.

*Xysticus gallicus* Simon, 1875

**Material examined:** Melendiz 6 (38°06'46"N, 34°35'45"E), 2111m, 01.XII.2012 (1♀). **World Distribution:** Palaearctic.

*Xysticus kaznakovi* Utochkin, 1968

**Material examined:** Murtaza dam 1 (38°08'27"N, 34°34'38"E), 1895m, 07.VI.2013 (1♂). Murtaza dam 2 (38°09'12"N, 34°34'54"E), 1857m, 23.VII.2012 (1♂); 08.VI.2013 (1♂). **World Distribution:** Macedonia to Central Asia.

*Xysticus kempeleni* Thorell, 1872

**Material examined:** Gebere (38°02'45"N, 34°38'20"E), 1702m, 23.VII.2012 (1♀); 28.VIII.2012 (1♀). Gebere dam 1 (38°03'03"N, 34°38'05"E), 1700m, 25.VII.2012 (1♀); 28.VIII.2012 (1♀). Gebere dam 2 (38°02'58"N, 34°37'57"E), 1719m, 29.VIII.2012 (1♀). **World Distribution:** Europe to Central Asia.

*Xysticus kochi* Thorell, 1872

**Material examined:** Melendiz 1 (38°08'20"N, 34°27'11"E), 1630m, 23.VII.2012 (1♀); 28.VIII.2012 (1♀). Melendiz 2 (38°07'59"N, 34°26'32"E), 1806m, 24.VII.2012 (1♀); 30.VIII.2012 (1♀). Melendiz 5 (38°07'45"N, 34°36'39"E), 2067m, 25.VII.2012 (1♀); 28.VIII.2012. Melendiz 6 (38°06'46"N, 34°35'45"E), 2111m, 25.VII.2012 (1♂); 29.VIII.2012 (1♀). Melendiz 7 (38°06'02"N, 34°35'01"E), 2260m, 26.VII.2012 (1♂); 28.VIII.2012 (1♀). **World Distribution:** Europe, Mediterranean to Central Asia.

*Xysticus marusiki* Ono & Martens, 2005

**Material examined:** Kırkbayır village 2 (38°02'24"N, 34°38'54"E), 1633m, 23.VII.2012 (1♂); 28.VIII.2012 (1♂). Melendiz 2 (38°07'59"N, 34°26'32"E), 1806m, 01.XII.2012 (2♀). **World Distribution:** Turkey, Iran.

*Xysticus ninnii* Thorell, 1872

**Material examined:** Melendiz 1 (38°08'20"N, 34°27'11"E), 1630m, 23.VII.2012 (1♂2♀). Melendiz 2 (38°07'59"N, 34°26'32"E), 1806m, 24.VII.2012 (1♂2♀). Çiftlik (38°09'29"N, 34°28'15"E), 1560m, 25.VII.2012 (1♂3♀). Murtaza dam 1 (38°08'27"N, 34°34'38"E), 1895m, 23.VII.2012 (1♂2♀). Murtaza dam 2 (38°09'12"N, 34°34'54"E), 1857m, 25.VII.2012 (2♂2♀). Güresentepe 1 (38°06'19"N, 34°37'04"E), 2157m, 23.VII.2012 (3♂2♀). Güresentepe 2 (38°06'20"N, 34°36'51"E), 2209m, 26.VII.2012 (4♂). **World Distribution:** Palaearctic.

*Xysticus pseudorectilineus* (Wunderlich, 1995)

**Material examined:** Bor, Balcı plateau (37°58'28"N, 34°27'58"E), 1600m, 23.VII.2012 (3♀); 28.VIII.2012 (1♀); 01.XII.2012 (1♂1♀); 19.IV.2013 (1♀); 10.V.2013 (1♀); 07.VI.2013 (1♀). Altunhisar (38°00'39"N, 34°21'44"E), 1252m, 24.VII.2012 (1♀); 29.VIII.2012 (1♀); 03.XII.2012 (1♂); 19.IV.2013 (1♀); 12.V.2013 (1♀); 08.VI.2013 (1♀). Altunhisar - Çiftlik 3 (38°07'25"N, 34°26'47"E), 1811m, 25.VII.2012 (1♀); 29.VIII.2012 (1♀); 02.XII.2012 (2♂). Güresentepe 1

(38°06'19"N, 34°37'04"E), 2157m, 25.VII.2012 (1♀); 28.VIII.2012 (2♀); 01.XII.2012 (1♂); 07.VI.2013 (1♀). Güresentepe 2 (38°06'20"N, 34°36'51"E), 2209m, 23.VII.2012 (1♀); 30.VIII.2012 (1♀); 04.XII.2012 (1♂2♀). Tepeköy 1 (38°04'53"N, 34°37'47"E), 1774m, 25.VII.2012 (1♀); 28.VIII.2012 (1♀); 01.XII.2012 (1♀); 10.VI.2013 (1♀). Tepeköy 2 (38°04'52"N, 34°37'45"E), 1779m, 25.VII.2012 (3♀); 29.VIII.2012 (1♂); 01.XII.2012 (1♀); 09.VI.2013 (4♀). Yeşilburç village - Kırkbayır village 1 (38°01'49"N, 34°39'52"E), 1486m, 23.VII.2012 (1♀); 28.VIII.2012 (1♀); 03.XII.2012 (1♀); 08.VI.2013 (1♀). Yeşilburç village - Kırkbayır village 2 (38°02'03"N, 34°39'45"E), 1491m, 25.VII.2012 (1♀); 28.VIII.2012 (1♀); 01.XII.2012 (1♀); 07.VI.2013 (1♀). Kırkbayır village 2 (38°02'24"N, 34°38'54"E), 1633m, 26.VII.2012 (1♀); 28.VIII.2012 (1♀); 01.XII.2012 (1♀). Gebere (38°02'45"N, 34°38'20"E), 1702m, 26.VII.2012 (1♀); 28.VIII.2012 (1♀); 03.XII.2012 (1♂); 07.VI.2013 (1♀). Gebere dam 2 (38°02'58"N, 34°37'57"E), 1719m, 23.VII.2012 (1♀); 28.VIII.2012 (1♀); 01.XII.2012 (1♀); 07.VI.2013 (3♀). Yeşilburç village (38°01'06"N, 34°39'59"E), 1418m, 25.VII.2012 (1♀); 29.VIII.2012 (1♀); 01.XII.2012 (1♀); 07.VI.2013 (1♀). Koyunlu town (37°59'25"N, 34°35'34"E), 1567m, 24.VII.2012 (1♀); 28.VIII.2012 (1♀); 01.XII.2012 (1♂1♀); 08.VI.2013 (1♀). Karanlıkdere village (37°59'42"N, 34°25'29"E), 1426m, 26.VII.2012 (4♀); 29.VIII.2012 (2♀). Yeşilyurt village (37°59'01"N, 34°23'40"E), 1228m, 26.VII.2012 (1♀); 30.VIII.2012 (3♀); 01.XII.2012 (2♂); 08.VI.2013 (2♀). Bor, Okçu village - Fesleğen village (37°57'49"N, 34°33'22"E), 1452m, 25.VII.2012 (1♀); 28.VIII.2012 (3♀); 01.XII.2012 (1♂1♀); 09.VI.2013 (1♀). Bor, Fesleğen village (37°59'32"N, 34°33'21"E), 1661m, 26.VII.2012 (1♀); 29.VIII.2012 (1♀); 01.XII.2012 (1♂); 19.IV.2013 (1♀); 10.V.2013 (1♀); 07.VI.2013 (1♀). **World Distribution:** Turkey, Greece.

*Xysticus striatipes* L. Koch, 1870

**Material examined:** Tepeköy 2 (38°04'52"N, 34°37'45"E), 1779m, 01.XII.2012 (1♀). Yeşilburç village - Kırkbayır village 1 (38°01'49"N, 34°39'52"E), 1486m, 24.VII.2012 (1♀); 29.VIII.2012 (1♀); 01.XII.2012 (1♀); 01.XII.2012 (1♀). Yeşilburç village - Kırkbayır village 2 (38°02'03"N, 34°39'45"E), 1491m, 30.VIII.2012 (1♂1♀); 01.XII.2012 (1♀). Kırkbayır village, girişi 2 (38°02'24"N, 34°38'54"E), 1633m, 02.XII.2012 (1♀). Gebere (38°02'45"N, 34°38'20"E), 1702m, 04.XII.2012 (1♀). Gebere dam 2 (38°02'58"N, 34°37'57"E), 1719m, 03.XII.2012 (1♀). **World Distribution:** Palaearctic.

*Xysticus thessalicus* Simon, 1916

**Material examined:** Murtaza dam 1 (38°08'27"N, 34°34'38"E), 1895m, 23.VII.2012 (2♀). **World Distribution:** Balkans, Turkey, Greece, Israel.

*Xysticus tristrami* (O.P.-Cambridge, 1872)

**Material examined:** Bor, Balcı plateau (37°58'28"N, 34°27'58"E), 1600m, 23.VII.2012 (2♀); 07.VI.2013 (1♀). Altunhisar (38°00'39"N, 34°21'44"E), 1252m, 24.VII.2012 (3♀); 09.VI.2013 (1♀). Güresentepe 1 (38°06'19"N, 34°37'04"E), 2157m, 01.XII.2012 (3♀). Güresentepe 2 (38°06'20"N, 34°36'51"E), 2209m, 03.XII.2012 (2♀). **World Distribution:** Saudi Arabia to Central Asia.

Family **Titanoecidae** Lehtinen, 1967

*Nurscia* Simon, 1874

*Nurscia albomaculata* (Lucas, 1846)

**Material examined:** Bor, Balcı plateau (37°58'28"N, 34°27'58"E), 1600m, 23.VII.2012 (3♀); 28.VIII.2012 (1♂1♀); Altunhisar (38°00'39"N, 34°21'44"E), 1252m, 24.VII.2012 (3♀); 28.VIII.2012 (1♀). Altunhisar - Çiftlik 3 (38°07'25"N, 34°26'47"E), 1811m, 25.VII.2012 (6♀); 29.VIII.2012 (1♂2♀). Tepeköy 2 (38°04'52"N, 34°37'45"E), 1779m, 26.VII.2012 (1♂1♀); 28.VIII.2012 (2♂). Yeşilburç village - Kırkbayır village 1 (38°01'49"N, 34°39'52"E), 1486m, 25.VII.2012 (3♀); 28.VIII.2012 (4♀). Yeşilburç village - Kırkbayır village 2 (38°02'03"N, 34°39'45"E), 1491m, 23.VII.2012 (3♀); 30.VIII.2012 (5♀). Kırkbayır village 2 (38°02'24"N, 34°38'54"E), 1633m, 26.VII.2012 (3♀); 29.VIII.2012 (1♀). Gebere (38°02'45"N, 34°38'20"E),

1702m, 23.VII.2012 (6♀); 30.VIII.2012 (1♀). **World Distribution:** Europe, Egypt to Central Asia.

*Titanoeca* Thorell, 1870

*Titanoeca quadriguttata* (Hahn, 1833)

**Material examined:** Gebere dam 1 (38°03'03"N, 34°38'05"E), 1700m, 23.VII.2012 (3♀); 28.VIII.2012 (1♀). Gebere dam 2 (38°02'58"N, 34°37'57"E), 1719m, 29.VIII.2012 (3♀). **World Distribution:** Palaeartic.

*Titanoeca schineri* L. Koch, 1872

**Material examined:** Gebere (38°02'45"N, 34°38'20"E), 1702m, 23.VII.2012 (1♂2♀); 28.VIII.2012 (3♀). Gebere dam 1 (38°03'03"N, 34°38'05"E), 1700m, 24.VII.2012 (1♂1♀); 29.VIII.2012 (2♂). Gebere dam 2 (38°02'58"N, 34°37'57"E), 1719m, 23.VII.2012 (1♂); 30.VIII.2012 (3♀). **World Distribution:** Palaeartic.

Family *Zodariidae* Thorell, 1881

*Zodarion* Walckenaer, 1826

*Zodarion thoni* Nosek, 1905

**Material examined:** Bor, Balçı plateau (37°58'28"N, 34°27'58"E), 1600m, 23.VII.2012 (2♂1♀); 28.VIII.2012 (1♂3♀); 01.XII.2012; Altunhisar (38°00'39"N, 34°21'44"E), 1252m, 25.VII.2012 (1♀); 29.VIII.2012 (1♂1♀); Tepeköy 1 (38°04'53"N, 34°37'47"E), 1774m, 26.VII.2012 (2♂1♀). **World Distribution:** Eastern Europe to Azerbaijan.

## Acknowledgments

We are very grateful to the Scientific and Technological Research Council of Turkey (TÜBİTAK) for its financial support of this work (Project No. TBAK: 112T067).

## References

- Bayram, A., Kunt, K.B. & Danişman, T. 2014. The checklist of the spiders of Turkey. Version 2014, online at <http://www.spidersofturkey.info>.
- Demir, H., Seyyar, O. & Türkeş, T. 2014. A contribution to the study of Turkish spider fauna (Araneae). *Acta zool. bulg.*, 66(4): 579-580.
- Topçu, A., Demir, H. & Seyyar, O. 2005. A Checklist of the spiders of Turkey. *Serket*, 9(4): 109-140.
- World Spider Catalog 2015. *World Spider Catalog*. Natural History Museum Bern, online at <http://wsc.nmbe.ch>, version 16, accessed on {May 2015}