Macrothele calpeiana (Walckenaer, 1805), an occasional stowaway imported into the United Kingdom with olive trees (Araneae: Macrothelidae)

Danniella Sherwood

Arachnology Research Association, United Kingdom, danni.sherwood@hotmail.com

Abstract: The first formally reported records of *Macrothele calpeiana* (Walckenaer, 1805) as a stowaway in the United Kingdom are presented.

Key words: Araneae, Macrothelidae, vagrant, introduction, vector, plants, United Kingdom.

Macrothele calpeiana (Walckenaer, 1805), un polizón ocasional importado al Reino Unido con olivos (Araneae: Macrothelidae)

Resumen: Se presentan los primeros registros notificados formalmente de *Macrothele calpeiana* (Walckenaer, 1805) como polizón en el Reino Unido.

Palabras clave: Araneae, Macrothelidae, vagabundo, introducción, vector, plantas, Reino Unido.

Macrothele calpeiana (Walckenaer, 1805) is a charismatic European mygalomorph spider which originates from the southern Iberian Peninsula (Bellvert & Arnedo, 2017), occurs also in Northern Africa (Snazell & Allison, 1989), and which has spread as a stowaway through the commercial trade of olive trees (e.g. Pantini & Isaia, 2008; Fernandéz, 2010; Jiménez-Valverde et al., 2011; van Helsdingen, 2011; Bauer & Wendt, 2022) and on at least one citrus tree (Bauer & Wendt, 2022). It is currently reported from five nonnative countries: Italy, Belgium, The Netherlands, France, and Germany (Pantini & Isaia, 2008; Fernandéz, 2010; Jiménez-Valverde et al., 2011; van Helsdingen, 2011; van Keer, 2011; Hänggi & Stäubli, 2012; Siaud & Raphaël, 2013; Bellvert & Arnedo, 2017; Bauer & Wendt, 2022) and is a protected species under the Bern Convention and the European Union habitats directive (EUNIS, 2022). Outside of its native range, it has generally not been reported to be established, although one established alien population has been confirmed in Catalonia, Northeastern Spain (Bellvert & Arnedo, 2017).

Hitherto, *M. calpeiana* has not been formally recorded in the published literature as having been detected in the United Kingdom

(Lavery, 2019). In 2016 and 2017 respectively, the author received single specimens of spiders discovered dead in the Greater London area, which were subsequently found to be a probable sub-adult female (2017 specimen) and a juvenile (2016 specimen) of M. calpeiana. The specimens were discovered with olive trees imported to the UK from the Mediterranean. It is unknown whether the specimens died as a result of pesticide poisoning (van Helsdingen, 2011) or due to other reasons (i.e. sudden shifts in temperature or physiological causes) but both were desiccated and in bad condition. Thus, they were not retained after initial identification. Most recently, on 1st July 2022 the British Arachnological Society was contacted about a large black spider found wandering in a large commercial premises in Reading, United Kingdom. The author was consulted and quickly established that the specimen was an sub-adult female of M. calpeiana and it was confirmed that olive trees were on sale at the same premises. The specimen was obtained by the author (Fig. 1) and, in line with Bauer & Wendt (2022) who also retrieved live material, it will be maintained and cared for until the end of its natural lifespan. After death, the specimen will be deposited in the Manchester Museum (MMUE) under the accession number MMUE G7680.1.



Fig. 1. *Macrothele calpeiana* (Walckaener, 1805), sub-adult female initially found wandering in a commercial premises in the United Kingdom. Scale bar = 5mm.

The detection of three different specimens associated with the ornamental tree trade confirms that the situation is similar to that in other nearby countries (Bauer & Wendt, 2022) and that whilst established populations are currently unlikely to form in the United Kingdom outside of heated buildings, given the cold and wet winters, this species is an occasional stowaway for which we must remain vigilant. As noted by Bellvert & Arnedo (2017), it is important that measures be put in place to try and mitigate the risk of further foreign importations of this species to try and prevent the possibility of further established populations being created, as the species might displace native species or alter ecological interactions in native communities (Snyder & Evans, 2006). Bauer & Wendt (2022) discuss the possibility that this species may already have additionally established on Crete, although fieldwork efforts are required to test this hypothesis. An endemic species, Macrothele cretica Kulczyński, 1903, occurs on Crete and could be at risk if M. calpeiana spreads across the island.

Acknowledgements

I wish to thank Tobias Bauer (Staatliches Museum für Naturkunde Karlsruhe) for comments which improved the manuscript and Geoff Oxford (British Arachnological Society) who referred the most recent importation case to me. Dmitri Logunov (Manchester Museum) is thanked for providing a future repository for the specimen

References

- BAUER, T. & I. WENDT 2022. La araña toro, *Macrothele calpeiana*, repeatedly imported to Germany (Araneae: Macrothelidae). *Fragmenta Entomologica*, **54**: 69–72
- BELLVERT A. & M. A. ARNEDO 2016. Threatened or threatening? Evidence for independent introductions of *Macrothele calpeiana* (Walckenaer, 1805) (Araneae: Hexathelidae) and first observation of reproduction outside its natural distribution range. *Arachnology*, **17**(3): 137–141.
- EUNIS. 2022. *Macrothele calpeiana* Factsheet. Available online: https://eunis.eea.europa.eu/species/232
- FERRÁNDEZ, M. A. 2010. Macrothele calpeiana. In: R. Hidalgo (ed.), Bases ecológicas preliminares para la conservación de las espe-

- cies de interés comunitario en España: invertebrados. Madrid: Ministerio de Agricultura, Alimentación y Medio Ambiente Secretaría General Técnica, Centro de Publicaciones: 1–60.
- HÄNGGI, A. & A. STÄUBLI 2012. Nachträge zum "Katalog der schweizerischen Spinnen": 4. Neunachweise von 2002 bis 2011. Arachnologische Mitteilungen, 44: 59–76.
- JIMÉNEZ-VALVERDE, A., A.E. DECAE & M.A. ARNEDO 2011. Environmental suitability of new reported localities of the funnelweb spider *Macrothele calpeiana*: an assessment using potential distribution modelling with presence-only techniques. *Journal of Biogeography*, 38(6): 1213–1223.
- KULCZYŃSKI, W. 1903. Aranearum et Opilionum species in insula Creta a comite Dre Carolo Attems collectae. Bulletin International de l'Academie des Sciences de Cracovie, 1903: 32–58.
- LAVERY, A. 2019. A revised checklist of the spiders of Great Britain and Ireland. *Arachnology*, **18**(3): 196–212.
- PANTINI, P. & M. ISAIA 2008. New records for the Italian spider fauna (Arachnida, Araneae). *Arthropoda Selecta*, 17: 133–144.
- SIAUD, P. & B. RAPHAËL 2013. Première observation en Provence d'une mygale andalouse: Macrothele calpeiana (Walckenaer, 1805).
 Mésogée, Bulletin du Muséum d'Histoire Naturelle de Marseille, 69: 5–11, 73–74
- SNAZELL, R. & R. ALLISON 1989. The genus *Macrothele* Ausserer (Araneae, Hexathelidae) in Europe. *Bulletin of the British Arachnological Society*, **8**: 65–72.
- SNYDER, W. E. & E. W. EVANS 2006. Ecological effects of invasive arthropod generalist predators. *Annual Review of Ecology, Evolution, and Systematics*, **2006**: 95–122.
- VAN HELSDINGEN, P. J. 2011. Welkom voor Macrothele calpeiana (Walckenaer, 1805) (Araneae, Hexathelidae). Nieuwsbrief SPINED, 31: 5–6.
- VAN KEER, K. 2011. An update on the verified reports of imported spiders (Araneae) from Belgium. *Nieuwsbrief van de Belgische Arachnologische Vereniging*, **25**(3): 210–214.
- WALCKENAER, C. A. 1805. Tableau des aranéides ou caractères essentiels des tribus, genres, familles et races que renferme le genre Aranea de Linné, avec la désignation des espèces comprises dans chacune de ces divisions. Paris, 88 pp.