






## First record of *Scytodes thoracica* (Latreille, 1802) (Araneae: Scytodidae) in Lithuania and new data from Poland

Artur SZPALEK<sup>1</sup> , Franciszek MIKA<sup>2</sup> , Dominik M. SZYMAŃSKI<sup>3</sup> , Dawid SZYMAŃSKI<sup>4</sup> ,  
Hubert M. SZYMAŃSKI<sup>5</sup> , Jakub K. KILIJANEK<sup>6</sup> 

<sup>1</sup>Faculty of Animal Breeding, Bioengineering and Conservation, Warsaw University of Life Sciences (WULS-SGGW),  
Ciszewskiego 8, 02-786 Warszawa, e-mail: artur.szpalek01@gmail.com, ORCID: 0000-0003-1963-1083

<sup>2</sup>Faculty of Animal Breeding, Bioengineering and Conservation, Warsaw University of Life Sciences (WULS-SGGW),  
Ciszewskiego 8, 02-786 Warszawa, e-mail: franciszekmikablatto@gmail.com, ORCID: 0000-0003-2638-3284

<sup>3</sup>Piotrkowice 46, 62-561 Ślesin, e-mail: dominik.szymanski007@gmail.com, ORCID: 0000-0002-1077-4304

<sup>4</sup>Piotrkowice 46, 62-561 Ślesin, e-mail: dawid.szymanski111@gmail.com, ORCID: 0000-0003-0496-5689

<sup>5</sup>Budowlanych 1A/6, 87-800 Włocławek, e-mail: hszymanski99@gmail.com, ORCID: 0000-0003-0549-8912

<sup>6</sup>Oskara Kolberga 25/81, 81-881 Sopot, e-mail: lincolnsp.terra@gmail.com, ORCID: 0009-0008-3870-4165

---

**Abstract:** This paper presents the first record of *Scytodes thoracica* in Lithuania and updates data on its localities in Poland. The collected data confirm its continued north-eastern expansion, with Lithuania now representing the species' range limit. The gathered materials also confirmed *S. thoracica*'s acclimatization to life in synanthropic environments, even outside of buildings. Citizen science and data obtained from other individuals were also utilized in this research.

**Key words:** expansion, synanthropic species, acclimatization, spitting spider, citizen science

---

### INTRODUCTION

The family Scytodidae Blackwall, 1864 currently comprises 253 species grouped into 4 genera: *Dictis* L. Koch, 1872, *Scyloxes* Dunin, 1992, *Scytodes* Latreille, 1804, and *Stedocys* Ono, 1995. The most numerous genus in the family is *Scytodes*, which includes 229 species (WSC 2025). In Europe, 7 species occur, and three have been indicated as introduced (alien) species (*S. immaculata* L. Koch, 1875, *S. univittata* Simon, 1882, *S. fusca* Walckenaer, 1837) (Rozwałka & Czaja 2021, Nentwig et al. 2025, Szymkowiak et al. 2025). This family is characterized by a unique hunting method, catching prey by rapidly spitting silk and glue onto it (Dabelow 1958, Foelix 2011).

*Scytodes thoracica* (Latreille, 1802) (Fig. 1) is a spider with a cosmopolitan distribution, recorded in Europe, North Africa, Turkey, Iran, temperate Asia up to China, Korea, and Japan. It has also been introduced to North America, Argentina, South Africa, India, Australia, and New Zealand (WSC 2025). In Europe, for years we have observed a clear north-eastern expansion, with Poland, Denmark, and the European part of Russia forming the natural range limits (Nentwig et al. 2025). At these latitudes, it is associated with synanthropic environments, near human settlements, and is characterized by a nocturnal lifestyle (Dabelow 1958, Blick 1988, Król & Mąkol 2012, Rozwałka et al. 2013, 2016). So far in Poland, it is known from over twenty localities (Gierłasiński & Rutkowski 2025), with almost 90% of these records being reported after the year 2000 (Król & Mąkol 2012, Rozwałka et al. 2013, 2016, Rozwałka & Czaja 2021, Kupryjanowicz 2022, Gierłasiński et al. 2024).

This paper presents the first record of *Scytodes thoracica* in Lithuania, along with data that provide evidence of the species' further spread in Poland (Fig. 4), including occurrences outside of buildings (Figs 2, 3).



Figures 1–3. *Scytodes thoracica*: 1 – habitus (photo DMS), 2 – individual in the nest on the outer wall in Wrocław (photo M. Marciniak), 3 – individual in the nest on the outer wall in Siedlce (DMS).

## MATERIAL AND METHODS

Distribution of *Scytodes thoracica* were obtained from various opportunistic sources collected by the authors during their own field observations. These records were supplemented with information provided by members of thematic groups on social media, collaborating observers, and photographic documentation from the public platform iNaturalist.org, which serves for sharing biodiversity information and documenting species occurrences. The location accuracy of most observations is limited to the street or nearest locality level due to the incomplete geographic information typically supplied by private contributors.

To create the distribution map of the species, the non-commercial software MapaUTM (Gierlański 2025) was used. Because this program is restricted to the borders of Poland, the coordinates of records from Lithuania were converted using the UTM (Universal Transverse Mercator) calculator available on the Lepidoptera Mundi platform (Jonko 2025). The final graphic layout of the map was prepared using MediBang Paint.

The abbreviations used below refer to the authors: Artur Szpalek – AS, Franciszek Mika – FM, Dominik M. Szymański – DMS, Dawid Szymański – DS, Hubert Szymański – HS.

## RESULTS

The collected distribution data do not result from systematic monitoring of the species but represent a careful compilation of all available information gathered from various sources into a single dataset. All newly confirmed records of *Scytodes thoracica* are presented in Table 1 and 2. Their distribution is illustrated on the map (Fig. 4), which also includes historical records.

Table 1. Summary of new distribution data of *Scytodes thoracica*, including the first record from Lithuania and new localities in Poland. Data are divided into the authors' observations and private observers. Street names are indicated in bold. UTM – Universal Transverse Mercator.

Lithuania			
City	UTM	Collecting data	Locality
Kaunas	FF88	1♂ – 20 May 2025, leg. AS & FM	<b>Radvilų Dvaro St.</b> , inside a dormitory
Poland			
City	UTM	Specimen data	Exact location
Bydgoszcz	CD09	several exx. – 20 Jan 2024, leg. HS	<b>Fabryczna St.</b> , under plastic and wooden terrace boards
Choroń	CB71	1 juv. – Mar 2025, 1 juv. – Apr 2025, 1 juv. – May 2025, 2 juv. – 13 May 2025, several exx. – Jun 2025, 1♀ – 14 Jun 2025, leg. Aleksandra Gurbala	<b>Wołności St.</b> , basement; wood storage; garage; purchased terrarium cork; backyard wood storage and inside the house; backyard terrace
Gdańsk	CF42	1 ex. – 9 Oct 2025, leg. Marek Biegański	<b>Na Ostrowiu St.</b> , inside a building
Gorzów Wielkopolski	WU14	1 ex. – 7 Jun 2025, leg. Magdalena & Marek Biegańscy	<b>Spółdzielców St.</b> , inside an apartment on the fourth floor
Kalisz	BC94	1♀ – 18 Sept 2024, leg. Agnieszka Golańska	<b>Szymanowskiego St.</b> , inside a building
Kostrzyn nad Odrą	VU72	1♀, 1 juv. – 16 Sept 2023, leg. HS	<b>A. Mickiewicza St.</b> , external wall of a brick residential building
Kraków	DA24	1 ex. – 16 Jul 2025, leg. Przemysław Niemiec	<b>Kopernika St.</b> , inside a building
Międzyrzecz	WU31	1♀ – 10 Jul 2024, leg. DS, DMS	<b>Wesoła St.</b> , external, shaded building wall
Mikorzyn	CD10	1♀ – Jun 2021, 1♀ – Oct 2021, 1♀ – 25 Jul 2024, leg. DS	<b>Mikorzyn.</b> , inside a building
Płock	DD12	A small colony of spiders – 16 Dec 2023, leg. HS	<b>Wyszogrodzka St.</b> , under terrace boards and bags of gardening soil
Pudliszki	XT33	1 juv. – 18 Jan 2025, leg. Anna Michalska	<b>Krobska St.</b> , inside a building
Siedlce	EC88	1♀, 2♂♂, 1 juv. – 12 Jul 2025; leg. DS, DMS, HS, Michał Marciniak	<b>J. Piłsudskiego St. and Katedralna St.</b> , on external building walls in the evening hours
Skwierzyna	WU32	1♀ – 15 Sept 2023, leg. HS	<b>2 Lutego St.</b> , external wall of a brick building
Sopot	CF43	1 ex. – 5 Aug 2024, 1 ex. – 12 Dec 2024, 1 ex. – 18 Apr 2025, 1 ex. – 21 Jul 2025; leg. Joanna Romaszko	intersection of <b>Grunwaldzka St.</b> and <b>3 Maja St.</b> , inside buildings
Szczecin	VV62	1 ex. – 15 Jul 2025, leg. Joanna Kotynia	<b>Santocka St.</b> , inside a room
Toruń	CD47	1 ex. – 07 Sept 2023, leg. HS	<b>Jana III Sobieskiego St.</b> , crumbling facade of a backyard wall
Ustowo near Szczecin	VV61	1♀ – 29 Oct 2022, leg. HS	<b>Ustowska St.</b> , external wall of a residential building in spaces between bricks

Distribution of *Scytodes thoracica* in Lithuania and Poland

Warszawa	EC08	several exx. – 23 Mar 2024, leg. HS	<b>Puławska St.</b> , under plastic and wooden terrace boards and under shelves with gardening assortment
	DC99	1 ex. – 23 Jul 2025, leg. Maria Giejda, 1 ex. – 25 Jun 2025, leg. J. Badiukiewicz	<b>Tucholska St.</b> , inside a second-floor room of a building, in the bathroom, in the bathtub <b>Przasnyska St.</b> , on a desk in an apartment
Włocławek	CD63	a small colony of spiders – 20 Jun 2021, leg. HS	<b>Smocza St.</b> , on walls and in wall crevices within a production plant
Wrocław	XS46	1 ex. – 22 Jun 2025, leg. Michał Marciniak, 1 ex. – 10 Oct 2025 leg. Marta Matras	<b>Prusa St.</b> , nest on the wall at the entrance to the apartment block <b>Lubuska St.</b> , in the bathtub, inside a building

Table 2. Summary of new distribution data of *Scytodes thoracica* in Poland. Data is based on observations from the iNaturalist.org. UTM – Universal Transverse Mercator.

iNaturalist observations			
City	UTM	Date	Observation link
Brzesko	DA73	12 Sept 2024	<a href="https://www.inaturalist.org/observations/241246965">https://www.inaturalist.org/observations/241246965</a>
Chociszewo	WT59	25 Jun 2024	<a href="https://www.inaturalist.org/observations/225107515">https://www.inaturalist.org/observations/225107515</a>
Krakow	DA24	25 Apr 2022 20 Sept 2022	<a href="https://www.inaturalist.org/observations/112837697">https://www.inaturalist.org/observations/112837697</a> <a href="https://www.inaturalist.org/observations/135761309">https://www.inaturalist.org/observations/135761309</a>
Lublin	FB07	18 Jun 2021	<a href="https://www.inaturalist.org/observations/83540837">https://www.inaturalist.org/observations/83540837</a>
Łódź	CC93	02 May 2024 09 Sept 2024	<a href="https://www.inaturalist.org/observations/212835547">https://www.inaturalist.org/observations/212835547</a> <a href="https://www.inaturalist.org/observations/240789417">https://www.inaturalist.org/observations/240789417</a>
Maszewo	WV02	06 May 2024	<a href="https://www.inaturalist.org/observations/217135894">https://www.inaturalist.org/observations/217135894</a>
Moryń	VU55	06 Sept 2024	<a href="https://www.inaturalist.org/observations/240190139">https://www.inaturalist.org/observations/240190139</a>
Nowa Sól-Zatorze	WT43	13 Sept 2023	<a href="https://www.inaturalist.org/observations/183131897">https://www.inaturalist.org/observations/183131897</a>
Poznań	XU20	09 Sept 2024 07 Apr 2025 20 Apr 2025	<a href="https://www.inaturalist.org/observations/240733865">https://www.inaturalist.org/observations/240733865</a> <a href="https://www.inaturalist.org/observations/269112772">https://www.inaturalist.org/observations/269112772</a> <a href="https://www.inaturalist.org/observations/271794198">https://www.inaturalist.org/observations/271794198</a>
Poznań	XU30	21 Apr 2021 26 Jul 2024 26 Mar 2025	<a href="https://www.inaturalist.org/observations/74722012">https://www.inaturalist.org/observations/74722012</a> <a href="https://www.inaturalist.org/observations/231865258">https://www.inaturalist.org/observations/231865258</a> <a href="https://www.inaturalist.org/observations/267076467">https://www.inaturalist.org/observations/267076467</a>
Poznań-Winogrady	XU31	09 May 2024	<a href="https://www.inaturalist.org/observations/214671756">https://www.inaturalist.org/observations/214671756</a>
Toruń-Bydgoskie Przedmieście	CD37	27 May 2023 14 Jun 2023 30 Apr 2024 26 Mar 2025	<a href="https://www.inaturalist.org/observations/164688442">https://www.inaturalist.org/observations/164688442</a> <a href="https://www.inaturalist.org/observations/167549335">https://www.inaturalist.org/observations/167549335</a> <a href="https://www.inaturalist.org/observations/286776663">https://www.inaturalist.org/observations/286776663</a> <a href="https://www.inaturalist.org/observations/212179563">https://www.inaturalist.org/observations/212179563</a>
Warszawa -Śródmieście	EC08	06 Jul 2024	<a href="https://www.inaturalist.org/observations/227393306">https://www.inaturalist.org/observations/227393306</a>
Warszawa -Wola	DC98	20 Jul 2022	<a href="https://www.inaturalist.org/observations/132800146">https://www.inaturalist.org/observations/132800146</a>

Wawrów	WU14	21 Mar 2025	<a href="https://www.inaturalist.org/observations/266237692">https://www.inaturalist.org/observations/266237692</a>
Wrocław-Gajowice	XS46	22 Oct 2023	<a href="https://www.inaturalist.org/observations/188523690">https://www.inaturalist.org/observations/188523690</a>
Wrocław-Krzyki	XS35	27 Feb 2023	<a href="https://www.inaturalist.org/observations/149821960">https://www.inaturalist.org/observations/149821960</a>
Zielona Góra	WT35	8 Feb 2021 22 Apr 2021 31 May 2022 28 Jun 2022 15 Oct 2022 5 Nov 2022 5 Nov 2022 6 Apr 2023 13 May 2023 13 Jun 2024 21 May 2025	<a href="https://www.inaturalist.org/observations/197227081">https://www.inaturalist.org/observations/197227081</a> <a href="https://www.inaturalist.org/observations/197227279">https://www.inaturalist.org/observations/197227279</a> <a href="https://www.inaturalist.org/observations/119607272">https://www.inaturalist.org/observations/119607272</a> <a href="https://www.inaturalist.org/observations/123853300">https://www.inaturalist.org/observations/123853300</a> <a href="https://www.inaturalist.org/observations/138954599">https://www.inaturalist.org/observations/138954599</a> <a href="https://www.inaturalist.org/observations/144729670">https://www.inaturalist.org/observations/144729670</a> <a href="https://www.inaturalist.org/observations/141148338">https://www.inaturalist.org/observations/141148338</a> <a href="https://www.inaturalist.org/observations/153661864">https://www.inaturalist.org/observations/153661864</a> <a href="https://www.inaturalist.org/observations/161564558">https://www.inaturalist.org/observations/161564558</a> <a href="https://www.inaturalist.org/observations/222506521">https://www.inaturalist.org/observations/222506521</a> <a href="https://www.inaturalist.org/observations/280471344">https://www.inaturalist.org/observations/280471344</a>

## DISCUSSION

This work gathered additional Polish localities of *Scytodes thoracica*, illustrating its continuous north-eastern expansion. Initially, this species was found indoors, but it now forms a part of the synanthropic ecosystem of cities (Król & Małol 2012, Rozwałka et al. 2013, 2016, Gierlasiński & Rutkowski 2025). Similar dependencies have been observed in other Southern European species spreading in Poland (Szymański et al. 2023, Bałuszyński et al. 2024). The new data also confirms the existence of stable populations in various locations (e.g., Poznań, Wrocław, Warsaw, Zielona Góra), as evidenced by subsequent, systematically appearing observations. The presence of *S. thoracica* has also been confirmed for the Zachodnio-pomorskie, Kujawsko-Pomorskie, and Śląskie provinces (data provided by Bertkau 1880 and Wiehle 1953 do not specify concrete locations).

This work also confirmed the occurrence of *S. thoracica* in Lithuania. The closest known Polish locality is in Białystok (Kupryjanowicz 2022), which is over 200 km in a straight line from the Lithuanian record (Fig.4). This also marks the first representative of the family Scytodidae in Lithuania, bringing the total number of spider families in the country to 32.

*Scytodes thoracica* is a distinctive species, easily recognizable (even from photographs alone). This characteristic allows for the inclusion of citizen science in research to monitor its expansion and distribution. This approach has been successfully used in the past for species such as *Mantis religiosa* (Linnaeus, 1758) and *Argiope bruennichi* (Scopoli, 1772) (Żurawlew et al. 2022, Szymański & Szymański 2024).

## ACKNOWLEDGMENTS

The authors extend their gratitude to Anna Michalska, Agnieszka Golanowska, Magdalena Biegańska, Aleksandra Gurbała, Joanna Romaszko, Michał Marciniak, Przemysław Niemiec, Jakub Baziukiewicz, Kyle Skarsgård, Maria Giejda, and Joanna Kotynia for their assistance with the research. The authors also would like to thank the anonymous reviewers for advice on improving the quality of this paper.




Figure 4. Distribution of *Scytodes thoracica* in Europe; blue circles – records from the literature before 2000; black circles – records from the literature after 2000; red circles – new records; countries where *S. thoracica* occurs are colored gray.

## REFERENCES

- Bałuszyński F., Marciniak M., Szymański D.M., Szymański D. 2024. Pierwsze stwierdzenie *Cheiracanthium mildei* L. Koch, 1864 (Araneae: Cheiracanthiidae) na Dolnym Śląsku. Rocznik Muzeum Górnośląskiego w Bytomiu, Przyroda 30 (online 005): 1–5.
- Blick T. 1988. Die Spei - oder Leimschleuderspinne *Scytodes thoracica* Latreille, 1804, eine für Mittelfranken neue Spinnenart (Arachnida, Araneae, Scytodidae). Natur und Mensch – Jahresmitteilungen der naturhistorischen Gesellschaft Nürnberg e. V. – 1988: 17–19.
- Jonko C. 2025. Lepidoptera Mundi. Accessed from: <https://lepidoptera.eu>; accessed on 14.08.2025.
- Dabelow S. 1958. Zur Biologie der Leimschleuderspinne *Scytodes thoracica* (Latreille). Zoologische Jahrbücher, Abteilung für Systematik, Geographie und Biologie der Tiere 86: 85–126.
- Foelix R.F. 2011. Biology of Spiders. Third Edition. Oxford University Press. 432 pp.
- Gierlasiński G. 2024. MapaUTM v.5.4. Accessed from: <http://www.heteroptera.us.edu.pl>; accessed on 14.08.2025.
- Gierlasiński G., Rutkowski T. 2025. Pająki (Araneae) Polski. Accessed from: <http://zbioryprzyrodnicze.web.amu.edu.pl>; accessed on 13.06.2025.
- Gierlasiński G., Rutkowski T., Taszakowski A., Kojder D., Rakoczy T. 2024. Przyczynek do rozmieszczenia pająków (Araneae) w Polsce. Acta entomologica silesiana 32 (online 025): 1–29.
- iNaturalist 2025. *Scytodes thoracica*. Available from: [https://www.inaturalist.org/observations?subview=table&taxon\\_id=57450](https://www.inaturalist.org/observations?subview=table&taxon_id=57450); accessed on 13.06.2025.

- Król Z., Mąkol J. 2012. Nowe dane o występowaniu i rozmieszczeniu *Scytodes thoracica* (Latreille, 1802) (Araneae) w Polsce z uwagami na temat biologii gatunku. Zeszyty Naukowe Uniwersytetu Przyrodniczego we Wrocławiu, Biologia i hodowla Zwierząt 65, 587: 11–15.
- Kupryjanowicz J. 2022. Bioróżnorodność miasta Białegostoku. Pająki Białegostoku. Prezydent Miasta Białegostoku, Białystok, 282 pp.
- Nentwig W., Blick T., Bosmans R., Hänggi A., Kropf C., Stäubli A. 2025. Spiders of Europe. Version 06.2025. Accessed from: <https://www.araneae.nmbe.ch>; accessed on 13.06.2025.
- Rozwałka R., Czaja M. 2021. Rozmieszczenie *Scytodes thoracica* (Latreille, 1802) (Araneae: Scytodidae) w Polsce. Acta entomologica silesiana 29 (online 008): 1–6.
- Rozwałka R., Rutkowski T., Bielak P. 2013. New data on introduced and rare synanthropic spider species (Arachnida: Araneae) in Poland. Annales Universitatis Mariae Curie-Skłodowska, Biologia 68(1): 127–150.
- Rozwałka R., Rutkowski T., Bielak-Bielecki P. 2016. New data on introduced and rare synanthropic spider species (Arachnida: Araneae) in Poland (II). Annales Universitatis Mariae Curie-Skłodowska, Biologia 71(1): 60–85.
- Szymański D., Szymański D.M., Hurna K., Szymański H.M., Białas H., Czczor S., Pukacz A. 2023. New data on rare, protected and newly found spiders (Araneae) in the fauna of Poland. Fragmenta Faunistica 66(2): 63–86.
- Szymański D.M., Szymański D. 2024. Tygrzyk paskowany *Argiope bruennichi* (Scopoli, 1772) (Araneae, Araneidae) w Polsce – 150 lat badań. Przegląd Przyrodniczy 35(4): 3–31.
- Szymkowiak P., Konecka E., Rutkowski T., Pecyna A., Sz wajkowski P. 2025. Alien spiders in a palm house with the first report of parthenogenetic *Triaeris stenaspis* (Araneae: Oonopidae) infected by *Wolbachia* from new supergroup X. Scientific Reports 15: 9512.
- WSC (World Spider Catalog) 2025. World Spider Catalog. Version 26. Natural History Museum Bern. Accessed from: <http://wsc.nmbe.ch>; accessed on 13.06.2025.
- Żurawlew P., Kutera M., Orzechowski R., Czyżewski S., Radzikowski P., Grobelny S., Cymbała R., Kolago G., Malkiewicz A., Bury J., Gwardjan M., Sepioł B., Brodacki M. 2022. The European mantis *Mantis religiosa* (Linnaeus, 1758) (Mantodea: Mantidae) in Poland—the present status and changes in range. Fragmenta Faunistica 65(1): 35–53.

## STRESZCZENIE

### **Pierwsze stwierdzenie *Scytodes thoracica* (Latreille, 1802) (Araneae: Scytodidae) na Litwie i nowe dane z Polski**

W artykule zaprezentowano pierwsze stanowisko roznuwacza plującego *Scytodes thoracica* na Litwie oraz zaprezentowano dane na temat nowych stanowisk tego gatunku w Polsce. Uzyskane materiały potwierdziły dalszą ekspansję badanego pająka w kierunku północno-wschodnim, a Litwa obecnie stanowi granice zasięgu *S. thoracica*. Potwierdzono także występowanie gatunku na obszarze kolejnych województw: zachodnio-pomorskiego, kujawsko-pomorskiego i śląskiego. Zebrane dane potwierdziły także aklimatyzację *S. thoracica* do życia w środowiskach synantropijnych także poza wnętrzem budynków.

Received: 11 August 2025

Accepted: 26 October 2025