

Hrvatsko entomološko društvo - Inventar entomofaune Hrvatske

ARANEA - Popis vrsta - Checklist

Reference:

- **Nikolić, F. Polenec, A.**, 1981. Aranea. Catalogus Faunae Jugoslaviae III/4. SAZU Ljubljana, 135 str.
- **Braun, R.**, 1982. Reviews. Nikolić, F. (u. Mitarbeit v. A. Polenec): Catalogus Faunae Jugoslaviae, III/4. Aranea. - Entom. Gen. 7(4): p. 374. **Primjedba:** Braun navodi da u katalogu ima mnogo tiskarskih pogrešaka. - Nismo ispravljali!

Popis prema: **Nikolić & Polenec, 1981.**

Promjene 14. 7. 2002.

Komentar - u pripremi: milosevic@agr.hr

Cribellatae | Ecribelatae | Entelegynae

Labidognatha | Orthognatha

Ukupno 35 porodica, 57 potporodica, 244 roda i 643 vrste i podvrste ([Tablica](#))

Argyopiformia | Amaurobiformia | Clubionaeformia | Dictynaeformia
Dysaeraeformia | Eresiformia | Filistatiformia | Gnaphodaeformia
Hersiliaeformia | Lycosaeformia | Pholciformia | Salticiformia
Scytodiformia | Thomisiformia | Zodariformia | Zoropsidiformia

KAZALO PORODICA

Kazalo porodica

Agelenidae | Amaurobiidae | Araneidae | Argyronetidae | Atypidae
Clubionidae | Ctenidae | Ctenizidae
Dictynidae | Dipluridae | Dysderidae | Eresidae | Eusparassidae
Filistatidae | Gnophosidae | Hahniidae | Leptonetidae | Linyphiidae | Lycosidae
Micryphantidae | Mimetidae | Nesticidae | Oxyopidae
Palpimanidae | Pholcidae | Pisauridae | Sicariidae
Tetragnathidae | Theridiidae | Thomisidae | Uloboridae | Urocteidae
Zodariidae | Zoropsidae

ORTHOGNATHA

Nelipoda

Atypidae

***Atypus* Latreille, 1804**

Atypus affinis Eichwald, 1830 (syn. *Atypus subterraneus* Latreille, 1804; *Atypus sulzeri* Latreille, 1806)

Ctenizidae

Ctenizinae

***Nemesia* Savigny, 1872**

Nemesia caementaria (Latreille, 1798) (syn. *Aranea sauvagii* P. Rossi, 1790)
Nemesia pannonica pannonica Herman, 1879

Dipluridae
Diplurinae

***Brachythele* Ausserer, 1871**

Brachythele icterica (C.L.Koch, 1839) (*Mygale icterica*)
Brachythele media Kulczynski, 1897

LABIDOGNATHA

CRIBELLATAE
Neocribellatae

Filistatiformia

Filistatidae

***Filistata* Latreille, 1810**

Filistata insidiatrix (Forskall, 1775) (*Aranea insidiatrix*)
Filistata nana Simon, 1868
Filistata pallida Kulczynski, 1895

Zoropsidiformia

Zoropsidae

***Zoropsis* Simon, 1873**

Zoropsis lutea (Thorell, 1875) (*Zora lutea*)
Zoropsis spinimana (Dufour, 1920) (*Dolomedes spinimana*)

Eresiformia

Eresidae
Eresinae

***Eresus* Walckenaer, 1805**

Eresus cinnaberinus (Olivier, 1789) (*Aranea cinnaberina*)
Eresus ruficapillus C.L.Koch

Dictynaeformia

Dictynidae

***Altella* Simon, 1884**

Altella lucida (Simon, 1874) (*Lethia lucida*)

***Archaeodictyna* Di Caporiacco, 1928**

Archaeodictyna ammophila (Menge, 1871) (*Dictyna ammophila*)

***Brigittea* Lehtinen, 1967**

Brigittea latens (Fabricius, 1775) (*Aranea latens*)

***Dictyna* Sundevall, 1833**

Dictyna arundinacea (Linnaeus, 1758) (*Aranea arundinacea*) (syn. *Dictyna benigna* C.L.Koch, 1836)
Dictyna bicolor Simon, 1870 (syn. *Dictyna scalaria* Canestrini, 1873)
Dictyna civica (Lucas, 1850) (*Theridion civicum*) (syn. *Dictyna putetorum* Simon, 1886)
Dictyna uncinata Thorell, 1856

Dictyna vicina Simon, 1873

Lathys Simon, 1884

Lathys heterophthalmus Kulczynski, 1891 (syn. *Scotolathys heterophthalma* Simon, 1903)

Lathys humilis (Blackwall, 1885) (*Cinifo humilis*) (syn. *Lethia varia* Menge, 1869)

Lathys puta (O.P. Cambridge, 1864) (*Cinifo puta*) (syn. *Lethia stigmatisata* Menge, 1869)

Nigma Lehtinen, 1967

Nigma flavescens (Walckenaer, 1830) (*Drassus flavescens*) (syn. *Ergatis pallens* Blackwall, 1861; *Dictyna variabilis* Hermann, 1879)

Nigma? piše *D. walckenaeri* Roewer, 1951 (syn. *Dictyna viridissima* Walckenaer, 1805)

Uloboridae

Uloborinae

Uloborus Latreille, 1806

Uloborus plumipes Lucas, 1846

Uloborus walckenaerius Latreille, 1806 (syn. *Veleda lineata* Blackwall, 1861)

Uptiotinae

Uptiotes Walckenaer, 1833

Uptiotes flavidus (Blackwall, 1862) (*Mithras flavidus*)

Uptiotes paradoxus (C.L.Koch, 1877) (*Mithras paradoxa*)

Amaurobiiformia

Amaurobiidae

Amaurobius C.L.Koch, 1837

Amaurobius annulatus (Kulczynski, 1896) (*Ciniflo annulatus*)

Amaurobius erberi (Keyserling, 1863) (*Ciniflo erberii*)

Amaurobius fenestralis (Stroem, 1768) (*Aranea fenestralis*)

Amaurobius ferox (Walckenaer, 1830) (*Clubiona ferox*)

Amaurobius kratochvili Miller, 1938

Amaurobius minor (Kulczynski, 1915)

Amaurobius obustus L. Koch, 1868

Amaurobius pallidus L. Koch, 1868

Titanoeca Thorell, 1869

Titanoeca kochi (Ausserer, 1867) (*Amaurobius kochi*)

Titanoeca quadriguttata (Hahn, 1831) (*Theridion quadriguttatum*)

Titanoeca schineri L. Koch, 1872

Titanoeca tristis L. Koch, 1872

ECRIBELATAE

Haplogynae

Dysderaeformia

Dysderidae

Dysderinae

Dasumia Thorell, 1875

Dasumia canestrinii (L. Koch, 1876) (*Dasumia istriaca* Simon, 1882)

Dysdera Latreille, 1804

Dysdera crocota C. L. Koch, 1839
Dysdera erythrina (Walckenaer, 1802) (*Dysdera rubicunda* Menge, 1872)
Dysdera hungarica adriatica Kulczynski, 1897
Dysdera kollari Dobljka, 1853
Dysdera kollari granulata Kulczynski, 1897
Dysdera longirostris Dobljka, 1853 (*Dysdera longitarsis* Herman, 1879)
Dysdera ninnii Canestrini, 1868
Dysdera punctata C.L.Koch, 1839
Dysdera westringi O. P. Cambridge, 1872

Harpactea Bristowe, 1939

Harpactea hombergi (Scopoli, 1763)
Harpactea lepida (C.L.Koch, 1839) (*Dysdera lepida*)
Harpactea rubicunda (C.L.Koch, 1839) (*Dysdera rubicunda*)
Harpactea rucnerorum Polenec et Thaler, 1975

Harpactes Templeton, 1835

Harpactes amoenus Kulczynski, 1897

Harpactocrates Simon, 1914

Harpactocrates egregius (Kulczynski, 1897) (*Harpactes egregius*)

Harpassa Simon, 1882

Harpassa tenuipes Simon, 1882

Folkia Kratochvil, 1970

Folkia haasi (Reimoser, 1929) (*Stalagtia haasi* Kratochvil, 1970)
Folkia purkrabeki Kratochvil, 1970 (*Stalita schiodtei* Fage, 1931)

Mesostalita Deeleman-Reinhold, 1971

Mesostalita nocturna (Roewer, 1931) (*Stalita nocturna*)

Parastalita Absolon et Kratochvil, 1932

Parastalita stygia (Joseph, 1882) (*Stalita gracilipes* Chyzer et Kulczynski, 1887)

Stalagtia Kratochvil, 1970

Stalagtia inermis Absolon et Kratochvil, 1933 (*Stalita inermis*)

Stalita Schiodte, 1847

Stalita inermisfemur Roewer, 1931
Stalita pretneri Deeleman-Reinhold, 1971
Stalita spinosissima Kulczynsku, 1897

Segestriinae

Segestria Latreille, 1804

Segestria bavarica C.L.Koch, 1843
Segestria croatica Doleschal, 1852
Segestria florentina (Rossi, 1790)
Segestria senoculata (Linnaeus, 1758) (syn. *Segestria corvulus* Jarocki, 1825)

Leptonetidae

Barusia Kratochvil, 1978

Barusia insulana Kratochvil et Miller, 1939
Barusia korculana Kratochvil et Miller, 1939
Barusia maheni Kratochvil et Miller, 1939 (*Paraloptoneta maheni*)

Sulcia Kratochvil, 1938

Sulcia inferna Kratochvil, 1938
Sulcia nocturna Kratochvil, 1938

Scytodiformia

Sicariidae
Scytodinae

Scytodes Latreille, 1804

Scytodes thoracica (Latreille, 1804)

ENTELEGYNAE **Trionycha**

Na početak

Pholciformia

Pholcidae
Pholcinae

Holocnemus Simon, 1875

Holocnemus pluchii (Scopoli, 1763) (*Holocnemus rivulatus* Simon, 1873)

Hoplopholcus Kulczynsky, 1908

Hoplopholcus forskalii (Thorell, 1871) (*Pholcus forskalii*)

Pholcus Walckenaer, 1805

Pholcus opilionoides (Schrank, 1781) (*Aranea opilionoides*)
Pholcus phalangioides (Fuesslin, 1775) (*Aranea phalangioides*)
Pholcus ponticus Thorell, 1875

Spermophora Hentz, 1841

Spermophora senoculata (Duges, 1836) (*Pholcus senoculatus*)

Stygopholcus Kratochvil, 1940

Stygopholcus absoloni (Kulczynski, 1914) (*Hoplopholcus absoloni*) (syn.
Holocnemus (Stygopholcus) absoloni Kratochvil, 1934)

Zodariiformia

Zodariidae
Zodariinae

Zodarion Walckenaer, 1847

Zodarion elegans (Simon, 1873) (*Enyo elegans*)
Zodarion gallicum (Simon, 1873) (*Enyo gallica*)
Zodarion germanicum (C.L.Koch, 1837) (*Lucia germanica*)
Zodarion graecum (C.L. Koch, 1834) (*Enyo graeca*)
Zodarion italicum (Canestrini, 1868) (*Enyo italica*)
Zodarion nitidum (Audouin, 1827) (*Enio nitidum*) (syn. *Enyo longipes* Audoin, 1827)

Palpimanidae
Palpimaninae

***Palpimanus* Dufour, 1820**

Palpimanus gibbulus Dufour, 1820

Hersiliaeformia

Urocteidae

***Uroctea* Dufour, 1820**

Uroctea durandi (Latreille, 1809) (*Clotho durandi*)

Argyopiformia

Theridiidae
Phoroncidiinae

***Ulesanis* L. Koch, 1872**

Ulesanis paradoxa (Lucas, 1846) (*Epeira paradoxa*)

Asageninae

***Asagena* Sundevall, 1830**

Asagena meridionalis Kulczynsky, 1894

***Crustulina* Menge, 1838**

Crustulina guttata (Wider, 1834) (*Theridion guttatum*) (syn. *Ceratina globosa* Menge, 1868; *Erigone?* (*Ceratina*) *globosa* Kulczynsky, 1876)
Crustulina scabripes Simon, 1881

***Enoplognatha* Pavesi, 1880**

Enoplognatha lineata (Clerck, 1757) (*Araneus lineatus*) (*Araneus ovatus*) (syn. *Theridium redimitum* Clerck, 1757; *Araneae myope* Weigel, 1806)
Enoplognatha mandibularis (Lucas, 1841) (*Theridion mandibulare*) (*Theridion vinicum*)
Enoplognatha thoracica (Hahn, 1831) (*Theridion thoracicum*) (syn. *Dreoanotus obscurus* Menge, 1869)

***Lithyphantes* Thorell, 1870**

Lithyphantes albomaculatus (De Geer, 1778) (*Aranea albomaculata*)
Lithyphantes paykullianus (Walckenaer, 1805) (*Teridion paykullianum*)

***Robertus* Cambridge, 1879**

Robertus lividus (Blackwall, 1836) (*Nereine livida*)

***Steatoda* Sundevall, 1833**

Steatoda bipunctata (Linnaeus, 1758) (*Aranea bipunctata*)
Steatoda phalerata (Panzer, 1801) (*Phalangium phaleratum*)

***Teutana* Simon, 1881**

Teutana triangulosa (Walckenaer, 1802) (*Aranea triangulosa*)

Latrodectinae

***Dipoena* Thorell, 1870**

Dipoena braccata (C.L. Koch, 1841) (*Theridium braccatum*)
Dipoena convexa (Blackwall, 1870) (*Theridium convexum*)
Dipoena coracina (C.L. Koch, 1837) (*Theridium coracinum*) (syn. *Lasaeola nogrina* Simon, 1881)
Dipoena croatica (Chyzer, 1894) (*Lasaeola croatica*)
Dipoena inornata (Cambridge, 1861) (*Theridion inornatum*)
Dipoena melanogaster (C.L. Koch, 1837) (*Epeira (Atea) melanogaster*)
Dipoena nigroreticulata (Simon, 1879) (*Euryopsis nigroreticulata*)
Dipoena tristis (Hahn, 1831) (*Theridion tristis*)

Latrodectus Walckenaer, 1805

Latrodectus mactans (Fabricius, 1775) (*Aranea mactans*) (syn. *Aranea tredecimguttatus* Rossi, 1790; *Latrodectus malmignatus* Walckenaer, 1837)

Argyrodininae

Argyrodina Strand, 1926

Argyrodes argyrodes (Walckenaer, 1841) (*Linyphia argyrodes*)

Rhomphaea L. Koch, 1872

Rhomphaea longa Kulczynski, 1914
Rhomphaea nasica (Simon, 1873) (*Ariamnes nasicus*)

Theridiinae

Anelosimus Simon, 1891

Anelosimus pulchellus (Walckenaer, 1802) (*Aranea pulchella*)
Anelosimus vittatus (C.L.Koch, 1836) (*Theridium vittatum*)

Achaeranea Strand, 1929

Achaeranea lunata (Clerck, 1757) (*Araneus lunatus*) (syn. *Araneus formosus* Clerck, 1757; *Theridium sisyphum* Menge, 1850; *Pronopius providus* Menge, 1869)

Episinus Latreille, 1809

Episinus truncatus Latreille, 1809

Euryopsis Menge, 1868

Euryopsis episinoides (Walckenaer, 1847) (*Argus episinoides*)
Euryopsis flavomaculata (C.L.Koch, 1836) (*Mycryphantes flavomaculata*)
Euryopsis margaritata (L. Koch, 1867) (*Theridium margaritatum*)

Neottiura Menge, 1868

Neottiura bimaculata (Linnaeus, 1767) (*Aranea bimaculata*) (syn. *Theridium carolinum* Menge, 1850; *Theridium dorsiger* Taczanowski, 1866)

Plocamis Simon, 1894

Plocamis cavernicola Kulczynski, 1897

Theridion Walckenaer, 1805

Theridion aulicum C.L.Koch, 1838
Theridion herbigradum Simon, 1873
Theridion impressum L.Koch, 1881
Theridion melanorum Hahn, 1831 (syn. *Theridium denticulatum* Lebert, 1875)
Theridion nigrovariegatum Simon, 1873 (syn. *Theridion grigovaldskyi* Herman, 1879)
Theridion ornatum Hahn, 1831

Theridion pinastrum L.Koch, 1872
Theridion simile C.L.Koch, 1836
Theridion tepidariorum C.L.Koch, 1841
Theridion tinctum (Walckenaer, 1802) (syn. *Theridium irritatum* Seidel, 1849;
Steatoda punctulata Menge, 1868)
Theridion varians Hahn, 1831

Theridula Emerton, 1882

Theridula opulenta (Walckenaer, 1841) (*Theridium opulentum*)

[Pholcomminae]

[Pholcomma Thorel, 1870]

[*Pholcomma gibbium* (Westring, 1851) (syn. *Pholcomma projectum* Westring, 1870) = Slovenija]

Nesticidae

Nesticus Thorell, 1870

Nesticus cellulanus cellulanus (Clerck, 1757) (*Araneus cellulanus*)
Nesticus speluncarum Pavesi, 1783 (syn. *Nesticus eremita* Simon, 1879; *Nesticus strasseri* Roewer, 1932)

Linyphiidae

Asthenargus Simon et Farge, 1922

Asthenargus bracianus Miller, 1938

Bathyphantes Menge, 1866

Bathyphantes gracilis (Blackwall, 1841) (*Linyphia gracilis*)
Brathyphantes nigrinus (Westring, 1851) (*Linyphia nigrina*)

Centromerus Dahl, 1866

Centromerus silvicola (Kulczynski, 1887) (*Theticus silvicola*)
Centromerus similis Kulczynski, 1894
Centromerus subcaecus Kulczynski, 1814 (syn. *Centromerus europaeus* Fage, 1931)

Cresmatoneta Simon, 1929

Cresmatoneta mutinensis (Canestrini, 1868) (*Formicina mutinensis*)

Diplostyla Emerton, 1882

Diplostyla concolor (Wider, 1834) (*Linyphia concolor*)

Drapetisca Menge, 1866

Drapetisca socialis (Sundevall, 1832) (*Linyphia socialis*) (syn. *Meta tigrina* Menge, 1850)

Floronia Simon, 1887

Floronia bucculenta (Clerck, 1757) (*Araneus bucculentus*) (syn. *Bolyphantes frenatus* Menge, 1866)

Frontinella van Helsdingen, 1969

Frontinella frutetorum (C.L.Koch, 1834) (*Linyphia frutetorum*) (syn. *Linyphia hortensis* Kulczynski, 1872)
Frontinella frutetorum punctiventris Kulczynski, 1894

Kaestneria **Wiehle, 1956**

Kaestneria dorsalis (Wider, 1834) (*Linyphia dorsalis*) (syn. *Micryphantes laminatus* Menge, 1850)

Labulla **Simon, 1884**

Labulla thoracica (Wider, 1834) (*Linyphia thoracica*)

Lepthyphantes **Menge, 1866**

Lepthyphantes alacris (Blackwall, 1853) (*Linyphia alacris*) (syn. *Linyphia terricola* Seidel, 1849)

Lepthyphantes angulipalpis (Westring, 1851) (*Linyphia angulipalpis*)

Lepthyphantes cristatus (Menge, 1866) (*Bathyphantes cristatus*)

Lepthyphantes flavipes (Blackwall, 1854) (*Linyphia flavipes*)

Lepthyphantes istrianus Kulczynski, 1914

Lepthyphantes herbicola Simon, 1884

Lepthyphantes keyserlingi (Ausserer, 1867) (*Linyphia keyserlingi*)

Lepthyphantes korculensis Miller, 1978

Lepthyphantes leprosus (Ohlert, 1865) (*Linyphia leprosa*)

Lepthyphantes minutus (Blackwall, 1833) (*Linyphia minuta*) (syn. *Lepthyphantes muscicola* Menge, 1866; *Linyphia domestica* Wider, 1834)

Lepthyphantes nebulosa (Sundevall, 1830) (*Linyphia mughi*) (syn. *Linyphia circumflexa* Seider, 1849; *Lepthyphantes crypticola* Menge, 1866; *Linyphia furcula* Taczanovski, 1866)

Lepthyphantes notabilis Kulczynski, 1887

Lepthyphantes tenebricola (Wider, 1834) (*Linyphia tenebricola*)

Lepthyphantes tenuis (Blackwall, 1852) (*Linyphia tenuis*)

Linyphia **Latreille, 1804**

Linyphia hortensis Sundevall, 1829 (sin. *Linyphia sylvatica* Leber, 1875)

Linyphia triangularis (Clerck, 1757) (*Araneus triangularis*) (sin. *Linyphia macrognatha* Menge, 1866; *Linyphia micrognatha* Menge, 1866)

Meioneta **Hull, 1920**

Meioneta fuscipalpis (C.L. Koch, 1836) (*Micryphantes fuscipalpis*)

Meioneta rurestris (C.L. Koch, 1836) (*Micryphantes rurestris*)

Microlinyphia **Gerhard, 1928**

Microlinyphia impigra (Cambridge, 1870) (*Linyphia impigra*) (sin. *Enemista culta* Simon, 1929)

Microneta **Menge, 1869**

Microneta viaria (Blackwall, 1841) (*Nereine viaria*) (sin. *Microneta quisquiliarum* Menge, 1869)

Neriere **Blackwall, 1833**

Neriere chlatrata (Sundevall, 1829) (*Linyphia clathrata*) (syn. *Linyphia multiguttata* Menge, 1850)

Neriere emphana (Walckenaer, 1841) (*Linyphia emphana*) (syn. *Linyphia scalarifera* Menge, 1866)

Neriere furtiva (Cambridge, 1870) (*Linyphia furtiva*)

Neriere marginata C.L.Koch, 1834 (*Linyphia marginata*)

Neriere montana (Linnaeus, 1758) (*Araneus montanus*) (sin. *Linyphia resupina* C.L. Koch, 1849)

Sintula **Simon, 1884**

Sintula cornigera (Blackwall, 1856) (*Nereine cornigera*)

Sintula retroversa (Cambridge, 1835) (*Erigone retroversa*)

Tapinopa Westring, 1851

Tapinopa longidens (Wider, 1834) (*Linyphia longidens*)

Troglohyphantes Joseph, 1881

Troglohyphantes affinis (Kulczynsky, 1914)
Troglohyphantes brignolii Deeleman-Reinhold, 1978
Troglohyphantes croaticus (Chyzer, 1994) (*Taranucnus croaticus*)
Troglohyphantes dalmatinus (Kulczynski, 1914) (*Taranucnus dalmaticus*)
Troglohyphantes dinaricus (Kratochvil, 1948) (*Stygohyphantes dinaricus*)
Troglohyphantes diurnus Kratochvil, 1932
Troglohyphantes giromettai (Kulczynski, 1914) (*Taranucnus giromettai*)
Troglohyphantes kordunlikanus Deeleman-Reinhold, 1978
Troglohyphantes liburnicus Caporiacco, 1927
Troglohyphantes roberti roberti Deeleman-Reinhold, 1978
Troglohyphantes roberti dalmatinensis Deeleman-Reinhold, 1978
Troglohyphantes strandi Absolon et Kratochvil, 1932
Troglohyphantes svilajensis svilajensis Kratochvil, 1948 (*Stygohyphantes svilajensis*)
Troglohyphantes svilajensis noctiphilus (Kratochvil, 1948) (*Stygohyphantes noctiphilus*) (syn. *Troglohyphantes giromettai* Kratochvil, 1934)

Typhlonypbia Kratochvil, 1936

Typhlonypbia reimoseri Kratochvil, 1936

**Micryphantidae
Lophocareninae****Ceratinella Emerson, 1882**

Ceratinella brevis (Wider, 1834) (*Theridion brevis*) (syn. *Micryphantes phaeopus* Taczinowski, 1866)

Lophocarenum Menge, 1866

Lophocarenum insamus Simon, 1884 (*Pelocopsis insamus*)
Lophocarenum medusa (Simon, 1881) (*Erigone medusa*)
Lophocarenum turgidum (Blackwall, 1841) (*Walckenaera turgida*)

Pelocopsis Simon, 1864

Pelocopsis elongata (Wider, 1834) (*Theridion elongatum*) (syn. *Lophocarenum dichlophum* Menge, 1866)
Pelocopsis nemoralis (Blackwall, 1841) (*Walckenaera nemoralis*)
Pelocopsis parallela (Wider, 1834) (*Theridion parallelum*)

Trichopterna Kulczynski, 1894

Trichopterna cito (O. P. Cambridge, 1872) (*Erigone cito*) (syn. *Erigone* (*Walckenaera*) *blackwalli* Cambridge, 1872; *Pelocopsis subfuscus* Miedzinski, 1934)

Masoninae**Maso Simon, 1884**

Maso sundevalli (Westring, 1851) (*Erigone sundevalli*)

Gonatiinae**Abacoproeces Simon, 1884**

Abacoproeces saltuum (L. Koch, 1872) (*Erigone saltuum*)

Dicymbium Menge, 1868

Dicymbium nigrum (Blackwall, 1834) (*Neriere nigrum*) (syn. *Erigone seratina* Menge, 1868; *Dicymbium gracilipes* Menge, 1868; *Erigone scabristernis* Lebert, 1875)

Dismodicus Simon, 1884

Dismodicus elevatus (C. L. Koch, 1838) (*Micryphantes elevatus*)

Enidia Smith, 1904

Enidia bituberculata (Wider, 1834) (*Theridion bituberculatum*) (syn. *Dicyphus timidus* Menge, 1869)

Enidia cornuta (Blackwall, 1833) (*Neriere cornuta*) (syn. *Dicyphus cilunculus* Menge, 1869; *Erigone bicuspidata* Westring, 1861)

Gnathonarium Karsch, 1881

Gnathonarium dentatum (Wider, 1834) (*Theridion dentatum*) (syn. *Tmeticus cristatus* Menge, 1868)

Gonatium Menge, 1868

Gonatium corallipes (Cambridge, 1875) (*Erigone coralipes*)

Gonatium hilare (Thorell, 1785) (*Erigone hilaris*)

Gonatium rubellum (Blackwall, 1841) (*Neriere rubella*) (syn. *Gonatium isabellinum*)

Gongylidium Menge, 1868

Gongylidium rufipes (Linnaeus, 1758) (*Aranea rufipes*) (syn. *Micryphantes crassipalpus* Taczanowski, 1866, *Gongylidium nigricans* Menge, 1868, *Erigone munda* Lert, 1875)

Oedothorax Bertkau, 1833

Oedothorax agrestis (Blackwall, 1858) (*Neriere agrestis*)

Oedothorax fuscus (Blackwall, 1834) (*Neriere fisca*) (syn. *Microneta tessellata* Menge, 1869)

Oedothorax retusus (Westring, 1851) (*Erigone retusa*) (syn. *Tmeticus foveolatus* Menge, 1868)

Trachynella Braendegaard, 1932

Trachynella obtusa (Blackwall, 1836) (*Walckenaera obtusa*)

Erigoninae**Araeoncus Simon, 1884**

Araeoncus humilis (Blackwall, 1841) (*Walckenaera humilis*) (syn. *Lophocarenum globiceps* Menge, 1868)

Diplocephalus Berkau, 1883

Diplocephalus picinus (Blackwall, 1841) (*Walckenaera picina*) (*Lophocarenum erythropus* Menge, 1868)

Erigone Savigny et Audoin, 1825

Erigone dentipalpis (Wider, 1834) (*Theridion pedipalpe*)

Erigone vagans Audouin, 1827

Mecopisthes Simon, 1926

Mecopisthes silus (Cambridge, 1872) (*Erigone* [*Nerene*] *silus*)

Metopobactrus Simon, 1884

Metopobactrus rayi (Simon, 1881) (*Erigone rayi*)

Moebelia Dahl, 1886

Moebelia penicillata (Westrang, 1851) (*Erigone penicillata*)

Nematogmus Simon, 1884

Nematogmus sanguinolentus (Walckenaer, 1841) (*Theridion sanguinolentum*)

Plaesiocraerus Simon, 1884

Plaesiocraerus connectus (Kulczynski, 1894) (*Diplocephalus connectens*)

Porrhomma Simon, 1884

Porrhomma microphthalmum (Cambridge, 1870) (*Linyphia microphthalma*)

Porrhomma pygmaeum (Blackwall, 1834) (*Nerienne pygmaea*)

Trichonecus Simon, 1884

Trichonecus sordidus Simon, 1884

Araneidae

Argyopinae

Argyope Savigny et Audoin, 1885

Argyope bruennichii (Scopoli, 1772) (*Aranea bruennichii*)

Argyope lobata (Pallas, 1772) (*Aranea lobata*)

Araneinae

Aculepeira Chamberlin et Ivie, 1942

Aculepeira ceropegia (Walckenaer, 1802) (*Aranea ceropegia*)

Agalenatea Archer, 1951

Agalenatea redii (Scopoli, 1763) (*Aranea redii*) (syn. *Aranea aldrovandi* Scopoli, 1763; *Epeira lutea* Seidl, 1849)

Araneus Clerck, 1757

Araneus alsine (Walckenaer, 1802) (*Aranea alsinae*) (syn. *Epeira lutea* Seidl, 1849)

Araneus angulatus Clerck, 1757

Araneus armidus (Audouin, 1827) (*Epeira armida*)

Araneus bituberculatus (Walckenaer, 1802) (*Aranea bituberculata*) (syn. *Aranea dromedaria* Walckenaer, 1802; *Epeira bicornis* Menge, 1866)

Araneus croaticus Kulczynski, 1905

Araneus diadematus (Clerck, 1757) (*Aranea diademata* L.) (syn. *Epeira diademata* Clerck)

Araneus gibbosus (Walckenaer, 1802) (*Aranea gibbosa*)

Araneus grossus (C.L. Koch, 1845) (*Epeira grossa*)

Araneus marmoreus Clerck, 1757 (syn. *Araneus raji* Scopoli, 1763; *Aranea scalaris* Weigel, 1806; *Epeira bohémica* Seidel, 1849; *Epeira pyramidata* Seidel, 1849; *Epeira Jenisoni* Taczanowski, 1866; *Epeira maromoreea* forma *principalis* Chyzer et Kulczynski, 1891)

Araneus marmoreus pyramidatus Clerck, 1757 (syn. *Araneus marmoratus* f. *betulae* Sulzer, 1776)

Araneus ocellatus Clerck, 1757

Araneus omoedus (Thorell, 1870) (*Epeira omoeda*)

Araneus proximus (Kulczynski, 1885) (*Epeira proxima*)

Araneus quadratus Clerck, 1757 (syn. *Aranea reamurii* Scopoli, 1763)

Araneus sturmi (Hahn, 1831) (*Epeira sturmi*) (syn. *Atea agalena* C.L. Koch, 1841; *Atea auriantiacae* Menge, 1860)

Araneus subfuscus (C.L. Koch, 1837) (*Atea subfusca*) (syn. *Epeira dalmatica* Thorell, 1873)

Araneus triguttatus (Fabricius, 1793) (*Aranea triguttata*)

Araneus ullrichii (Hahn, 1834) (*Epeira ullrichii*) (syn. *Epeira dromedaria* C.L. Koch, 1845)

Araneus victoria (Thorell, 1870) (*Epeira victoria*)

Araneus vulpinus (Hahn, 1834) (*Epeira vulpina*)

Araniella Chamberlin et Ivie, 1942

Araniella alpica (L. Koch, 1869) (*Epeira alpica*)

Araniella cucurbitina (Clerck, 1757) (*Araneus cucurbitinus*)

Araniella cucurbitina opisthographa Kulczynski, 1905

Cercidia Thorell, 1869

Cercidia prominens (Westling, 1851) (*Epeira prominens*)

Chinestela Chamberlin, 1924

Chinestela umbratica (Clerck, 1757) (*Araneus umbraticus*) (syn. *Araneus cornutus*

Clerck, 1757; *Aranea sexpunctata* Linnaeus, 1758)

Cyclosa Menge, 1866

Cyclosa baloghi Kolsvary, 1934

Cyclosa conica (Pallas, 1772) (*Aranea conica*)

Cyclosa insulana (Costa, 1834) (*Epeira insulana*)

Cyphepeira Archer, 1951

Cyphepeira cornuta (Clerck, 1757) (*Araneus cornutus*) (syn. *Aranea folium* Schrank, 1803; *Epeira foliata* Schrank, 1803)

Cyphepeira ixobola (Thorell, 1873) (*Epeira ixobola*) (syn. *Epeira umbricata* Menge, 1866; *Epeira sclopetaria* Menge, 1866)

Cyphepeira sericata (Clerck, 1757) (*Araneus sericatus*) (syn. *Araneus sclopetrius* Clerck, 1757; *Epeira virgata* Menge, 1850; *Aranea undata* F. Dahl, 1901)

Cyrtarachne Thorell, 1870

Cyrtarachne ixoides (Simon, 1870) (*Peltosoma ixoides*)

Glyptogona Simon, 1884

Glyptogona sextuberculata (Keyserling, 1863) (*Epeira sextuberculata*)

Mangora Cambridge, 1889

Mangora acalypha (Walckenaer, 1802) (*Aranea acalypha*) (syn. *Zilla genistae* Weigel, 1867)

Neoscona Simon, 1864

Neoscona adianta (Walckenaer, 1802) (*Aranea adianta*) (syn. *Miranda pictilis* Taczanowski, 1866)

Singa C.L. Koch, 1836

Singa albovittata Westring, 1851

Singa hamata (Clerck, 1757) (*Araneus hamatus*)

Singa heerii (Hahn, 1831) (*Epeira heerii*)

Singa lucina (Audouin, 1827) (*Epeira lucina*)

Singa nitidula C.L. Koch, 1845. (syn. *Singa hamata* f. *nitidula* Fickert, 1876; *Singa hamata* var. *alfa* Hermann, 1879)

Singa pygmaea (Sundevall, 1831) (*Theridion pygmaeum*) (syn. *Singa trifasciata* Menge, 1850; *Singa anthracina* Blackwall, 1852)

Singa sanguinea C.L. Koch, 1845

Zilla C.L. Koch, 1834

Zilla diodia (Walckenaer, 1802) (*Aranea diodia*) (syn. *Zilla albimacula* Seidel, 1849)

Zygiella F. Cambridge, 1902

Zygiella calophylla (Walckenaer, 1802) (*Aranea calophylla*)

Zygiella keyserlingi (Ausserer, 1871) (*Zilla keyserlingii*)

Zygiella montana (C.L.Koch, 1839) (*Zilla montana*) (syn. *Zilla alpina* L. Koch, 1870)

Zygiella stroemi (Thorell, 1870) (*Zilla stroemi*)

Zygiella thorelli (Ausserer, 1871) (*Zilla thorellii*)

Zygiella xnotata (Clerck, 1757) (*Araneus X-notatus*) (syn. *Aranea litterata* Olivier, 1789)

Metinae**Meta C.L.Koch, 1836**

Meta bourneti Simon, 1922

Meta menardi (Latreille, 1804) (*Aranea Menardi*)

Meta merianae (Scopoli, 1863) (*Aranea merianae*)

Meta milleri Kratochvil, 1942

Meta segmentata (Clerck, 1758) (*Aranea segmentatus*) (syn. *Meta reticulata* Linnaeus, 1758; *Zilla inclinata* Nowicki, 1867)

Meta segmentata mengei (Blackwall, 1869) (*Epeira mengei*)

Theridiosomatinae**Theriosoma Cambridge, 1879**

Theriosoma geommosum (L. Koch, 1878) (*Theridium gemmosum*)

Tetragnathidae**Tetragnathinae****Eucta Simon, 1881**

Eucta iridis (Simon, 1880) (*Eugnatha isidis*)

Tetragnatha Latreille, 1804

Tetragnatha extensa (Linnaeus, 1758) (*Aranea extensa*) (syn. *Aranea solandrii* Scopoli, 1763; *Tetragnatha gilba* Seidel, 1844)

Tetragnatha obtusa C.L. Koch, 1837

Tetragnatha obtusa intermedia Kulczynsky, 1861

Pachygnathinae**Pachygnatha Sundevall, 1823**

Pachygnatha clercki Sundevall, 1823

Pachygnatha degeeri Sundevall, 1830

Pachygnatha listeri Sundevall, 1830

Mimetidae**Mimetinae****Ero C.L. Koch, 1837**

Ero aphana (Walckenaer, 1802) (*Aranea aphana*) (syn. *Ero atomaria* C.L.Koch, 1845)

Ero furcata (Villers, 1789) (*Aranea furcata*) (syn. *Ero variegata* Menge, 1866)

Ero tuberculata (De Geer, 1778) (*Aranea tuberculata*)

Mimetus Hentz, 1832

Mimetus laevigatus (Keyserling, 1863) (*Ero laevigata*)

Lycosaeformia

Agelenidae

Ageleninae

Agelena Walckenaer, 1805

Agelena gracilens C.L. Koch, 1841 (syn. *Agelena similis* C.L. Koch, 1870; *Agalena brunea* Menge, 1871)

Agelena labyrinthica (Clerck, 1757) (*Aranea labyrinthica*)

Cicurina Menge, 1869

Cicurina cicurea (Fabricius, 1793) (*Aranea cicurea*) (syn. *Cicurina cicur* Menge, 1871; *Tegenaria cinerea* Nowicku, 1874)

Coelotes Blackwall, 1841

Coelotes anoplus Kulczynski, 1897

Coelotes atropos (Walckenaer, 1830) (*Drassus atropos*)

Coelotes gasperini Simon, 1891 (syn. *Amaurobius gasperini* Kulczynski, 1906)

Coelotes munieri Simon, 1880

Coelotes segestriiformis (Dufour, 1820) (*Drassus segestriiformis*)

Cryphoeca Thorell, 1870

Cryphoeca silvicola (C.L. Koch, 1834) (*Tegenaria silvicola*) (syn. *Cryphoeca carpatica* Kulczynski, 1881; *Cryphoeca silvicola* var. *carpatica* Chyzer et Kulczynski, 1897)

Hadites Keyserling, 1862

Hadites bidens Absolon et Kratochvil, 1932

Hadites dubius Absolon et Kratochvil, 1932 (syn. *Hadites tegenarioides* Fage, 1931 (ad partem); *Hadites (Roeweriana) dubius* Kratochvil, 1938)

Hadites tegenarioides Keyserling, 1862

Histopona Thorell, 1869

Histopona luxurians (Kulczynski, 1897) (*Tegenaria luxurians*)

Histopona torpida (C.L. Koch, 1834) (*Agelena torpida*)

Tegenaria Latreille, 1804

Tegenaria agrestis (Walckenaer, 1802) (*Aranea agrestis*)

Tegenaria annulata Kulczynski, 1912

Tegenaria atrica C.L. Koch, 1843 (syn. *Tegenaria larva* Mikulska, 1959)

Tegenaria bosnica Kratochvil et Miller, 1940

Tegenaria campestris (C.L. Koch, 1834) (*Aranea campestris*)

Tegenaria decolorata Kratochvil et Millar, 1940

Tegenaria domestica (Clerck, 1757) (*Araneus rusticus*) (syn. *Aranea civilis* C.L. Koch, 1841; *Aranea derhami* Scopoli, 1763)

Tegenaria hasperi Chyzer, 1897

Tegenaria pagana C.L. Koch, 1841

Tegenaria pagana urbana (Simon, 1875) (*Tegenaria urbana*)

Tegenaria parietina (Fourcroy, 1758) (*Aranea parietina*)

Tegenaria silvestris L. Koch, 1872

Tegenaria tridentina L. Koch, 1872

Textrix Sundevall, 1830

Textrix albosignata Simon, 1875

Textrix caudata L. Koch, 1872

Textrix coarctata (Dufour, 1831) (*Aranea coarctata*)

Textrix denticulata (Olivier, 1799) (*Aranea denticulata*) (syn. *Textrix lycosina* C.L.Koch, 1839)

Textrix vestita C.L. Koch, 1841

Tuberta Simon, 1884

Tuberta arietina (Thorell, 1870) (*Cryphoeca arietina*)

Tuberta macrophthalma (Kulczynski, 1897) (*Tuberta arietina* var. *macrophthalma*)

Tuberta moerens (Cambridge, 1863) (*Coelotes moerens*) (syn. *Cryphoeca mirabilis* Thorell, 1870)

Cybaeninae

Cedicus Simon, 1875

Cedicus flavipes Simon, 1875

Cybaeus L. Koch, 1868

Cybaeus angustiarum L. Koch, 1868

Cybaeus tetricus (C.L. Koch, 1839) (*Amaurobius tetricus*)

Mizaga Simon, 1868

Mizaga rakovitzai (Fage, 1909) (*Desiopsis rakovitzai*) (syn. *Halocryphoeca veneta* Caporiacco, 1934)

Hahniidae

Antistea Simon, 1898

Antistea elegans (Blackwall, 1841) (*Agelena elegans*) (syn. *Hahnia pratensis* Menge, 1850)

Hahnia C.L. Koch, 1841

Hahnia nava (Blackwall, 1841) (*Agelena nava*) (syn. *Hahnia subfusca* Cambridge, 1870)

Hahnia ononidum Simon, 1875 (syn. *Hahnia mengei* Kulczynski, 1897)

Hahnia pusilla C.L. Koch, 1841 (syn. *Hahnia vresca* Baran, 1933)

Argyronetidae

Argyroneta Latreille, 1804

Argyroneta aquatica (Clerck, 1757) (*Araneus aquaticus*)

Pisauridae

Pisaurinae

Pisaura Simon, 1895

Pisaura mirabilis (Clerck, 1757) (*Aranea mirabilis*) (syn. *Aranea listeri* Scopoli, 1763)

Thaumasiinae

Dolomedes Latreille, 1804

Dolomedes fimbriatus (Clerck, 1757) (*Araneus fimbriatus*)

Dolomedes plantarius (Clerck, 1757) (*Araneus plantarius*) (syn. *Dolomedes plantarius* var. *kulczynski* Mikulaska, 1955)

Lycosidae

Pardosinae

Pardosa C. L. Koch, 1848

Pardosa agrestis (Westring, 1861) (*Lycosa agrestis*)
Pardosa agricola (Thorell, 1856) (*Lycosa agricola*) (syn. *Lycosa fluviatilis* Blackwall, 1861)
Pardosa amentata (Clerck, 1757) (*Araneus amentatus*)
Pardosa blanda (C.L. Koch, 1834)
Pardosa entzi marina (Kolosvary, 1940) (*Lycosa entzi marina*)
Pardosa hortensis (Thorell, 1872) (*Lycosa hortensis*) (syn. *Lycosa annulata* Thorell, 1872)
Pardosa kervillei Simon, 1937
Pardosa lugubris (Walckenaer, 1802) (*Aranea lugubris*)
Pardosa monticola (Clerck, 1757) (*Araneus monticola*)
Pardosa morosa (L. Koch, 1870) (*Lycosa morosa*) (syn. *Acantholycosa nigripalpis* Giltay, 1932)
Pardosa nebulosa (Thorell, 1872) (*Tarentula nebulosa*)
Pardosa paludicola (Clerck, 1757) (*Araneus paludicola*)
Pardosa prativaga (L. Koch, 1870) (*Lycosa prativaga*)
Pardosa proxima (C.L. Koch, 1848) (*Lycosa proxima*)
Pardosa pullata (Clerck, 1757) (*Araneus pullatus*) (syn. *Lycosa soleris* Carrara, 1846)
Pardosa vittata (Keyserling, 1863) (*Lycosa vittata*)
Pardosa wagleri (Hahn, 1822) (*Lycosa wagleri*) (syn. *Lycosa pallida* Walckenaer, 1837)

Lycosinae

Alopecosa Simon, 1885

Alopecosa barbipes (Sundevall, 1832) (*Lycosa barbipes*) (syn. *Lycosa accentuata* Walckenaer, 1837; *Lycosa farinosa* Hermann, 1879)
Alopecosa simonis (Thorell, 1872) (*Tarentula simonis*)
Alopecosa striata (Kulczynski, 1895) (*Tarentula striata*)

Arctosa C.L. Koch, 1848

Arctosa cinerea (Fabricius, 1776)
Arctosa leopardus (Sundevall, 1832) (*Lycosa leopardus*) (syn. *Potamia sericata* Taczanowski, 1866)
Arctosa perita (Latreille, 1798) (*Aranea perita*) (syn. *Arctosa picta* Menge, 1850; *Lycosa velox* Taczanowski, 1866)
Arctosa stigmosa (Thorell, 1875) (*Trochosa stigmosa*) (syn. *Lycosa vigilans* C.L. Koch, 1881)
Arctosa variana C.L. Koch, 1848

Aulonia C.L. Koch, 1848

Aulonia albimana (Walckenaer, 1805) (*Lycosa albimana*)

Hogna Simon, 1885

Hogna radiata (Latreille, 1819) (*Lycosa radiata*)

Lycorma Simon, 1885

Lycorma amylacea (C.L. Koch, 1839) (*Lycosa amylacea*)

Lycosa Latreille, 1804

Lycosa tarentula (Rossi, 1790) (*Aranea tarentula*) (syn. *Lycosa apuliae* Lendl, 1870)

Mimohogna Roewer, 1954

Mimohogna vultuosa (C.L. Koch, 1839) (*Lycosa vultuosa*)

Pirata Sundevall, 1832

Pirata hygrophila (Thorell, 1872) (*Pirata hygrophilus*)
Pirata knorri (Scopoli, 1763) (*Aranea knorri*)

Pirata piraticus (Clarck, 1757) (*Araneus piraticus*)

Piratula Roewer, 1954

Piratula latitans (Blackwall, 1841) (*Lycosa latitans*)

Tarentula Sundevall, 1832

Tarentula aculeata (Clerck, 1757) (*Araneus aculeatus*)

Tarentula cuneata (Clerck, 1757) (*Araneus cuneatus*) (syn. *Lycosa clavipes* Menge, 1850)

Tarentula cursor (Hahn, 1831) (*Lycosa cursor*) (syn. *Lycosa sabulosa* Hahn, 1931)

Tarentula inquilina (Clerck, 1757) (*Araneus inquilinus*) (syn. *Trochosa troglodytes* Menge, 1850)

Tarentula mariae (Dahl, 1908) (syn. *Lycosa striatipes* Doleschal, 1852)

Tarentula pulverulenta (Clerck, 1757) (*Araneus pulverulentus*)

Tarentula solitaria (Herman, 1879) (*Tarentula solitaria*)

Tarentula striatipes (C.L. Koch, 1837) (*Lycosa striatipes*)

Tarentula trabalis (Clerck, 1757) (*Araneus trabalis*) (syn. *Lycosa vorax* C.L. Koch, 1835)

Triccosta Roewer, 1954

Triccosta lucorum (L. Koch, 1877) (*Lycosa lucorum*)

Trochosa C.L. Koch, 1846

Trochosa robusta (Simon, 1876) (*Lycosa robusta*) (syn. *Trochosa lapidicola* F. et M. Dahl, 1927)

Trochosa ruricola (De Geer, 1778) (*Aranea ruricola*)

Trochosa ruricola rustica Thorell, 1875

Xerolycosa Dahl, 1908

Xerolycosa albofasciata (Brulle, 1832) (*Lycosa albofasciata*)

Xerolycosa miniata (C.L. Koch, 1834) (*Lycosa miniata*)

Xerolycosa nemoralis (Westring, 1861) (*Lycosa nemoralis*)

Oxyopidae

Oxyopes Latreille, 1804

Oxyopes heterophthalmus (Latreille, 1804) (*Aranea heterophthalma*)

Oxyopes lineatus Latreille

Oxyopes ramosus (Panzer, 1804) (*Aranea ramosa*)

Dionycha

Gnaphodaeformia

Gnaphosidae

Gnaphosinae

Callilepis Westring, 1874

Callilepis nocturna (Linnaeus, 1758) (*Aranea nocturna*)

Callilepis schuszteri (Herman, 1879) (*Gnaphosa schuszteri*)

Gnaphosa Latreille, 1804

Gnaphosa adriatica Kulczynski, 1897

Gnaphosa alacris Simon, 1878 (syn. *Gnaphosa Kulczynskii* Damin, 1896)

Gnaphosa bicolor (Hahn, 1831) (*Drassus bicolor*)

Gnaphosa lucifuga (Walckenaer, 1802) (*Aranea lucifuga*) (syn. *Thysa pythonisaeformis* Kempeleri, 1867)

Gnaphosa lugubris (C.L. Koch, 1893) (*Pytonissa lugubris*)

Gnaphosa modestior Kulczynski, 1897
Gnaphosa zeugitana Pavesi, 1880

Nomisia Dalmas, 1872

Nomisia aussereri (L. Koch, 1872) (*Gnaphosa aussereri*)
Nomisia exornata (C.L. Koch, 1839) (*Pythonissa exornata*)
Nomisia molendinaria (L. Koch, 1866) (*Pythonissa molendinaria*)

Drassodinae

Aphantaulax Simon, 1878

Aphantaulax cinctus (L. Koch, 1866) (*Micaria cincta*)
Aphantaulax seminiger Simon, 1878

Drassodes Westring, 1851

Drassodes lapidosus (Walckenaer, 1802) (*Aranea lapidosa*)
Drassodes lapidosus macer (Thorell, 1875) (*Drassus macer*)
Drassodes lutescens (C.L. Koch, 1839) (*Drassus lutescens*)
Drassodes montenegrinus (Kulczynski, 1897) (*Drassus montenegrinus*)
Drassodes pubescens (Thorell, 1856) (*Drassus pubescens*) (syn. *Drassus bidentatus* Menge, 1874)
Drassodes rhodanicus Simon, 1914
Drassodes striatus (L. Koch, 1866) (*Drassus striatus*)

Haplodrassus Chamberlin, 1922

Haplodrassus dalmatensis (L. Koch, 1866)
Haplodrassus signifer (C.L. Koch, 1839) (*Drassus signifer*) (*Drassus troglodytes* C.L. Koch, 1839)

Leptodrassus Simon, 1878

Leptodrassus femineus (Simon, 1878) (*Drassus femineus*)

Phaeocedus Simon, 1893

Phaeocedus braccatus (L. Koch, 1866) (*Drassus braccatus*)

Poecilochroa Westring, 1974

Poecilochroa conspicua (L. Koch, 1866) (*Melanophora conspicua*) (syn. *Drassus nocturnus* Taczanowski, 1867)

Scotophaeus Simon, 1893

Scotophaeus blackwalli isabelinus (Simon, 1873) (*Drassus isabelinus*) (syn. *Drassus isabelinus pavesi*, 1876)
Scotophaeus quadripunctatus (Linnaeus, 1758) (*Aranea quadripunctata*)
Scotophaeus scutulatus (L. Koch, 1866) (*Drassus scutulatus*)

Zelotes Gistel, 1876

Zelotes apricorum (L. Koch, 1876) (*Prosthesima apricorum*)
Zelotes ater (Hentz, 1832) (*Herpyllus ater*)
Zelotes atrocoeruleus (Simon, 1878) (*Prosthesima atrocoerulea*) (syn. *Prosthesima pilipes* Kulczynski, 1898)
Zelotes barbatus (L. Koch, 1866) (*Melanophora barbata*)
Zelotes carmeli (Cambridge, 1872) (*Melanophora carmeli*)
Zelotes caucasius (L. Koch, 1866) (*Melanophora caucasius*)
Zelotes circumspectus (Simon, 1878) (*Prosthesima circumspecta*)
Zelotes clivicola (L. Koch, 1870) (*Melanophora clivicola*)
Zelotes electus (C.L. Koch, 1839) (*Melanophora electa*)

Zelotes erebeus (Thorell, 1871) (*Melanophora erebea*) (syn. *Zelotes serotinus* L. Koch, 1866)
Zelotes femellus (L. Koch, 1866) (*Melanophora femella*)
Zelotes gracilis (Canestrini, 1868) (*Melanophora gracilis*)
Zelotes hermani (Chyzer, 1897) (*Prosthesima hermani*) (syn. *Prosthesima tragica* Herman, 1897)
Zelotes holosericeus (Simon, 1878) (*Prosthesima holosericea*)
Zelotes latreillei (Simon, 1878) (*Prosthesima latreillei*) (syn. *Melanophora atra* L. Koch, 1866)
Zelotes lyonnetii (Audouin, 1827) (*Drassus lyonnetii*) (syn. *Drassus secretus* Thorell, 1875)
Zelotes oblongius (C.L. Koch, 1839) (*Melanophora oblonga*)
Zelotes pedestris (C.L. Koch, 1837) (*Melanophora pedestris*)
Zelotes praeficus (L. Koch, 1866) (*Melanophora praefica*)
Zelotes pusillus (C.L. Koch, 1833) (*Melanophora pusilla*) (syn. *Melanophora nigrita* Menge, 1872)
Zelotes rubicundus (Simon, 1878) (*Prosthesima rubicunda*)
Zelotes rusticus (L. Koch, 1872) (*Prosthesima rustica*)
Zelotes similis (Kulzynski, 1887) (*Prosthesima similis*)
Zelotes tenius (L. Koch, 1866) (*Drassus tenius*)
Zelotes villicus (Thorell, 1875) (*Prosthesima villica*)

Clubionaeformia

Clubionidae

Clubioninae

***Cheiracanthium* C.L.Koch, 1839**

Cheiracanthium dumetorum (Hahn, 1833) (*Clubiona dumetorum*)
Cheiracanthium mildei L. Koch, 1864
Cheiracanthium pelasgicum (C.L. Koch, 1837) (*Bolyphantes pelasgicum*)
Cheiracanthium seidlitzii L. Koch, 1864

***Clubiona* Latreille, 1804**

Clubiona brevipes Blackwall, 1841
Clubiona coerulescens L. Koch, 1866
Clubiona compta C.L. Koch, 1839
Clubiona decora Blackwall, 1859
Clubiona frutetorum L. Koch, 1866
Clubiona germanica Thorell, 1870 (syn. *Clubiona holosericea* L. Koch, 1867)
Clubiona neglecta O.P. Cambridge, 1862 (syn. *Clubiona bifurca* Menge, 1873; *Clubiona montana* Fickert, 1875)
Clubiona pallidula (Clerck, 1757) (*Araneus pallidulus*) (syn. *Clubiona holosericea* Linnaeus, 1758; *Clubiona amarantha* Menge, 1850)
Clubiona phragmitis C. L. Koch, 1843 (syn. *Clubiona pellucida* Menge, 1850)
Clubiona similis L. Koch, 1866
Clubiona terrestris Westring, 1851

***Euryclubiona* Lohmander, 1944**

Euryclubiona reclusa (O.P. Cambridge, 1863) (*Clubiona reclusa*) (syn. *Clubiona grisea* Wajgiel, 1868; *Clubiona tridens* Menge, 1873)

***Microclubiona* Lohmander, 1944**

Microclubiona genevensis L. Koch, 1866 (syn. *Clubiona stigmatica*, 1878)
Microclubiona subtilis (L. Koch, 1843) (*Clubiona subtilis*)
Microclubiona trivialis (C.L. Koch, 1843) (*Clubiona trivialis*) (syn. *Clubiona seideli* Fickert, 1875)

***Paraclubiona* Lohmander, 1944**

Paraclubiona corticalis (Walckenaer, 1802) (*Aranea corticalis*)

Anyphaeninae

Anyphaena Sundevall, 1833

Anyphaena accentuata (Walckenaer, 1802) (*Aranea accentuata*)
Anyphaena sabina L. Koch, 1866

Liocraninae

Liocranium L. Koch, 1866

Liocranium perarmatum Kulczynski, 1897
Liocranium rupicola (Walckenaer, 1825) (*Clubiona rupicola*) (syn. *Philoica notata* Taczanowski, 1866; *Liocranium domesticum* Möllendorff, 1873)
Liocranium rutilans (Thorell, 1875) (*Sagena rutilans*) (syn. *Drapeta aeneus* Menge, 1874)

Mesiotelus Simon, 1879

Mesiotelus annulipes (Kulczynski, 1897) (*Liocranium annulipes*)
Mesiotelus tenuissimus (L. Koch, 1866) (*Cheiracanthium tenuissimum*)

Phrurolithus C.L. Koch, 1839

Phrurolithus minimus C.L. Koch, 1839

Scotina Menge, 1873

Scotina celans (Blackwall, 1841) (*Agelena celans*) (syn. *Agroeca cuprea* Menge, 1873)
Scotina gracilipes (Blackwall, 1859) (*Agelena gracilipes*) (syn. *Scotina palliardi* Reimoser, 1937)

Corininae

Trachelas L. Koch, 1866

Trachelas maculatus Thorell, 1875

Micariinae

Micaria Westring, 1851

Micaria formicaria (Sundevall, 1831) (*Clubiona formicaria*)
Micaria fulgens (Walckenaer, 1802) (*Aranea fulgens*) (syn. *Macaria factuosa* Taczanowski, 1866)
Micaria pulicaria (Sundevall, 1831) (*Clubiona pulicaria*) (syn. *Macaria formosa* Menge, 1850; *Macaria nitens* Menge, 1863)
Micaria rogenhoferi Herman, 1879
Micaria amaragdula Simon, 1878

Micariolepis Simon, 1879

Micariolepis dives (Lucas, 1846) (*Drassus dives*)

Ctenidae

Acantheinae

Zora C.L. Koch, 1848

Zora nemoralis (Blackwall, 1861) (*Hecaerga nemoralis*)
Zora spinimana (Sundevall, 1832) (*Lycaena spinimana*) (syn. *Zora maculata* Kulczynski, 1872)

Eusparassidae

Micrommatinae***Micrommata* Latreille, 1804**

Micrommata ligurina (C.L. Koch, 1845) (*Sparassus ligurinus*)

Micrommata roseum (Clerck, 1757) (*Araneus roseus* za m.; *Araneus virescens* za ž.)

Micrommata roseum ornatum (Walckenaer, 1802) (*Aranea ornata*) (syn. *Micrommata virescens ornata* Chyzer et Kulczynski, 1891)

***Olios* Walckenaer, 1837**

Olios argelasius (Walckenaer, 1805) (*Sparassius argelasius*)

Thomisiformia**Thomisidae****Philodrominae*****Phylodromus* Walckenaer, 1825**

Phylodromus aureolus aureolus (Clerck, 1757) (*Araneus aureolus*) (syn. *Phylodromus aureolus politus* Simon, 1870)

Phylodromus aureolus variegatus Kulczynski, 1891

Phylodromus cespitum (Walckenaer, 1802) (*Aranea cespitum*) (syn. *Phylodromus reussii* Bösenberg, 1902)

Phylodromus cespitum lividus (Simon, 1875) (*Phylodromus lividus*)

Phylodromus cespitum pallens (Kulczynski, 1891) (*Phylodromus aureolus pallens*)

Phylodromus cespitum rufolimbatus (Kulczynski, 1891) (*Phylodromus aureolus rufolimbatus*)

Phylodromus cespitum similis (Kulczynski, 1891) (*Phylodromus aureolus similis*)

Phylodromus collinus (C.L. Koch, 1836) (*Phylodromus collinus*) (syn. *Phylodromus auro-nitens* C.L. Koch, 1836)

Phylodromus collinus isticus Braun, 1965

Phylodromus dispar (Walckenaer, 1825) (syn. *Phylodromus limbatus* L. Koch, 1870)

Phylodromus emarginatus (Schranck, 1803) (*Aranea emarginata*)

Phylodromus margaritatus (Clerck, 1757) (*Araneus margaritatus*)

Phylodromus poecilus (Thorell, 1872) (*Araneus poecilus*)

Phylodromus pulchellus Lucas, 1846

Phylodromus rufus Walckenaer, 1825 (syn. *Phylodromus clarkii* Fickert, 1876;

Phylodromus pellax Herman, 1876)

***Thanatus* C.L. Koch, 1837**

Thanatus arenarius L. Koch in Thorell, 1872

Thanatus formicinus (Clerck, 1757) (*Araneus formicinus*)

Thanatus sabulosus (Menge, 1874) (*Phylodromus sabulosus*)

Thanatus striatus C.L. Koch, 1845

Thanatus vulgaris Simon, 1870

***Tibellus* Simon, 1875**

Tibellus macellus Simon, 1875

Tibellus oblongus (Walckenaer, 1802) (*Aranea oblonga*)

Thomisinae***Coriarachne* Thorell, 1869**

Coriarachne depressa (C.L. Koch, 1837) (*Thomisus depressus*)

***Diaea* Thorell, 1870**

Diadea dorsata (Fabricius, 1781) (*Aranea dorsata*)

***Heriaeus* Simon, 1875**

Heriaeus hirtus (Latreille, 1819) (*Thomisus hirtus*)
Heriaeus oblongus Simon, 1918
Heriaeus setiger (Cambridge, 1872) (*Thomisus setiger*)

Misumena Latreille, 1804

Misumena vatia (Clerck, 1757) (*Araneus vatius*) (syn. *Thomisus citreus* Walckenaer, 1802; *Thomisus viridis* Menge, 1850; *Thomisus pratensis* Taczanowski, 1866; *Misumena calycina* F. Dahl, 1901)

Misumenops F. Cambridge, 1900

Misumenops tricuspидatus (Fabricius, 1775) (*Aranea tricuspидata*) (syn. *Thomisus Diana* Menge, 1850; *Thomisus delicatula* Taczanowski, 1867; *Diaea caparina* Ficket, 1874)

Oxyptila Simon, 1864

Oxyptila atomaria (Panzer, 1801) (*Aranea atomaria*) (syn. *Xysticus horticola* Menge, 1850)
Oxyptila blackwalli Simon, 1875 (syn. *Coriarachne scabricola* Menge, 1875; *Oxyptila blackwallii* Kulczynski, 1882; *Oxyptila simplex* Petrusевич, 1937)
Oxyptila brevipes (Hahn, 1826) (*Thomisus brevipes*) (syn. *Xysticus praticola* Menge, 1850; *Oxyptila pusio* Petrusевич, 1937)
Oxyptila confluens (C.L. Koch, 1845) (*Xysticus confluens*)
Oxyptila nigrita (Thorell, 1875) (*Xysticus nigritus*)
Oxyptila praticola (C.L. Koch, 1837) (*Xysticus praticola*)
Oxyptila rauda Simon, 1875 (syn. *Oxyptila obsoleta* Kulczynski, 1881)
Oxyptila scabricola (Westring, 1851) (*Thomisus scabriculus*)
Oxyptila simplex (Cambridge, 1862) (*Thomisus simplex*)
Oxyptila trux (Blackwall, 1846) (*Thomisus trux*)

Pistius Simon, 1875

Pistius truncatus (Pallas, 1878) (*Aranea truncata*) (syn. *Pistius Wagae* Simon, 1870)

Proxysticus Dalmás, 1922

Proxysticus robustus (Hahn, 1831) (*Thomisus robustus*) (syn. *Xysticus morio* Menge, 1850; *Coriarachne fusca* Menge, 1875)

Psammitis Menge, 1875

Psammitis sabulosa (Hahn, 1831) (*Thomisus sabulosa*)

Runcinia Simon, 1875

Runcinia cerina (C.L. Koch, 1845) (*Thomisus cerinus*)

Synaema Simon, 1864

Synaema globosum (Fabricius, 1775) (*Aranea globosa*)
Synaema plorator (Cambridge, 1872) (*Thomisus plorator*)

Thomisus Walckenaer, 1805

Thomisus onustus Walckenaer, 1805 (syn. *Aranea alba* Gmelin, 1778; *Thomisus abbreviatus* Walckenaer, 1825; *Thomisus diadema* Hahn, 1831; *Thomisus nobilis* C.L. Koch, 1837; *Thomisus songuinolentus* Walckenaer, 1837)

Tmarus Simon, 1875

Tmarus piger (Walckenaer, 1802) (*Aranea pigra*) (syn. *Xysticus polonicus* Taczanowski, 1867; *Xysticus cuneolus* Kulczynski, 1872)
Tmarus piochardi (Simon, 1866) (*Thomisus piochardi*)
Tmarus stellio Simon, 1875

Xysticus C. L. Koch, 1836

- Xysticus acerbus* Thorell, 1872
Xysticus audax (Schrank, 1803) (*Aranea audax*) (syn. *Xysticus pini* C. L. Koch, 1850)
Xysticus cor Canestrini, 1873
Xysticus cristatus (Clerck, 1757) (*Araneus cristatus*)
Xysticus graecus C. L. Koch, 1838
Xysticus kempelenii Thorell, 1872 (syn. *Xysticus frater* Herman, 1879)
Xysticus kochii Thorell, 1872
Xysticus lalandii (Audouin, 1827) (*Thomisus lalandii*)
Xysticus lanio C.L. Koch, 1845 (syn. *Xysticus literalis* Menge, 1850)
Xysticus luctuosus (Blackwall, 1836) (*Thomisus luctuosus*)
Xysticus ninnii Thorell, 1872
Xysticus striatipes L. Koch, 1870 (syn. *Spiracme striata* Menge, 1875)
Xysticus ulmi (Hahn, 1831) (*Thomisus ulmi*) (syn. *Thomisus bivittatus* Lebert, 1875)

Salticiformia**Salticidae****Myrmarachninae*****Myrmarachne* Mac Laey, 1839**

- Myrmarachne jablotii* (Scopoli, 1763) (syn. *Aranea formicaria* De Geer, 1778;
Pyrophorus helveticus C.L. Koch, 1846; *Pyrophorus siciliensis* C.L. Koch, 1846)
Myrmarache simonis (Herman, 1879) (*Salticus simonis*)

***Ballus* C.L. Koch 1850**

- Ballus armadillo* (Simon, 1871) (*Attus armadillo*)
Ballus biimpressus (Doleschal, 1852) (*Attus biimpressus*) (*Aranea chalybeia* za m.;
Aranea depressa za ž.)

Thidiniinae***Cyrba* Simon, 1876**

- Cyrba algerina* (Lucas, 1846) (*Salticus algerinus*)

Hasariinae***Roeweriella* Kratochvil, 1932**

- Roeweriella balcanica* Kratochvil, 1932

Synagelinae***Leptorchestes* Thorell, 1869**

- Leptorchestes cinctus* (Duges, 1836) (*Attus cinctus*)
Leptorchestes mutilloides (Lucas, 1846) (*Salticus mutilloides*) (syn. *Leptorchestes chrysopogon* Gasperini, 1892)

***Synageles* Simon, 1876**

- Synageles dalmaticus* (Keyserling, 1863)
Synageles venator (Lucas, 1836) (*Salticus venator*)

Hyllinae***Carrothus* Thorell, 1891**

- Carrothus xanthogramma* (Walckenaer, 1825) (*Aranea xanthogramma*) (syn. *Philaeus varicus* Fickert, 1876; *Philaeus bicolor* Kulczynski, 1882)

Evarcha Simon, 1902

Evarcha arcuata (Clerck, 1757) (*Araneus arcuatus*) (syn. *Euophrys paludicola* Taczanowski, 1866; *Euophrys limbata* Taczanowski, 1867; *Attus albo-ciliatus* Simon, 1868)
Evarcha flammata (Clerck, 1757) (*Aranea flammatus*) (syn. *Araneus falcatus* Clerck, 1757; ?*Aranea rupestris* Linnaeus, 1758; *Aranea blancardi* Scopoli, 1763; *Aranea coronata* Walckenaer, 1802; *Attus capreolus* Walckenaer, 1826; *Salticus abietis* Hahn, 1831; *Attus falcatus luteus* Simon, 1868; *Attus falcatus punctatus* Simon, 1868)
Evarcha jucunda (Lucas, 1846) (*Salticus jucundus*)
Evarcha laetabunda (C.L. Koch, 1848) (*Euophrys laetabunda*)

Philaeus Thorell, 1869

Philaeus chrysopus (Poda, 1761) (*Aranea chrysops*)

Plexippinae**Saitis Simon, 1876**

Saitis santaeufemiae Kolosvary, 1938

Thyleninae**Thyene Simon, 1885**

Thyene imperialis (Rossi, 1845) (*Attus imperialis*)

Pelleninae**Aelurillus Simon, 1884**

Aelurillus gilvus (Simon, 1866) (*Attus gilvus*)
Aelurillus literavinsignitus (Clerck, 1757) (*Araneus litera* za m.; *Araneus litera* v. *notatus* za f.) (syn. *Euophrys quinquepartita* C.L. Koch, 1848 non m. sed f.)
Aelurillus literavinsignitus obsoletus Kulczynsky, 1891

Neaetha Simon, 1884

Neaetha membroso (Simon, 1868) (*Attus membroso*)

Pellenes Simon, 1876

Pellenes nigrociliatus (L.Koch, 1875) (*Attus nigrociliatus*) (syn. *Attus bedeli* Simon, 1875)
Pellenes tripunctatus (Walckenaer, 1802) (*Aranea tripunctata*)

Phlegra Simon, 1876

Phlegra bresnieri (Lucas, 1846) (*Salticus bresnieri*)
Phlegra fasciata (Hahn, 1826) (*Attus fasciatus*)
Phlegra fuscipes Kulczynski, 1891

Heliophaninae**Euophrys C.L.Koch, 1834**

Euophrys aequipes (Cambridge, 1871) (*Salticus aequipes*)
Euophrys altera (Simon, 1868) (*Attus alter*)
Euophrys gambrosa (Simon, 1868) (*Attus gambrosus*)
Euophrys imitata (Simon, 1868) (*Attus imitatus*)
Euophrys maculata (Wilder, 1834) (*Salticus maculatus*) (syn. *Euophrys frontalis* Herman, 1879)
Euophrys obsoleta (Simon, 1868) (*Attus obsoletus*)
Euophrys rufibarbis (Simon, 1868) (*Attus rufibarbis*)
Euophrys sulphurea (L.Koch, 1867) (*Attus sulphureus*)

Heliophanus C.L.Koch, 1837

Heliophanus auratus C.L.Koch, 1838
Heliophanus calcarifer Simon, 1868
Heliophanus cupreus (Walckenaer, 1802) (*Aranea cuprea*)
Heliophanus cupreus simplex (Simon, 1868) (*Heliophanus simplex*)
Heliophanus dubius C.L.Koch, 1848 (syn. *Heliophanus karpinski* Simon, 1835; *Heliophanus cupreus* Kulczynski, 1881 (a.p.))
Heliophanus equester L.Koch, 1867
Heliophanus exultans Simon, 1868
Heliophanus kochi Simon, 1868
Heliophanus lineiventris Simon, 1868
Heliophanus melinus L.Koch, 1867
Heliophanus patagiatus Thorell, 1875 (syn. *Heliophantus metallicus* Simon, 1876)
Heliophanus ritteri (Scopoli, 1863) (*Aranea ritteri*) (syn. *Salticus flavipes* Hahn, 1831; *Heliophanus varians* Herman, 1879)
Heliophanus tribulosus (syn. *Heliophanus cambridgei* Simon, 1868; *Heliophanus cognatus* Simon, 1868)
Heliophanus viriatus Simon, 1868

Pseudeuophrys Dahl, 1912

Pseudeuophrys callida (Walckenaer, 1802) (*Aranea callida*) (syn. *Attus erraticus* Walckenaer, 1825; *Euophrys tigrina* C.L.Koch, 1848; *Ino gracilis* C.L.Koch, 1850; *Salticus distinctus* Blackwall, 1861; *Attus affaber* Simon, 1871)
Pseudeuophrys difficilis (Simon, 1868) (*Attus difficilis*)
Pseudeuophrys vafra (Blackwall, 1867) (*Salticus vafra*) (syn. *Euophrys finitima* Simon, 1876)

Telamonia Thorell, 1887

Telamonia castriesiana (Grube, 1861) (*Attus castriesianus*) (syn. *Attus multipunctatus* Simon, 1861; *Attus pavesii* Simon, 1875)

Dendryphantinae**Dendryphantes C.L.Koch, 1837**

Dendryphantes hastatus (Clerck, 1757) (*Araneus hastatus*) (syn. *Salticus pini* Hahn, 1831; *Attus rudis* Sundevall, 1832; *Dendryphantes medius* C.L.Koch, 1837; *Dendryphantes minor* C.L.Koch, 1837; *Euophrys lunulata* Simon, 1864; *Attus bombycius* Simon, 1868; *Attus leminscus* var. *leune* Simon, 1869)
Dendryphantes nidicolens (Walckenaer, 1802) (*Aranea nidicolens*) (syn. *Attus phrygianus* Simon, 1869)

Icius Simon, 1876

Icius hamatus (C.L. Koch, 1846) (*Narpissa hamata*)

Pseudicius Simon, 1884

Pseudicius epiblemoides Chyzer, 1891
Pseudicius picaceus (Simon, 1868) (*Attus picaceus*)

Sitticinae**Chalcoscirtus Berkau, 1883**

Chalcoscirtus infimus (Simon, 1868) (*Callietherus infimus*)

Neon Simon, 1876

Neon levis (Simon, 1871) (*Attus levis*)
Neon rayi (Simon, 1875)
Neon reticulatus (Blackwall, 1853) (*Salticus reticulatus*)

Sitticus Simon, 1901

- Sitticus alpicola* (Kulczynski, 1887) (*Attus alpicola*)
Sitticus damini (Chyzer, 1891) (*Attus damini*)
Sitticus dzieduszyckii (L. Koch, 1870) (*Attus wagae* Simon, 1871; *A. lectus* Thorell, 1875)
Sitticus littoralis (Hahn, 1831) (*Attus floricola* Westing, 1861)
Sitticus mannii (Doleschal, 1852)
Sitticus penicillatus (Simon, 1875)
Sitticus saltator (Simon, 1868)

Yllenus Simon, 1868

- Yllenus arenarius* Simon, 1868

Marpissinae**Marpissa C.L. Koch, 1846**

- Marpissa muscosa* (Clerck, 1757) (*Araneus muscosus*) (syn. *Aranea rumpfi* Scopoli, 1763; *Aranea tardigrada* Walckenaer, 1802; *Attus striatus* Sundevall, 1832)
Marpissa pomatia (Walckenaer, 1802) (*Aranea pomatia*) (syn. *Marpissus monachus* Simon, 1869)
Marpissa radiata (Grube et Ohlert, 1859) (*Attus radiatus*) (syn. *Attus strigipes* Westring, 1861)

Menemerus Simon, 1868

- Menemerus falsificus* Simon, 1868
Menemerus semilimbatus (Hahn, 1829) (*Attus semilimbatus*) (syn. *Euophrys vigorata* C.L.Koch, 1846)
Menemerus taeniatus (L. Koch, 1867) (*Attus taeniatus*)

Salticus Latreille, 1804

- Salticus cingulatus* (Panzer, 1797) (*Aranea cingulata*)
Salticus mutabilis Lucas, 1846 (syn. *Callietherus tenerus* Simon, 1869; *Callietherus zebraneus* Simon, 1869 (ad partem))
Salticus olearii (Scopoli, 1763) (*Aranea olearii*) (syn. *Calliethera zebrina* C.L. Koch, 1837)
Salticus scenicus (Clarck, 1757) (*Araneus scenicus*) (syn. *Calliethera histrionica* C.L. Koch, 1846)

**Ukupno 35 porodica, 57 potporodica, 244 roda
i 643 vrste i podvrste ([Tablica](#))
[Na početak](#) - [Na popis inventara entomofaune Hrvatske](#)**

Inačica 2.0 - 14/07/2002. - bm